

**SUMMER CATALOG 2020** 



WE'RE HERE TO HELP - VISIT SBSALASKA.COM & ASK SBS!

BUILDING PRODUCTS         19-33           Ceiling Tiles         27           Doors & Locksets         27-29           Seasonal         32           Insulation         25-26           Lumber         19-21           Moulding & Trim         30           Paneling         31           Quad-Lock         25           Roofing & Repair         23-24           Siding         23           Trusses         22           Windows         33           ELECTRICAL         69 - 72           Light Bulbs         71           Light Fixtures         70           Rough Electrical         69           Wire & Fittings         72           Work Lights & Floodlights         71           UPDATES & NEW PRODUCTS         1           FASTENERS         16 - 18           Connectors         18           Nails & Screws - Bulk         16           Nails & Staples - Collated         17           FURNITURE         45           HARDWARE         38 - 39
Doors & Locksets         27-29           Seasonal         32           Insulation         25-26           Lumber         19-21           Moulding & Trim         30           Paneling         31           Quad-Lock         25           Roofing & Repair         23-24           Siding         23           Trusses         22           Windows         33           ELECTRICAL         69 - 72           Light Bulbs         71           Light Fixtures         70           Rough Electrical         69           Wire & Fittings         72           Work Lights & Floodlights         71           UPDATES & NEW PRODUCTS         1           FASTENERS         16 - 18           Connectors         18           Nails & Screws - Bulk         16           Nails & Staples - Collated         17           FURNITURE         45
Seasonal         32           Insulation         25-26           Lumber         19-21           Moulding & Trim         30           Paneling         31           Quad-Lock         25           Roofing & Repair         23-24           Siding         23           Trusses         22           Windows         33           ELECTRICAL         69 - 72           Light Bulbs         71           Light Fixtures         70           Rough Electrical         69           Wire & Fittings         72           Work Lights & Floodlights         71           UPDATES & NEW PRODUCTS         1           FASTENERS         16 - 18           Connectors         18           Nails & Screws - Bulk         16           Nails & Staples - Collated         17           FURNITURE         45
Insulation         25-26           Lumber         19-21           Moulding & Trim         30           Paneling         31           Quad-Lock         25           Roofing & Repair         23-24           Siding         23           Trusses         22           Windows         33           ELECTRICAL         69 - 72           Light Bulbs         71           Light Fixtures         70           Rough Electrical         69           Wire & Fittings         72           Work Lights & Floodlights         71           UPDATES & NEW PRODUCTS         1           FASTENERS         16 - 18           Connectors         18           Nails & Screws - Bulk         16           Nails & Staples - Collated         17           FURNITURE         45
Lumber         19-21           Moulding & Trim         30           Paneling         31           Quad-Lock         25           Roofing & Repair         23-24           Siding         23           Trusses         22           Windows         33           ELECTRICAL         69 - 72           Light Bulbs         71           Light Fixtures         70           Rough Electrical         69           Wire & Fittings         72           Work Lights & Floodlights         71           UPDATES & NEW PRODUCTS         1           FASTENERS         16 - 18           Connectors         18           Nails & Screws - Bulk         16           Nails & Staples - Collated         17           FURNITURE         45
Moulding & Trim         30           Paneling         31           Quad-Lock         25           Roofing & Repair         23-24           Siding         23           Trusses         22           Windows         33           ELECTRICAL         69 - 72           Light Bulbs         71           Light Fixtures         70           Rough Electrical         69           Wire & Fittings         72           Work Lights & Floodlights         71           UPDATES & NEW PRODUCTS         1           FASTENERS         16 - 18           Connectors         18           Nails & Screws - Bulk         16           Nails & Staples - Collated         17           FURNITURE         45
Paneling         31           Quad-Lock         25           Roofing & Repair         23-24           Siding         23           Trusses         22           Windows         33           ELECTRICAL         69 - 72           Light Bulbs         71           Light Fixtures         70           Rough Electrical         69           Wire & Fittings         72           Work Lights & Floodlights         71           UPDATES & NEW PRODUCTS         1           FASTENERS         16 - 18           Connectors         18           Nails & Screws - Bulk         16           Nails & Staples - Collated         17           FURNITURE         45
Quad-Lock         25           Roofing & Repair         23-24           Siding         23           Trusses         22           Windows         33           ELECTRICAL         69 - 72           Light Bulbs         71           Light Fixtures         70           Rough Electrical         69           Wire & Fittings         72           Work Lights & Floodlights         71           UPDATES & NEW PRODUCTS         1           FASTENERS         16 - 18           Connectors         18           Nails & Screws - Bulk         16           Nails & Staples - Collated         17           FURNITURE         45
Roofing & Repair       23-24         Siding       23         Trusses       22         Windows       33         ELECTRICAL       69-72         Light Bulbs       71         Light Fixtures       70         Rough Electrical       69         Wire & Fittings       72         Work Lights & Floodlights       71         UPDATES & NEW PRODUCTS       1         FASTENERS       16-18         Connectors       18         Nails & Screws - Bulk       16         Nails & Staples - Collated       17         FURNITURE       45
Siding       23         Trusses       22         Windows       33         ELECTRICAL       69 - 72         Light Bulbs       71         Light Fixtures       70         Rough Electrical       69         Wire & Fittings       72         Work Lights & Floodlights       71         UPDATES & NEW PRODUCTS       1         FASTENERS       16 - 18         Connectors       18         Nails & Screws - Bulk       16         Nails & Staples - Collated       17         FURNITURE       45
Trusses         22           Windows         33           ELECTRICAL         69 - 72           Light Bulbs         71           Light Fixtures         70           Rough Electrical         69           Wire & Fittings         72           Work Lights & Floodlights         71           UPDATES & NEW PRODUCTS         1           FASTENERS         16 - 18           Connectors         18           Nails & Screws - Bulk         16           Nails & Staples - Collated         17           FURNITURE         45
Windows         33           ELECTRICAL         69 - 72           Light Bulbs         71           Light Fixtures         70           Rough Electrical         69           Wire & Fittings         72           Work Lights & Floodlights         71           UPDATES & NEW PRODUCTS         1           FASTENERS         16 - 18           Connectors         18           Nails & Screws - Bulk         16           Nails & Staples - Collated         17           FURNITURE         45
ELECTRICAL         69 - 72           Light Bulbs         71           Light Fixtures         70           Rough Electrical         69           Wire & Fittings         72           Work Lights & Floodlights         71           UPDATES & NEW PRODUCTS         1           FASTENERS         16 - 18           Connectors         18           Nails & Screws - Bulk         16           Nails & Staples - Collated         17           FURNITURE         45
Light Bulbs       71         Light Fixtures       70         Rough Electrical       69         Wire & Fittings       72         Work Lights & Floodlights       71         UPDATES & NEW PRODUCTS       1         FASTENERS       16 - 18         Connectors       18         Nails & Screws - Bulk       16         Nails & Staples - Collated       17         FURNITURE       45
Light Fixtures         70           Rough Electrical         69           Wire & Fittings         72           Work Lights & Floodlights         71           UPDATES & NEW PRODUCTS         1           FASTENERS         16 - 18           Connectors         18           Nails & Screws - Bulk         16           Nails & Staples - Collated         17           FURNITURE         45
Rough Electrical         69           Wire & Fittings         72           Work Lights & Floodlights         71           UPDATES & NEW PRODUCTS         1           FASTENERS         16 - 18           Connectors         18           Nails & Screws - Bulk         16           Nails & Staples - Collated         17           FURNITURE         45
Wire & Fittings         72           Work Lights & Floodlights         71           UPDATES & NEW PRODUCTS         1           FASTENERS         16 - 18           Connectors         18           Nails & Screws - Bulk         16           Nails & Staples - Collated         17           FURNITURE         45
Work Lights & Floodlights         71           UPDATES & NEW PRODUCTS         1           FASTENERS         16 - 18           Connectors         18           Nails & Screws - Bulk         16           Nails & Staples - Collated         17           FURNITURE         45
UPDATES & NEW PRODUCTS         1           FASTENERS         16 - 18           Connectors         18           Nails & Screws - Bulk         16           Nails & Staples - Collated         17           FURNITURE         45
FASTENERS         16 - 18           Connectors         18           Nails & Screws - Bulk         16           Nails & Staples - Collated         17           FURNITURE         45
Connectors         18           Nails & Screws - Bulk         16           Nails & Staples - Collated         17           FURNITURE         45
Nails & Screws - Bulk         16           Nails & Staples - Collated         17           FURNITURE         45
Nails & Staples - Collated 17 FURNITURE 45
FURNITURE 45
Shelving 39
HOME DECOR 46-59
Appliances 49 - 52
Bathroom Fixtures 54
Tub & Shower 53
Cabinets Kitchen 55
Medicine 57
Vanity 56
Countertops 58
Faucets 59
Flooring Vinyl & Laminate 47 - 48
Carpet 46
HOME PACKAGES 2-5
Cabins 5
Home Packages 2 - 4
ORDER FORMS & INFO. 34 - 36
ORDER FORMS & INFO. 34 - 36
ORDER FORMS & INFO.       34 - 36         PAINT & STAIN       40 - 44         Caulking & Adhesives       44         Paint       40 - 41
ORDER FORMS & INFO. 34 - 36 PAINT & STAIN 40 - 44 Caulking & Adhesives 44 Paint 40 - 41 Plasterboard Accessories 43
ORDER FORMS & INFO.       34 - 36         PAINT & STAIN       40 - 44         Caulking & Adhesives       44         Paint       40 - 41         Plasterboard Accessories       43         PLUMBING & HEATING       60 - 68
ORDER FORMS & INFO. 34 - 36 PAINT & STAIN 40 - 44 Caulking & Adhesives 44 Paint 40 - 41 Plasterboard Accessories 43 PLUMBING & HEATING 60 - 68 Chimney Pipe 62 - 63
ORDER FORMS & INFO. 34 - 36 PAINT & STAIN 40 - 44 Caulking & Adhesives 44 Paint 40 - 41 Plasterboard Accessories 43 PLUMBING & HEATING 60 - 68 Chimney Pipe 62 - 63 Heaters 61
ORDER FORMS & INFO. 34 - 36 PAINT & STAIN 40 - 44 Caulking & Adhesives 44 Paint 40 - 41 Plasterboard Accessories 43 PLUMBING & HEATING 60 - 68 Chimney Pipe 62 - 63 Heaters 61 Pipe & Fittings 67
ORDER FORMS & INFO. 34 - 36 PAINT & STAIN 40 - 44 Caulking & Adhesives 44 Paint 40 - 41 Plasterboard Accessories 43 PLUMBING & HEATING 60 - 68 Chimney Pipe 62 - 63 Heaters 61
ORDER FORMS & INFO. 34 - 36 PAINT & STAIN 40 - 44 Caulking & Adhesives 44 Paint 40 - 41 Plasterboard Accessories 43 PLUMBING & HEATING 60 - 68 Chimney Pipe 62 - 63 Heaters 61 Pipe & Fittings 67 Sink Replacement 68
ORDER FORMS & INFO. 34 - 36 PAINT & STAIN 40 - 44 Caulking & Adhesives 44 Paint 40 - 41 Plasterboard Accessories 43 PLUMBING & HEATING 60 - 68 Chimney Pipe 62 - 63 Heaters 61 Pipe & Fittings 67 Sink Replacement 68 Water Heaters 66
ORDER FORMS & INFO. 34 - 36 PAINT & STAIN 40 - 44 Caulking & Adhesives 44 Paint 40 - 41 Plasterboard Accessories 43 PLUMBING & HEATING 60 - 68 Chimney Pipe 62 - 63 Heaters 61 Pipe & Fittings 67 Sink Replacement 68 Water Heaters 66 Weatherproofing 64
ORDER FORMS & INFO. 34 - 36 PAINT & STAIN 40 - 44 Caulking & Adhesives 44 Paint 40 - 41 Plasterboard Accessories 43 PLUMBING & HEATING 60 - 68 Chimney Pipe 62 - 63 Heaters 61 Pipe & Fittings 67 Sink Replacement 68 Water Heaters 66 Weatherproofing 64 Wood Stoves 60
ORDER FORMS & INFO. 34 - 36 PAINT & STAIN 40 - 44 Caulking & Adhesives 44 Paint 40 - 41 Plasterboard Accessories 43 PLUMBING & HEATING 60 - 68 Chimney Pipe 62 - 63 Heaters 61 Pipe & Fittings 67 Sink Replacement 68 Water Heaters 66 Weatherproofing 64 Wood Stoves 60 ZurnPEX Tubing 65
ORDER FORMS & INFO. 34 - 36 PAINT & STAIN 40 - 44 Caulking & Adhesives 44 Paint 40 - 41 Plasterboard Accessories 43 PLUMBING & HEATING 60 - 68 Chimney Pipe 62 - 63 Heaters 61 Pipe & Fittings 67 Sink Replacement 68 Water Heaters 66 Weatherproofing 64 Wood Stoves 60 ZurnPEX Tubing 65 SEASONAL 73
ORDER FORMS & INFO.         34 - 36           PAINT & STAIN         40 - 44           Caulking & Adhesives         44           Paint         40 - 41           Plasterboard Accessories         43           PLUMBING & HEATING         60 - 68           Chimney Pipe         62 - 63           Heaters         61           Pipe & Fittings         67           Sink Replacement         68           Water Heaters         66           Weatherproofing         64           Wood Stoves         60           ZurnPEX Tubing         65           SEASONAL         73           STORAGE         6           TOOLS         7 - 15           Accessories         10
ORDER FORMS & INFO.         34 - 36           PAINT & STAIN         40 - 44           Caulking & Adhesives         44           Paint         40 - 41           Plasterboard Accessories         43           PLUMBING & HEATING         60 - 68           Chimney Pipe         62 - 63           Heaters         61           Pipe & Fittings         67           Sink Replacement         68           Water Heaters         66           Weatherproofing         64           Wood Stoves         60           ZurnPEX Tubing         65           SEASONAL         73           STORAGE         6           TOOLS         7 - 15           Accessories         10           Belts & Pouches         15
ORDER FORMS & INFO.         34 - 36           PAINT & STAIN         40 - 44           Caulking & Adhesives         44           Paint         40 - 41           Plasterboard Accessories         43           PLUMBING & HEATING         60 - 68           Chimney Pipe         62 - 63           Heaters         61           Pipe & Fittings         67           Sink Replacement         68           Water Heaters         66           Weatherproofing         64           Wood Stoves         60           ZurnPEX Tubing         65           SEASONAL         73           STORAGE         6           TOOLS         7 - 15           Accessories         10           Belts & Pouches         15           Chain Saws & Accessories         12
ORDER FORMS & INFO.  PAINT & STAIN  Caulking & Adhesives  44  Paint  Plasterboard Accessories  43  PLUMBING & HEATING  Chimney Pipe  62-63  Heaters  61  Pipe & Fittings  67  Sink Replacement  68  Water Heaters  60  Weatherproofing  64  Wood Stoves  ZumPEX Tubing  SEASONAL  73  STORAGE  66  TOOLS  7-15  Accessories  10  Belts & Pouches  11  Compressors & Generators  14  40-41  40-41  40-41  66-68  67  68  61  62-63  63  64  Wood Stoves  60  CumPEX Tubing  65  FASONAL  73  STORAGE  7-15  Accessories  10  Belts & Pouches  15  Chain Saws & Accessories  12  Compressors & Generators  11
ORDER FORMS & INFO.         34 - 36           PAINT & STAIN         40 - 44           Caulking & Adhesives         44           Paint         40 - 41           Plasterboard Accessories         43           PLUMBING & HEATING         60 - 68           Chimney Pipe         62 - 63           Heaters         61           Pipe & Fittings         67           Sink Replacement         68           Water Heaters         66           Weatherproofing         64           Wood Stoves         60           ZurnPEX Tubing         65           SEASONAL         73           STORAGE         6           TOOLS         7 - 15           Accessories         10           Belts & Pouches         15           Chain Saws & Accessories         12           Compressors & Generators         11           Power Tools         Drills & Drill/Drivers         8 - 9, 12
ORDER FORMS & INFO.         34 - 36           PAINT & STAIN         40 - 44           Caulking & Adhesives         44           Paint         40 - 41           Plasterboard Accessories         43           PLUMBING & HEATING         60 - 68           Chimney Pipe         62 - 63           Heaters         61           Pipe & Fittings         67           Sink Replacement         68           Water Heaters         66           Weatherproofing         64           Wood Stoves         60           ZumPEX Tubing         65           SEASONAL         73           STORAGE         6           TOOLS         7 - 15           Accessories         10           Belts & Pouches         15           Chain Saws & Accessories         12           Compressors & Generators         11



In truck bed, L to R: Randy McElroy, Donnell Diesta, Aaron Emmert, Dwayne Larson. On ground, L to R: Bob Price, Charles Kangas, Joe Dement, Amber

cab: Steve Mattila.

### **Build With Our Experience**

As Alaskans we understand the challenges of building in Alaska. A short building season, limited transportation and the weather all play into your construction schedule.

### 100% Guarantee of Your Satisfaction

Call us anytime if any product does not meet your complete satisfaction. We'll issue a replacement product, a credit or your money back.

### **HOW TO ORDER**

#### Mail

Simply complete and return the order form on pages 34-36.

Phone: 1.800.844.9313 Mon. - Sat. 8 AM - 5 PM

Fax: 907.261.9206

**E-Mail:** catalogsales@sbsalaska.com

Website: sbsalaska.com

WE ACCEPT:









### **ORDERING FORMS ON PAGES 34-36**

#### ORDERING INSTRUCTIONS

Bank Drafts, money orders, and personal checks are the safest method of payment. Spenard Builders Supply cannot be responsible for cash sent through the mail. When using VISA, MasterCard, Discover, American Express or SBS Credit Card, do not send your card. Be sure all information is complete, including expiration date and card number. All members of the same household should order under the same name. Signature of buyer must accompany order. All merchandise must be paid in full prior to shipment unless other arrangements have been made. Credit applications for a Spenard Builders Supply charge account are available upon request.

#### SHIPPING INSTRUCTIONS

When necessary to package merchandise for proper shipping, crating will be added to your bill. SBS is not liable for items lost in the mail. Claims must be made to the U.S. Post Office.



#### **DAMAGES OR SHORTAGES**

Catalog orders are shipped F.O.B. Spenard Builders Supply, Anchorage, Alaska. Should merchandise for freight savings be available, we reserve the right to ship from any of our branch locations near you or our distribution center in Tacoma, Washington. In case of shortage or damage, notify the delivering transportation agent at once and file claim promptly. Any delay may cause you a loss. Spenard Builders Supply requires notification of shortages within (7) days of receiving your shipment.

#### WARRANTY

All General Electric and Whirlpool appliances have a one-year parts and labor warranty. Warranty work will be provided at the nearest factory authorized service center. Spenard Builders Supply is not liable for shipment charges to factory authorized service centers.

Prices in this catalog are current F.O.B. Anchorage at the date of publication. All prices are subject to change without notice. Special price quotations are available on volume shipments. Write or call the Bush Sales Department at Spenard Builders Supply, 4412 Lois Drive, Anchorage, AK 99517. Phone 563-3141, Ext. 313 or 1-800-844-9313. Fax 261-9206.

PLEASE ALLOW 4-5 DAYS FOR ORDER PROCESSING. CATALOG PRICING IS FOB ANCHORAGE

# COVID-19 IMPORTANT NOTICE TO CUSTOMERS

Our number one priority is the safety and well-being our employees, customers and communities. Disruptions in manufacturing, distribution and/or shipping related to the Coronavirus Disease (COVID-19) Outbreak may delay the timely delivery of your order. If you have any questions or concerns please contact us at 1.800.844.9313 or catalogsales@sbsalaska.com.

### **Lumber Notice to Customers**

Boards, Lumber, Timbers, Wood Structural Panels and other building materials are commonly referenced using a nominal description that differs from the actual dimensions of the product.

The actual dimensions of Boards, Lumber and Timbers are always less than the associated nominal dimensions or call sizes. **See tables on page 37** for examples of common Boards, Lumber and Timbers.

#### Makita 10" Table Saw with Stand

Makita's 10" Contractor Table Saw with Portable Stand is a versatile and powerful table saw for use in the shop or on the jobsite. The Convenient and ease-of-use features with large capacity and 15 AMP power, making it a true best-in-class table saw for a range of professional applications. The portable stand is jobsite tough for easy transport.

### 15 AMP Power with New "Tool-less" Blade Guard System

The 2705X1 is powered by a 15 AMP motor that delivers 4,800 RPM with an electric brake for maximum productivity. The large cutting capacity (3-5/8" at 90° and 2-1/2" at 45°) can rip 4X material in one pass, and can use up to a 13/16" dado blade. The 2705X1 also features a tool-less modular blade guard system with adjustable dual side guards to allow for ease of measurement from the blade to the rip fence for cutting setups. The two on-board independent stowable anti-kickback pawls and riving knife/spreader allows for through cuts. In addition, the riving knife/spreader adjusts to three different positions for through, non-through and dado cuts – and it adjusts without removing the throat plate.

### More Capacity and More Accuracy

The precision machined table top remains flat and true for accurate cuts, right out of the box. The right

extension table allows for greater cutting capacity with the capability to rip 4'x8' sheets of plywood.

The 2705X1 includes a durable and portable stand with heavy duty wheels and powder coated finish for extended durability. The spring loaded system is easy to adjust and fold for storage.

Disston 4-IN-1 Portable Work Bench

Workbench, scaffold, dolly and creeper in 1. Practical for professional contractors as well as home users. 500 lb. duty rated capacity can accommodate large projects. Built in features include: power strip, ruler/protractor, drill hole, steel hammer surface, inline accessory storage and carrying handle for portability. Light weight at only 32 lbs.

#30140 (GA17901404) 32 lbs. **109.99** 

**DEWALT** 

### 20V MAX\* XR® Compact

### 12 In. Cordless Chainsaw Kit

This Cordless Chainsaw Kit adds versatility to your battery system. Gas-free operation eliminates the cold starts, fumes, carburetor issues, and maintenance involved with gas-powered chainsaws. Use it to cut beams, do demolition work, and manage tree limbs. This battery-powered chainsaw is built to handle tough construction and outdoor work. The lightweight design maximizes user control. It brushless motor technology delivers extreme runtime and long motor life. Kit includes a 5.0Ah 20V MAX\* battery, charger, and a hard bar cover.

#DCCS620P1 (DWDCCS620P1)

10.5 lbs.

249.99

### FEIT 4' LED T8/T12 Bulb

Convert your existing fluorescent fixture to LED technology with the Feit Electric T48/841/LED 4ft. T8/T12 LED Plug and Play Lamps. This non-dimmable 4100K cool white lamp produces 1750 lumens using only 14 watts - up to 56% less energy than an equivalent fluorescent lamp. Get instant on to full brightness even in sub-zero temperatures with relatively cool running performance. Feit Electric shatterproof T8/T12 lamps have an average life of 50,000 hours / 45.7 years are RoHS compliant and are 100% mercury free. Installation is easy: No replacement of ballast or installation of LED driver required.

#T48/840/LEDG2 (T48840LEDG2) .8

8 lbs.

14.99

#2705XI


(MK2705X1)

171 lbs.

839

### **HOME PACKAGES**

### The House Package is Complete...Build It and Move In!



### **Exterior Package**

### **Foundation Material**

- · Treated pads
- Glu-lam beams BCI Floor I-Joists
- · Framing Structure
- 2 x 6 16" on center exterior walls
- 2 x 4 24" on center interior walls
- 3/4" subfloor, 7/16" OSB floor soffit, wall and 19/32" roof sheathing
- 14" energy heel trusses 24" on center
- · Doors and Windows
- · Fiberglass door
- Alpine vinyl casement windows with screens
- 29 gauge painted steel roofing
- · Vinyl siding

### **Interior Package**

### **Insulation and Plasterboard**

- R-38 floors and ceiling
- R-21 walls
- 5/8" Type-X fire rated plasterboard ceilings
- 1/2" plasterboard walls

#### **Interior Finish**


- Cabinets
- Preformed laminate countertops
- · Jeld-Wen 6-panel interior doors
- · Plumbing fixtures
- ABS plastic waste lines
- Pex water supply lines
- Hot water storage tank
- · Baseboard heating system
- · Carpet and vinyl flooring
- Closet hardware and fasteners
- Light
- Paint

### **Pricing Information**

Pricing is based on barge freight to the locations in our 4 zones. FOB traditional barge loading site. For other delivery locations please call for pricing information to your village.

ZONE 1	ZONE 2	ZONE 3	ZONE 4
Bethel	Kotzebue	North Slope	Aniak
Dillingham	Nome		
Naknek			Kwethluk

## **HOME PACKAGES**







- Choose a floor plan that's right for you!
- Blueprints and itemized material list included with each package.












	ZONE 1		ZONE 2		ZONE 3		ZONE 4	
	Barge Freight	Air Freight	Barge Freight	Air Freight	Barge Freight	Air Freight	Barge Freight	Air Freight
736 Sq. Ft 2 bedroom	83,509	Call for pricing	92,238	Call for pricing	Call for pricing	Call for pricing	92,281	Call for pricing
928 Sq. Ft 2 bedroom	97,889	Call for pricing	108,068	Call for pricing	Call for pricing	Call for pricing	108,722	Call for pricing
1032 Sq. Ft 3 bedroom	113,419	Call for pricing	122,312	Call for pricing	Call for pricing	Call for pricing	122,580	Call for pricing
1904 Sq. Ft 2 bedroom duplex	194,055	Call for pricing	214,168	Call for pricing	Call for pricing	Call for pricing	212,648	Call for pricing


 $Prices \ are \ subject \ to \ market \ conditions. \ Note: \ Regional \ construction \ considerations \ may \ require \ alterations \ to \ these \ plans. \ SBS \ will \ specify \ the \ right \ materials \ for \ your \ region.$ 

## **HOME PACKAGES**









	ZON		ZON		ZON		ZON	
	Barge Freight	Air Freight	Barge Freight	Air Freight	Barge Freight	Air Freight	Barge Freight	Air Freight
1188 Sq. Ft 4 bedroom	123,926	Call for pricing	135,985	Call for pricing	Call for pricing	Call for pricing	136,254	Call for pricing
1168 Sq. Ft 2 bedroom	121,959	Call for pricing	134,018	Call for pricing	Call for pricing	Call for pricing	134,286	Call for pricing
1392 Sq. Ft 3 bedroom, 2 bath	145,859	Call for pricing	163,004	Call for pricing	Call for pricing	Call for pricing	161,412	Call for pricing
1488 Sq. Ft 3 bedroom	153,306	Call for pricing	170,452	Call for pricing	Call for pricing	Call for pricing	168,859	Call for pricing
1568 Sq. Ft 4 bedroom	159,940	Call for pricing	168,231	Call for pricing	Call for pricing	Call for pricing	175,492	Call for pricing

Prices are subject to market conditions. Note: Regional construction considerations may require alterations to these plans. SBS wants to specify the right materials for your region.

# Build Your Alaska Dream with help from SBS.




### Flexible Caribou Cabin!

You choose how big or small to build. Substitute window, door, or wall panels to suit your personal design.


The Caribou Cabin is customizable with a variety of panel options. The panels are 4' wide, so you can enlarge the building to fit your needs with these panels:

- Field Panel- Solid faced panel
- Door Panel-Cut out for a 3'0" exterior door
- Window Panel-Openings cut to fit various windows sizes based on your needs
- Corner Panels-Left and right panels
- All panels are available with your choice of T1-11 or OSB siding



**Multiple Finish Options!** Finish options include insulation, drywall, paneling, electrical, floor coverings and ceilings

Basic 12'x16' with OSB panels starts at \$7999 (FOB Anchorage). Call for pricing on alternative packages.





**STARTING AT** 

\$7999

### **Recreational Cabins**

### Easy to ship, easy to build. Many options to choose from.

Our traditional stick frame cabin kit offers you the advantage of a pre-cut and marked package. A detailed set of drawings and written instructions are provided to ensure successful construction of the package.

SBS has the options to fit your needs; piling foundation, insulation, interior finishes and trims, decks, and interior electrical and plumbing. Build the shell this summer and add on options to finish your cabin between salmon runs. Pricing FOB Anchorage. (Allow 4 weeks to manufacture.)

### **Cabin Packages**

**16' x 24' Tanana** 750 sq. ft. 4800 lbs. **25,499**\*

**20' x 28' Yukon** 950 sq. ft. 8750 lbs. **30,999**\*

\*Shell Package Only

### **STORAGE**

### 12' x 16'

### All-Purpose Storage Shed Kit

- Gain extra storage and security with our easy to assemble precut shed kit
- Kit includes: T1-11 plywood siding, stud package, metal roofing, truss rafters, 8' X 7' overhead door, 2' X 2' vinyl sliding window, 2'-8" exterior fiberglass door and more

**FOB Anchorage** 5200 lbs. **8,699** 

### Wood Storage Shed Kits

- Kits include rough sawn wood siding, trusses, flooring, hardware, nails and complete assembly instructions
- Roofing and foundation sold separately



8' x 8'	1025 lbs.	1,549
10' x 12'	1659 lbs.	2,149

Roofing Package					
<ul> <li>Includes shingles, felt, nails and flashing</li> </ul>					
8' x 8'	(41575778)	325 lbs.	219.99		
10' x 12'	(41575397)	574 lbs.	349.99		

Foundation Package					
• Includes beam	s and pier blocks	_			
8' x 8'	(41575658)	246 lbs.	109.99		
10' x 12'	(41574579)	598 lbs.	159.99		

### 15 Gallon Plastic Drum

- Meets DOT-34 regulations for domestic shipments
- Standard closures furnished are 2" NPT with opposite 3/4" NPT equipped with solid plugs
- Opaque pigment for ultraviolet resistance

	(GFPC15)	9 lbs.	115.99
Drum Bung Wrench	(DWP)	2 lbs.	38.99

### **EZ Builder Greenhouse Kits**

### Add value to your home and enjoy your Alaskan summers!

- The SBS greenhouse kit is not totally precut. Trusses and studs are precut. Some other cutting is required.
- This kit does not have a floor. A floor kit is available as an option. If this greenhouse is to be set directly on the ground we recommend that treated 4 x 4's be placed below the bottom plate to protect against rot.

Gr	eenhouse Kits	
12'X12' PALRUF GREENHOUSE	(GREEN)	1,349
12'X12' SUNTUF GREENHOUSE	(GREENL)	1,749
8'X10' PALRUF ROOFING GREENHOUSE	(810GREEN)	999
8'X10' SUNTUF ROOFING GREENHOUSE	(810GREENL)	1,099
8'X10' GREENHOUSE **FRAME ONLY**	(810GREENPKG)	499



### White Wall Canvas Tents


Tough enough for Alaska's winds

- Walls are a full 4' in height
- Doors have a 7' opening and are closed with a heavy-duty zipper
- Includes rope, rope slips (tension adjusters)
- · The bottom is reinforced with webbing and uses grommets
- Full 10 oz. non-treated fiber

	Tent		
8' x 10'	(CAT8104)	35 lbs.	329.99
10' x 12'	(CAT10124)	40 lbs.	379.99
12' x 14'	(CAT12144)	45 lbs.	389.99









#### DEWALT

### **Heavy-Duty Oscillating Multi-Tool Kit**

- Powerful 3 amp Motor
- Quick-Change<sup>™</sup> accessory system
- Dual-Grip<sup>™</sup> variable speed trigger
- Universal accessory adaptor

#DWE315K

(DWE315K)



7.25 lbs.

159.99

### 5" Single Speed Random Orbit Sander Kit

- 3.0 amp motor-12,000 OPM
- Separate counterweight design
- Rubber over-mold in all of the critical areas of the sander
- Improved dust-sealed switch

#DWE6421K

(DWE6421K)

4 lbs.

59

### **Heavy-Duty Cut-Out Tool**

- Tool-free bit change
- 5 Amp, 30,000 rpm motor
- Includes: 1-general purpose bit, 1 drywall cutting bit, 1/4" & 1/8" collets

#DW660

(DW660)

# 65 3 lbs.

### **Heavy-Duty Recriprocating Saw Kit**

- 13 Amp motor
- 2,700 spm, 1-1/8" stroke length
- Includes metal cutting blade and heavy duty kit box

#DW311K

(DW311K)

13 lbs.



### Heavy-Duty 12-1/2" **Thickness Planer** With Three Knife Cutter-Head

- Powerful 15 Amp, 10,000 rpm motor
- · Reversible knives
- Extra-long infeed and outfeed tables provide 33-1/2" of material support
- · Material removal gauge and thickness scale

#DW735X

(DWDW735X)

102 lbs.

649.99

179

### 7-1/4" Worm Drive Circular Saw

- · Lightweight magnesium construction for optimum user handling, comfort, and strength
- Durable cast magnesium footplate provides a tough and solid cutting platform
- Top-accessible spindle lock enables easier and faster blade changing

#DWS535B

(DWS535)

18.5 lbs.

199.99

### DEWALT

### 10" Single Bevel **Compound Miter Saw**

- 0-48° degree bevel capability
- 14 positive stops
- 15 Amp, 5000 RPM

#DWS713 (DWDWS713) 38.1 lbs. 327.99

### Heavy-Duty 12" Double-Bevel Compound **Miter Saw**

- 15.0 Amps, 3,600 rpm motor
- · Double bevel design allows saw to bevel left and right 0° - 48° with positive stops at 0°, 33.9°, 45° and 48° both left & right allowing user to flip the saw not material
- Includes carbide blade, dust bag and blade wrench

#DWS716 (DWDWS716) 51 lbs.

### Heavy-Duty 12" **Double-Bevel Sliding Compound** Miter Saw

- XPS cross cut positioning system
- 15 Amp, 3,800 rpm motor
- Tall sliding fences support crown molding up to 7-1/2" nested and base molding up to 6-3/4"
- Cuts up to 2x16 dimensional lumber at 90° and 2x12 at 45°
- Miters 60° to the right and 50° to the left

#DWS780

(DWS780)

66 lbs.

599.99

### 10" Compact Job Site **Table Saw**

### With Rolling Stand

- Telescoping fence with 32-1/2" rip capacity
- 15 Amp high-torque motor
- Includes: 10" 24-tooth carbide blades, rolling table saw stand, miter gauge and push stick

#DWE7491RS (DWE7491RS) 113 lbs.

599

### **Heavy-Duty** Miter Saw Stand -

- · Universal design of lightweight aluminum
- 5-1/2' beam extends to support up to 16 ft. of material and up to 400 lbs.

#DWX723 (DWX723)

48.4 lbs.

199



SAW SOLD SEPARATELY

### 1/2" VSR Drill

- All-metal keyless ratcheting chuck
- 10 Amp, 0-1,200 rpm
- Mid-handle grip

#DWD215G (DWD215G) 6.75 lbs. 144.99



### DEWALT

### 20V MAX XR Lithium Ion Brushless 3-Speed Drill/Driver Kit

- · 3-speed, all-metal high performance transmission
- DEWALT-built high power, high efficiency brushless motor
- Heavy-duty 1/2" ratcheting metal chuck
- 3-Mode LED provides lighting in dark or confined spaces

#DCD991P2 (DWDCD991P2) 11.24 lbs. 299.99



### 20V MAX Lithium Ion Brushless1/4" Impact **Driver Kit**

• Kit includes: DCF887 3-Speed Impact Driver, (2) DCB204: 20V\* Max XR Premium Li-Ion Batteries (4.0 Ah), Fast Charger, Belt Hook and Kitbox

#DCF887M2 (DWDCF887M2)



9.09 lbs. 289.99

### BARE TOOLS BATTERIES NOT INCLUDED

### **20V MAX**

### **Drywall Cut-Out Tool**

- 26,000 RPM motor
- Tool-free for fast and easy bit changing
- Dust-sealed
- Bright LED light

#DCS551B (DCS551B) 2.5 lbs. 129.99



### 20V MAX 6-1/2" Circular Saw

- 5,150 RPM motor
- · High strength and lightweight magnesium shoe
- 0-50° bevel capacity
- 6-1/2" carbide-tipped blade

#DCS391B (DWDCS391B) 8.65 lbs. 129.99



### 20V MAX XR Brushless Cordless 3-speed Oscillating Multi-Tool

- DEWALT® brushless motor
- Quick-Change<sup>™</sup> accessory system
- Dual-Grip<sup>™</sup> variable speed trigger
- Bright LED Light
- \*Universal accessory adapter

#DCS356B (DWDCS356B) 2.33 lbs. 139



### 20V MAX XR 1/4" 3-Speed Impact Driver

- DEWALT built brushless motor
- One-handed loading 1/4" hex chuck

#DCF887B (DWDCF887B) 2.65 lbs. 139.99

**20V MAX** 

- Reciprocating Saw • 1-1/8" stroke length, 0-3,000 spm
- · Variable speed with trigger lock

#DCS380B (DWDCS380B) 6.40 lbs.



Add to your existing Tool Kit. Use the batteries & chargers you already have. Tools for all your needs.

### **20V MAX** 7 1/4" Sliding Miter Saw

- Capacity to cup 3 5/8" nested crown and 3 1/2 base vertically
- Adjustable stainless steel miter detent plate with 11 positive stops
- · Compact, lightweight design (30 bs.)
- · Cam lock miter handle

#DCS361B (DWDCS361B) 35.8 lbs.



299

### **60V MAX** FlexVolt Grinder

- 13 Amp Equivalent Power
- Kickback Brake
- E-Clutch
- 9,000 RPM Speed
- Uses of up to 6" wheels

#DCG414B

(DWDCG414B) 179 6.6 lbs.

### 20V MAX Cordless Jigsaw

- 4-position orbital action
- Variable speed 0-3,000 spm

#DCS331B (DWDCS331B) 6.30 lbs.



### 20V MAX\* XR® Brushless Lithium Ion 3 Speed Hammerdrill

- 3-speed, all-metal transmission
- Heavy-duty 1/2" self-tightening chuck
- · High power, high efficiency motor

#DCD996B (DWDCD996B) 4.33 lbs. **159.99** 

### **20V MAX**

### 1/2" High Impact Torque Wrench

- 300 ft.-lbs. of maximum torque
- · Durable magnesium gear case & all metal transmission

#DCF889B (DWDCF889B) 2.50 lbs. 169.99



### 'OOLS

#### DEWALT

### 12V MAX Lithium Ion 1/4" Screwdriver Kit

- · Compact, lightweight design fits into tight areas
- 3 LED Lights provide visibility without shadows
- One-handed loading 1/4" hex chuck accepts 1" bit tips
- · Belt hook included for portability

#DCF610S2 (DWDCF610S2) 4.7 lbs. 99.99





### **20V MAX Lithium Ion Brushless** 3-Speed Hammerdrill Kit

- 3-speed, high performance transmission,0-38,250 BPM
- Heavy-duty 1/2" metal ratcheting chuck
- Includes DCD996 20V MAX\* XR
- Lithium Ion Brushless Premium 3-Speed Hammerdrill, (2) DCB205 - 20V MAX\* XR High Capacity Li-Ion Batteries (5.0Ah), Charger, Belt Hook, 360° side handle and Kitbox

#DCD996P2 (DWDCD996) 11.24 lbs. 319.99

### 20V MAX Lithium Ion 5-Tool Combo Kit (3.0Ah)

• Kit includes DCD985 20V MAX\* hammerdrill, DCS381 20V MAX\* reciprocating saw, DCF885 20V MAX\* 1/4" impact driver, DCS393 20V MAX\* circular saw with 6-1/2" carbide blade, DCL040 20V MAX\* LED work light



• (2) 20V MAX\* Lithium Ion 3.0 Ah Battery Packs, Fast Charger, 360° Side Handle, Belt Hook, Carbide Tipped Blade and Contractor Bag

#DCK590L2 (DWDCK590L2) 29.9 lbs. 599.99

### 18/20V MAX Lithium Ion **Cordless/Corded Wet-Dry Vacuum**

- Cordless or corded operation
- · HEPA rated wet/dry filter
- · Heavy-duty, crush-resistant, fully-integrated 5' (by 1-1/4" diameter) hose
- · 2-Gallon tank

#DCV581H (DWDCV581H) 10.0 lbs.

129.99

#### DEWALT

### 20-Volt MAX XR Lithium-Ion **Cordless Brushless 2-Speed** 21° Plastic Collated Framing Nailer (Tool Only)

- Capable of driving 21 degree fasteners from 2 in. to 3-1/4 in.
- Compatible with all DEWALT 20-Volt MAX batteries and chargers
- Ideal for fencing, framing, and decking applications

#DCN21PLB (DWDCN21PLB) 8.5 lbs. 319



### 12V MAX Lithium Ion Drill/Impact **Driver Combo Kit**

• Kit includes: DCD710 3/8" Drill/Driver, DCF815 1/4" Impact Driver,(2) 12V MAX\* Lithium Ion Battery Packs, Fast Charger, Bit Tip and (2) Belt Hooks

#DCK211S2 (DWDCK211S2) 7.8 lbs. 189.99



### 20V MAX XR Lithium Ion Brushless Compact Drill/Driver Kit

- 2-speed settings (0-600/0-2,000 RPM)
- DEWALT brushless motor delivers up to 57% more run time over brushed
- Compact (7.2" front to back), lightweight (3.5 lb) design
- Kit includes DCD790 1/2" Drill/Driver, (2) 20V Max\* XR Compact Li-Ion Batteries (2.0Ah), Fast charger, Belt hook, On-board bit holder, Kitbox

#DCD791D2 (DWDCD791D2) 8.75 lbs. 199,99



### 20V MAX XR Lithium Ion **Brushless Compact Drill/Driver**

& Impact Driver Combo Kit

- DCD791 20V 1/2" Drill/Driver
- DCF887 1/4" Impact Driver
- (2) DCB203 20V Battery (2.0AH)
- Charger
- (2) Belt Hooks & Contractor Bag

#DCK283D2 (DWDCK283D2) 10.16 lbs. 269.99



### 4-1/2" Fiber Resin Discs

- · Industrial stearate coating with thick backing paper
- Available in 24X, 36X, 60X and 80X

(DWDARB1G0225,325,625,825) 0.23 lb. 1.49

### 4-1/2" Steel Reinforced Rubber Backing Pad

- 5/8" 11 locking nut
- Maximum rpm 12,000

#DW4945 (DW4945) 0.5 lb.







### **DEWALT** 7" Abrasive **Metal or Masonry Blades**

- For fast cutting and chopping with all 7" circular saws
- Your choice

Metal	(DW3511)	.41 lb	3.99
Masonry	(DW3521)	.38 lb.	3.79

### 7-1/4" 24-Tooth Framing Blade

- Carbide tipped thin kerf blade
- Ribbed heat vents reduce flexing and binding

#DW3578B10 (DW3578B10EA) 0.75 lb. 9.99

### 7-1/4" Steel Combination 40-Tooth Blade

• For fast and smooth rips, cross cuts and miters

#DW3325 (DW3325) 0.74 lb.



### 10" Combination 50-Tooth Blade

- Micro-grain carbide produces ultra-sharp cutting edges
- Laser-cut plate, tough coat finish

#DW7150PT (DW7150PT) 1.5 lb. 50.99

### 12" Crosscutting 60-Tooth Blade

- Thin kerf laser-cut plate for precise, accurate cuts
- Fine crosscutting saw blade

#DW3216PT (DW3216PT) 2.6 lb. 56.99

### 12" Crosscutting 96-Tooth Blade

- · Laser-cut plate for precise, accurate cuts
- Ultra-smooth crosscutting



### Saw Blades

- 8% cobalt
- · Flexible body resists breaking
- · Reinforced teeth

#### 6" Wood

		Q" Motal		
5-Pack	#DW4850	(DWDW4850)	0.25 lb.	12.49
Single	#DW4806B	(DW4806B)	0.1 lb.	2.69

#### 8" ivietai

Single	#DW4809B	(DW4809)	0.1 lb.	2.99
5-Pack	#DWA4179	(DWA4179)	0.39 lb.	22.99

#### 12" Wood

Single	#DW4804B	(DW4804B25EA)	0.1 lb.	6.19
5-Pack	#DW4804	(DW4804)	0.25 lb.	27.99

### **DEWALT** 25-Pack **Drywall Bits**

- Heat treated to resist breakage and wear
- Designed to reduce stripping
- #2 Phillips bits

#DW2125 (DW2125) 1 lb. 16.99

### **3M** 3" x 21" Sanding Belts

- · Sands wood, metal, plastic and fiberglass
- 1 pack



DEWALT

120 Grit #9191NA (3M9191) 0.25 lb. 3.99 80 Grit #9192NA (3M9192) 0.25 lb. 3.99 **50 Grit** #9193NA (3M9193) 0.25 lb. 3.99

#### DEWALT

### 9 Pc. Cobalt **Hole Saw Set**

- Kit includes 7/8", 1-1/8", 1-3/8", 1-3/4", 2" & 2-1/2 hole saws, 2 mandrels and carry case
- Bi-metal hole saws
- · Will cut 2-by material in one pass

#DWA1801 (DWA1801) 3.95 lb. 113.99

### 16 Pc. Pilot Point **Drill Set**

- · Pilot point tip starts on contact, reduces lockup on breakthrough
- No-spin shank
- 1/16", 5/64", 3/32", 7/64", 1/8" Split Point drill bits, 9/64", 5/32", 11/64", 3/16", 13/64", 7/32", 1/4", 5/16", 3/8", 1/2" Pilot Point drill bits

#DW1956 (DW1956) 1 lb. 33.99

### 14 Pc. Cobalt **Drill Bit Set**

• 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32" and 1/4" Cobalt Split Point drill bits



#DWA1240 (DWA1240) .25 lb.

# 30.99

### 12 Pc. **Drill Bit Set**

- Quickly changes between drilling and driving
- Black oxide split point drill bits
- 5/16" shank
- · Multi-cutter countersinks

#DW2735P (DW2735P) 1 lb. 39.99



### STANLEY

### 11 Pc. SAE Deep Impact **Socket Set**

- 1/2" drive-6 pt socket design
- · Chrome vanadium steel construction
- Includes case with handle 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1'

#97-125 (ST97125) 4 lbs. 29.99

### STANLEY 10" Locking Adjustable MaxGrip Wrench

- Two tools in one: traditional adjustable wrench and locking plier
- · Jaw grips fastener and won't slip off • Forged body exceeds ANSI

standards for torque

#85-610 (ST85610) 0.75 lb. 32.99

### STANLEY 13 Pc. Wrench Set

- 15° access open end
- Nickel chrome finish
- Your choice: SAE or Metric

#87244/5 (ST87244/5) 5.15 lbs. **52.99** 



10



### STANLEY, BOSTITCH

### **Trim Air**

### **Contractor Compressor**

- High-output oil-free pump delivers 2.8 CFM @ 90 PSI and 150 PSI max operating pressure
- 1.2 gallon compact design weighs 23.5 lbs.

#BTFP01012 (BTFP01012) 37.7 lbs. 199.99

### 18 Ga. Brad Nailer

- · Comfort grip, adjustable depth control
- · Uses Stanley Bostitch 5/8" -2-1/8" brads

#BT1855K (BT1855K) 5 lbs. 119.99

### 23 Ga. Headless Pinner

- Adjustable high/low power control
- · Low profile nosepiece for clear line-of-site
- · Lightweight aluminum housing

(HP118K) 4.2 lbs. 129.99

### Strapshot™ Metal Connector Nailer

- Exposed nail tip places fastener point directly into connector holes
- · Includes carrying case

#MCN150

(MCN150)

5.1 lbs.

### STANLEY BOSTITCH

### **Coil Roofing Nailer**

- · Lightweight magnesium housing
- · Side load canister-one-step nail loading
- · Massive rubber housing pads
- · Shingle gauge for fast layouts

#RN46-1 (RN46-1) 5.8 lbs. 229.99

### **Mini Impact Palm Nailer**

- Rubber grip design
- 360° swivel air fitting
- Front exhaust
- · Drives Most Common Bulk Finish,

PN50 (PN50) 11 lb. 52.99

### Heavy-Duty, Round Head Stick Framing Nailer

- Lightweight magnesium housing
- Tool-free adjustable, die-cast aluminum deflector


#F21PL (F21PL) 9.2 lbs. 219.99

### Metal Connector Nailer

- Exposed nail tip places fastener point directly into connector holes
- 1-1/2" and 2-1/2" 35° paper tape metal connector nails fastener range

(MCN250) 9.65 lbs. #MCN250 359.99









### 1.1 HP 4-Gal 125 PSI **Electric Hand Carry Compressor**

- 4.0 CFM delivered @ 90 PSI pump
- Oil lubricated pump
- · Cast iron cylinder enhances pump life
- 4 gallon, 125 PSI max twin stack tank design

#D55153 (AA1205608) 60 lbs. 289



### 1.1 HP 4-Gal 125 PSI **Electric Wheeled Dolly-Style Air Compressor with Panel**

- 4.0 CFM delivered at 90 PSI pump
- Oil lubricated pump
- Cast iron cylinder
- 10" pneumatic wheel and handle kit

#D55154 (D55154) 85 lbs. 359.99





### Trakita

### 18V LXT® Lithium-Ion **Brushless Cordless** 2-Pc. Combo Kit (4.0Ah)

- 1/2" Hammer Driver-Drill (0-500 & 0-2,000
- Variable speed Impact Driver (0-3,400 RPM & 0-3,600 IPM) delivers 1,500 in.lbs. of Max Torque \*Efficient BL™ Brushless motor
- 18V Lithium-Ion 4.0Ah battery BL1840B features an integrated L.E.D. battery charge level indicator
- INCLUDES: XPH12Z, XDT13Z (2) 18V LXT® Lithium-Ion batteries, Rapid Optimum Charger and tool case



#XT269M (MKXT269M) 14.7 lb. 299.99

### 16-5/16" Circular Saw

- · Large cutting capacity for beams and timber
- Cuts 6x material at 90° and 4x material at 45°
- 15 AMP motor
- Electric brake
- INCLUDES: 32T Carbide tip blade, rip fence, saw storage

holder and wrench

#5402NA (MK5402NA) 43.3 lb. **849.99** 

### **Jobsite Radio, Tool Only**

- Equipped with Bluetooth® to wirelessly connect your mobile device to play music
- Compatible with 7.2V, 12V max, 12V max CXT®, 14.4V, and 18V LXT® Lithium-Ion batteries
- Runs up to 35 hours with an 18V LXT® 5.0Ah battery and 14 hours with an 18V Compact 2.0Ah battery
- INCLUDES: A/C adaptor, AA battery for clock; battery and charger not included

#XRM06B (XRM06B) 11.5 lb. **149.99** 

### 18V X2 LXT® Lithium-Ion (36V) Brushless Cordless Rear Handle 7-1/4" Circular Saw Kit (5.0Ah)

- Brushless Motor delivers 5,100 RPM and 50% longer run time per charge
- \*Delivers up to 558 crosscuts per charge in 2x4 SPF
- \*Cuts 3X material in a single pass with a large 2-9/16" cutting capacity at 90° \*Includes (2) 18V LXT° 5.0Ah batteries, dual port rapid charger, 24T blade, wrench, bag

#XSR01PT

24.2w lb.

349



### 18V X2 LXT® Lithium-lon (36V) Brushless Cordless 6-1/2" Plunge Circular Saw Kit (5.0Ah)

- Dual front and rear bevel supports
- Variable speed control dial (2,500 6,300 RPM)
- · Easy to set depth adjustment
- · Slide lever on base engages the guide rail (sold separately
- INCLUDES: (2) 18V LXT® 5.0Ah batteries. dual port rapid charger, 55T carbidetipped blade, wrench, (2) cases

#XPS01PTJ (MKXPS01PTJ)

28 lb.

499

### 18V LXT® Lithium-Ion **Cordless Cut-Out** Saw, Tool Only

- Adjustable blade depth up to 1-3/16"
- Short 1/4" stroke with adjustable blade
- Clear dust box f
- Dual L.E.D. lights with afterglow illuminate the work area
- Cut-out saw blade (battery and charger not included)

#XDS01Z (MKXDS01Z) 3.8 lb. 199.99

### 18V LXT® Lithium-Ion Sub-Compact Brushless Cordless 11/16" Rotary Hammer, Tool Only

- Sub-Compact; ideal for working in tight spaces
- Brushless motor delivers 0-4,800 BPM and .88 ft.lbs. of impact energy
- Vibration absorbing handle\*2-Mode operation for "Rotation Only" or "Hammering with Rotation" \*Side handle and depth gauge (battery and charger not included)

#XRH06ZB (MKXRH06ZB) 4.63 lb. 209

### 18V LXT® Lithium-Ion Sub-Compact Brushless Cordless Cordless 6-1/2" Circular Saw, Tool Only

- Compact at only 10-5/8" long and 6.4 lbs. with 2.0Ah battery
- Delivers up to 174 crosscuts per charge in 2x10 SPF using one 5.0Ah battery (battery not included)
- Cutting capacity (2-1/4" at 90°) and bevel capacity  $(0^{\circ}-50^{\circ})$
- Includes tool only (battery and charger not included)

#XSH04ZB (MKXSH04ZB) 8.0 lb. 179.99

### 18V LXT® Lithium-Ion Cordless/Corded 20 L.E.D. Flood Light, Light Only

• Up to 8.5 hours of continuous illumination with a 5.0Ah 18V LXT® battery on High mode POWER: 2-mode operation: delivers 750 lumens on High mode or 450 lumens on Low mode CONVENIENCE: Adjusting knobs enable the user to direct the flood light to desired angle VERSATILITY: Battery or corded operation; compatible with 18V LXT® batteries INCLUDES: Light only (battery and charger not included)

#DML805 (MKDML805) 6.1 lb. 109.99

### 18V LXT® Lithium-Ion **Brushless Cordless Compact** Router, Tool Only

- Variable speed control dial (10,000 - 30,000 RPM)
- Smooth rack-and-pinion fine depth adjustment system
- Aluminum housing and base
- Dual L.E.D. lights illuminate the work area
- INCLUDES: 1/4" and 3/8" collet, straight guide, template guide, wrenches (battery and charger not included)


#XTR01Z (MKXTR01Z) 5.3 lb. 129

### 18V X2 LXT® Lithium-Ion (36V) Brushless Cordless 14" **Chain Saw Kit (5.0Ah)**

- BL™ Brushless Motor
- Variable speed trigger and high chain speed (0-3,940 FPM)
- \* Compact rear handle design
- "Tool-less" chain adjustment
- INCLUDES: Includes 2 ea. 18V LXT® 5.0Ah batteries and dual port rapid charger

#MKXCU03PT (MKXCU03PT) 18.9 lb.

### 18V LXT® Lithium-Ion 6.0Ah Battery, 2/pk



 INCLUDES: Includes- 2 ea. 18V LXT® Lithium-Ion 6.0Ah batter

#BL1860B-2 (MKBL1860B2) 2.95 lb.

249

### 18V LXT® Lithium-Ion 5 Ah Battery

- 5.0 Amp hour battery
- 30 minute charge time

#BL1850B (MKBL1850B) 1.5 lb.







### **STANLEY** Utility Knife



· Storage handle includes 2 extra blades

#10-099 (ST10099) 0.25 lb.

### FatMax™ Utility Knife

· Adjustable thumb-dial locking wheel holds blade in place and prevents shifting



.4 lbs.

14.99

#10-778 (ST10778)

### 100 Pack Fat Max Utility Knives

- · Precision ground blades
- · Dispenser pack



### Tape Measure

- Exclusive blade control
- · Heavy-duty Tru-Zero hook
- Slide lock up front

#33-430 (ST33430) 1.3 lbs. 15.99

### 1-1/4" x 25 ft. FatMax® **Tape Measure**

- Contractor grade
- · High impact ABS case
- Easy to read graphics & extra long standout

#33-725 (ST33725) 1.5 lbs. 24.99

### 1-1/4" x 30 ft. FatMax® **Tape Measure**

- 11' tape standout
- BladeArmor<sup>™</sup> coating on the first 6"

#33-730 (ST33730) 1.5 lbs. 33.99

### 16 oz. Curve Claw Nail Hammer

- · Jacketed graphite handle
- · High carbon, precision balanced, polished steel head

1.6 lbs. 23.99 #51-505 (ST51505)

### 22 oz. FatMax® Checkered Face Framing Hammer

· Forged and heat treated head for increased durability

#51-403 (ST51403) 2 lbs. 31.99

### VAUGHAN

### 23 oz. California Framing Hammer

· White hickory handle is triple wedged

Extra-large striking face

#CF1 (CF1) 2.3 lbs. 32.99


### STANLEY 10" **Fixed Frame** Hacksaw



 Pivot-load feature allows quick and easy blade change

#STHT20138 (STHT20138) 2 lbs.

### Combination **Bow Saw & Hacksay**



Two blades included

#80799 14.99 (80799)1.5 lbs.

### **Combination Square**

 Level, depth and marking gauge, square plus scriber

#46012 (ST46-012) 0.4 lb.





### 7" Speed Square

 Five tools in one: framing square, try square, miter square, protractor and saw guide

#SO101C (S0101)0.5 lb. 11.99

### Sauare

- Body: 24" x 2", tongue: 16" x 1-1/2"
- 1/8" graduations, lumber scale, decimal equivalent table, nail sizes, wood screw gauge

#45-300 (ST45300) 0.83 lb. 15.49

### 48" PRO I-BEAM Level

- 0.0015"/in level accuracy
- · Shock absorbing end caps hold up to heavy use
- Top read window for easy reading from above

#STHT42420 (STHT42-420) 2.50 lbs. 36.49

#### "STABILA

#### **Aluminum Levels**

- · 3 vertical & horizontal vials
- Removable end caps

24" #37424 (T196HSL24) 1.4 lbs. 89.99 2.7 lbs. **149.99** 48" #37448 (T196HSL48)

### STANLEY

### 6" Slip Joint Plier

- · Rust resistant chrome finish
- Bonded vinyl grips for comfort

#84-097 (ST84097) 0.5 lbs. 8.99

### 100 Ft. FatMax™ Chalk Line Reel




· Water-resistant, high-impact ABS case

(ST47140) 0.80 lbs. 15.49 #47-140L

### 2 Piece Standard Fluted Driver Set

- Ergonomically designed handle with slip-resistant textured grip
- · Nickel-plated bar resists corrosion
- · Heat treated alloy steel blades

#60-020 (60-020)



3.09

12.99

### STANLEY

### 13" Wonder Bar

- · Forged high carbon steel
- · Beveled nail slot on both ends

#55-515 (ST55515) 1.3 lbs.



- Double-end puller features 90° and 30° offset claws
- Heat-treated for durability

#55-035 (ST55035) 1.15 lbs. 20.99

### 3 Piece FatMax® **Short Blade Chisel Set**

- · Hardened, tempered carbon steel
- · Steel striking cap for use with steel-headed hammers

#16-970 (ST16970) 1.2 lbs. 32.99

### Hammer Tacker

- Strikes like a hammer automatically drives a staple with each blow
- Widely used for fastening insulation, roofing felt, carpet, underlayment, etc.

#HT-50 (ARHT50) 2.2 lbs. 34.99




### Staples

1250 pieces per package

1/4", 5/16" (AR50424/524/624) 0.5 lb. or 3/8"

1/2" (AR50824) 0.5 lb. 4.99







### 3M Hard Hat

- · Brow absorbs moisture
- Meets ANSI requirements for protective head wear
- · White or vellow

#91297/22 (3MCHHRW6/3MCHHRY6)

12.99

1 lb.

### 3M Splash Safety Goggles

- · Protection from impact, splash and dust with polycarbonate lens
- Meets ANSI requirements for protective eyewear

#91252 (3M9125280024)



4.99

0.2 lb.

### 3M Splash & Impact Goggles

- Wraparound, oversized lens fits over most personal prescription eyewear
- ANSI Z87.1 and OSHA compliant
- Adjustable, chemical and flame resistant headband

#91264

(3M9126480025T)

0.64 lb. 12.99

### "Dakura"

### **Polarized Safety Glasses**

- · Wrap-around frame
- · Scratch resistant hard coat & anti-fog polycarb lens
- U.V. ray protection
- · Choose from copper, smoke, silver or blue lens color

(SGTSM215/SGTSM216/SGTSM21-G15-7/SGTSMAP218) 0.3 lb. 31.99



### **Back Support**

- · Provides support to back and helps reduce lower back pain
- 8" wide elastic back panel


•	1-1/4" knit
	suspenders
•	Medium or large

0.88 lb. 15.99




### Roofer's Safety Kit

The HUV universal harness has 5 points of adjustment for added comfort. The vertical lifeline assembly contains a 50 ft. lifeline, shock pack and positioning device with 18-Inch extension lanyard. This kit also comes with a heavy duty temper reusable anchor point to attach onto the



3M Foam Ear Plugs

- Soft, comfortable hearing protection for high noise situations (up to 100dBA TWA)
- · One pair



### AO Products Banded Hearing Protector

- Meets OSHA and EPA requirements
- NRR 28 decibels

#90537

### **Peltor** Hearing Protector

 Durable, lightweight for extended wear for moderately high noise situations (up to 95 dBA TWA)

> #97007 (PEL97007)

0.8 lb.

**Deluxe Office First Aid Kit** Includes 196 high quality first aid supplies

- and pain medication
- Sturdy, well organized case
- First aid care for up to 50 people

#225U (FA225U)

4 lbs.

0.5 lb.

7.79

28.99

77.99

### 3M 8511 N95 Industrial **Respirator with Valve**

- Comfortable foam face seal contours easily for a custom fit
- Exhalation valve keeps your face cool and dry and fit
- Meets NIOSH N95 standards
- 10 Pack

(3M8511PB1A8511)

.3 lb.

27.99

### 3M Latex Paint Respirator

- Chemical absorbent removes odors, provides relief from latex paint odor, unpleasant smog levels and non-hazardous household odor
- · Lightweight, contour fit, easy breathability

#8656ES

(3M8247PA1A8656)

0.1 lb.

5.59

### Dust Mask

- Offers relief from dust, non-toxic powder and pollen
- 20 pack

#8210PLU5

0.5 lb.

18.99

### 3M Paint Spray-Pesticide Respirator

- Includes half face piece, 1 pair organic vapor cartridges, 2 pair of particulate filters and 1 pair of filter retainers
- Medium or large

#R6211/311 (3M6211PA1AR621/3M6311PA1AR631)



Disc Filter

2 pair of P95 particulate filters for face piece respirators

#2907PA1 (3M2097PAIA) 0.5 lb.

17.99

### Jackson Safety Glasses

- Lightweight design
- Meets ANSI Z87.1+ Standards
- Universal nose bridge
- 99.9 % UV protection


#3004880 (CLRSFTYGLSS) 0.1 lb.

2.59



109.99









### **Liars Suspenders**

- Perfect for fibbers, fishermen, truth stretchers and leg pullers
- Made from premium elastic, top quality hardware and genuine leather cross brace

#110RUL

(110RUL)

0.56 lb.

14.99



# 58-Pocket Zippered Tool Carrier

- 52 Pockets inside and 6 pockets outside to organize tools and accessories
- Large center compartment to carry multiple power tools and accessories

(CU1539)

- 2 outside compartments
- · Zippered side panels

de

6.0 lbs.

### 5-Pocket Tool System

- Made of double layered 600D polyester fabric
- · Adjustable, padded suspenders
- One size fits most

#1614 (LC1614

(LC1614) 5 lbs.

s. **59.99** 

### **Padded Pro Suspenders**

• Fully adjustable

#1539

- · Heavy duty padding
- One size fits most
- Convenient quick fastening system

#5122

(CU5122)



0.88 lbs. **29.99** 


# Heavy-Duty Construction Work Apron

- 12 pockets, 2" wide belt, fits sizes 29"-46"
- 4 main nail/tool pockets and 6 small pockets
- Leather tape holder and combination square holder

#I427X (1427X)

1.9 lbs.

34.99



### **Plastic Cap Knee Pads**

- Exclusive grooved cap design prevents thread abrasion
- Super tough, lightweight fabric covering, comfortable foam padding for extra knee protection
- · One size fits all
- Comfortable, double straps with hook and loop fasteners

#V230 (V230)

0)

.75 lbs.

13.99

### 17-Pocket/4-Piece Combo Apron

- Rugged fabric & nylon binding
- 6 Main nail and tool pockets and 11 smaller pockets
- Padded comfort belt with double adjustment fits waists 29"-52"

#1604

(164N)

3.7 lbs.

49.99

77.99

### Non Marring Knee Pads

- Sure grip shell surface
- Thick foam inner pads
- For plumbers, roofers, tile setters
- Adjustable rubber straps



#361 (WA361) 1.3 lbs. **21.99** 

15

### **FASTENERS & NAILS**

### Full line of nails and staples available in 1lbs, 5lbs and larger bulk boxes

- Bright and Galv Finish
- Joist Hanger
- Galv. Casing
- Fluted Masonry

• Galv. Box

- Fencing Staples
- Bright and Galv. Common
- Spikes

Duplex

• Galv. Roofing

• Sinkers

• Button Cap

Please call an expert to find the correct fastener for the application.

# **Roofing Nails**

1" Button Cap Roofing Nails	1 lb. Box	(1PRCAPLB)	1.99
1-1/2" Button Cap Roofing Nails	1 lb. Box	(112PRCAP1)	2.09
2" Button Cap Roofing Nails	1 lb. Box	(NN0135133LB)	2.19
2-1/2" Button Cap Roofing Nails	1 lb. Box	(NN135151LB)	2.29
3" Button Cap Roofing Nails	1 lb. Box	(HGN3PC1)	2.79

### **HUTTIG-GUARD Professional Outdoor Screws**

- Huttig-Guard coated screws are resistant to rust and corrosion
- Box

			1 lb.		5 lb.
#6	1-1/4"	#HGG114PRO1	<b>4.99</b> #⊦	HGG114PRO5	21.99
#6	1-5/8"	#HGG158PRO1	<b>4.99</b> #⊦	IGG158PRO5	21.99
#7	2"	#HGG2PRO1	4.99 #	HGG2PRO5	21.99
#8	2-1/2"	#HGG212PRO1	<b>4.99</b> #⊦	IGG212PRO5	21.99
#8	3"	#HGG3PRO1	4.99 #	HGG3PRO5	21.99

### **HUTTIG-GUARD Bugle Head Gypsum Screws**

- · Attaches gypsum board to 20-25 ga. steel studs
- Box

			1 lb.	5 lb.
#6	1-1/4"	#HGS114FDW1	<b>3.49</b> #HGS114FDV	V5 <b>14.99</b>
#6	1-5/8"	#HGS158FDW1	3.49 #HGS158FDV	N5 <b>14.99</b>

### **Black**

- Attaches gypsum board to wood
- Box

			1 lb.	5 lb.
#6	1-1/4"	#HGS114CDW1	<b>3.49</b> #HGS114CDW5	14.99
#6	1-5/8"	#HGS158CDW1	<b>3.49</b> #HGS158CDW5	14.99
#6	2"	#HGS2CDWS1	<b>3.49</b> #HGS2CDWS5	14.99
#8	2-1/2"	#HGS212CDW1	<b>3.49</b> #HGS212CDW5	14.99
#8	3"	#HGS3CDW1	<b>3.49</b> #HGS3CDW5	14.99

# GUIDELINES FOR PROPER USE Treated Wood Fastening Systems

Wood Treatment	NONE	NONE	CCA	CA, ACQ CA-b, CCA		ACQ , CCA	PWF* ALL
Protective Coating	Painted	Zinc (Dacrotized)	Electro Galvanized	Hot Dipped Galvanized G-185	Z-Max	Grabber Gard	Stainless Steel
Hangers/ Brackets				~	•		~
Hand Nails			~	<b>/</b>			
Pneumatic Nails			~	~			~
Nuts & Bolts		~		~			~
Pier Block Brackets	~			~			
Screws	1			<b>/</b>		~	~
Foundation Bolts	~			~			~
DO NOT MIX	FASTENEI	R TREATMENT	S - NO HDG F	ANGERS WIT	H STAINLI	ESS SCREV	V/NAILS











At Spenard Builders Supply we have over 2000 fasteners, ranging from lag, hex and carriage bolts to steel and brass wood screws. We also have machine screws, sheet metal screws and a lot more. If you need any type of fastener please call us.

### Huttig-Guard Professional Outdood Screws 15 Year Limited Warranty

### HUTTIG-GUARD Star Drive Power Pro Deck Screws

• Box

			1 lb.		5 lb.
#6	1-1/4"	#HGG114PREBN1	5.99	#HGG114PREBN5	24.99
#6	1-5/8"	#HGG158PREBN1	5.99	#HGG158PREBN5	24.99
#8	2"	#HGG2PREBN1	5.99	#HGG2PREBN5	24.99
#8	2-1/2"	#HGG212PREBN1	5.99	#HGG212PREBN5	24.99
#10	3"	#HGG3PREBN1	5.99	#HGG3PREBN5	24.99
#10	3-1/2"	#HGG312PREBN1	5.99	#HGG312PREBN5	24.99

Timberlok Screws					
4"	(4TS50)	50 pc.	1.8 lbs.	33.99	
6"	(6TS50)	50 pc.	3.6 lbs.	39.99	
8"	(8TS50)	50 pc.	3.8 lbs.	44.99	



Special ribbed for counter sinking

Box



		1 lb.	5 lb.
2"	(X78200RG/VB78200RG)	10.99	49.99
2-1/2"	(X78250RG/VB78250RG)	10.99	49.99
3"	(X78300RG/VB78300RG)	10.99	49.99

Power	<b>Pro Wood Screws</b>	(Interior U	lse Only	<i>ı</i> )	
9 x 3"	(H48584/H48592)	1.0 lbs.	8.29	5.0 lbs.	32.99

### **FASTENERS & NAILS**

### HUTTIG-GRIP 15 Gauge Finish Nail

- For trim and fine finishing work
- 4M per case

1-1/2"	#HGCADA112B	7.2 lbs.	36.99
2"	#HGCADA2B	9.6 lbs.	39.99
2-1/2"	#HGCADA212B	11.2 lbs.	53.99

### HUTTIG-GRIP 15 Gauge Galvanized Finish Nails

- For trim and fine finishing work
- 4M per case

2"	#HGCADA2G	9.6 lbs.	32.99
2-1/2"	#HGCADA212G	11.2 lbs.	46.99

### **HUTTIG-GRIP 16 Gauge Straight Galvanized Finish Nail**

- For casing, finish, trim, moulding, base and cabinet work
- 2.5M per case

1-1/4"	#HGCBSF114G	3.5 lbs.	8.49
1-1/2"	#HGCBSF112G	3.8 lbs.	8.59
1-3/4"	#HGCBSF134G	4.2 lbs.	10.99
2"	#HGCBSF2G	4.5 lbs.	11.99
2-1/2"	#HGCBSF212G	5.2 lbs.	16.49

### HUTTIG-GRIP 18 Gauge Galvanized Brad Nail

- For casing, finish, trim, moulding, base and cabinet work
- 5M per case

3/4"	#HGCCBD34G	2 lbs.	6.99
1"	#HGCCBD1G	2.6 lbs.	7.59
1-1/4"	#HGCCBD114G	3.2 lbs.	9.19
1-1/2"	#HGCCBD112G	3.8 lbs.	9.99
1-3/4"	#HGCCBD134G	4.4 lbs.	11.99
2"	#HGCCBD2G	4.8 lbs.	13.99

### Praslode TrimMaster 16 Gauge Finish Nails

- For use with Paslode® TrimMaster Nailers
- 2M per case

1-1/2"	#650231	(650231)	2.6 lbs.	79
1"	#650047	(650047)	3.6 lbs.	25.99
2-1/2"	#650232	(650232)	4.4 lbs.	26.99

### 16 Gauge Straight Finish Nails

- For use with Paslode® cordless nailers & fasteners
- 2M per case
- 20° angled

• 20 angled				Y - I SE
1-1/2"	#650283	(650283)	2.9 lbs.	
2"	#650285	(650285)	3.5 lbs.	17.99
2-1/2"	#650287	(650287)	4.9 lbs.	24.99

### **Staples**

• For use with Paslode® fasteners

1-1/2" Galv.	10.5M	#T2695	(PAST2695)	5 lbs.	82.99
1-3/4" Galv.	9M	#T2250	(PAST2250)	5 lbs.	76.99

### **HUTTIG-GRIP 21° Stick Framing Nails**

- For framing, sheathing, subfloors & roof decking
- Plastic collated

#### .113 Diameter

2"	Galv.	5M	#HGCDFVTWB5M	33 lbs.	91.99
2-3/8"	Smooth	5M	#HGCDJVRXB5M	38 lbs.	52.99
2-3/8"	Galv.	5M	#HGCDJVTWB5M	38 lbs.	94.99
2-3/8"	Ring	2.5M	#HGCDJVRWB5M	20 lbs.	64.99
2-3/8"	CSMG	4M	#GR08R	38 lbs.	63.99
.148 D	iameter				
2-3/8"	Smooth	4M	#HGCDJYRXB4M	49.2 lbs.	92.99
3"	Smooth	4M	#HGCDMYRXB4M	61.16 lbs.	111.99

### **HUTTIG-GRIP Coil Roofing Nails**

- For roofing shingles or vinyl siding
- 15° wire weld coil, galvanized
- 120 Diameter 7.2M per case

1"	Smooth	#HGC1EGCRFG	28 lbs.	39.99
1-1/4"	Smooth	#HGC114EGCRFG	34 lbs.	54.99
1-1/2"	Smooth	#HGC112EGCRFG	41 lbs.	54.99
1-3/4"	Smooth	#HGC134EGCRFG	40 lbs.	62.99

### **HUTTIG-GRIP 16 Gauge Medium Crown Staples**

- For sheathing, fencing, doors, cabinet backs
- · Galvanized wire

### **7/16" Crown** • 10M per case

1-1/2"	Galv.	#HGCBXCGDR10M	27 lbs.	51.99
1-3/4"	Galv.	#HGCBXCGCR10M	31 lbs.	59.99
2"	Galv.	#HGCBXCGBR10M	34 lbs.	69.99

### Pastode Nails By The Box

#### Round Drv. Nails Ring Shank

5M	#650238	(650238)	34 lbs.	114
3M	#405253	(405253)	27 lbs.	93.99
2.5M	#650830	(650830)	28 lbs.	77.99
2.5M	#650839	(650839)	31 lbs.	89.99
	3M 2.5M	3M #405253 2.5M #650830	3M #405253 (405253) 2.5M #650830 (650830)	3M #405253 (405253) 27 lbs. 2.5M #650830 (650830) 28 lbs.

#650386

(650386)

2M


### Joist Hanger Nails

3" x .131

1-1/2" x .148 Galv.	3M	#650014	(6540140)	26 lbs.	129.99
1-1/2" x .148	3M	#650026	(PAS650026)	33 lbs.	79.99

18 lbs. 106.99

### **FASTENERS & NAILS**



RI	TRO-FIT I	POST BASI	E	
Retro-fit Post Base	#RPBZ	(RPBZ)	1.75 lbs.	5.99
	-			

ANCHORS					
Z-Max Framing	2-1/2"	#A34Z	(A34Z)	0.9 lb.	1.49
Z-Max Framing	4-5/8" x 1-7/16"	#A35Z	(A35Z)	0.13 lb.	79¢

JOIST SUPPORT							
2" x 4"	#LUS24Z	(LUS24Z)	0.18 lb.	1.09			
2" x 6-8"	#LUS26Z	(LUS26Z)	0.26 lb.	1.39			
2" x 8-12"	#LUS28Z	(LUS28Z)	0.35 lb.	1.99			
2" x 10-14"	#LUS210Z	(LUS210Z)	0.39 lb.	1.89			



	71 44				
	1	POST CAPS		-	
Twin Z-Max	6" x 6"	#ACE6	(ACE6Z)	0.48 lb.	11.49
Z-Max	4" x 4"	#AC4Z	(AC4Z)	0.49 lb.	8.29
Z-Max	6" x 6"	#AC6Z	(AC6Z)	0.65 lb.	10.99
		POST CAP/BAS	SE		
Z-Max	4" x 4"	#BC4Z	(BC4Z)	0.63 lb.	10.99

6" Truss Screws						
50 PC.	#SDWC	(SDWC15600KT50)	2.1 lb.	36.06		

#BC6Z

(BC6Z)

1 lb.


• Nail on plates are flanged for added support

• 20 gauge, galvanized

	TIE PLATES	5		98
3" x 5"	#TP35	(TP35)	0.17 lb.	1.29
3" x 7"	#TP37	(TP37)	0.23 lb.	1.79
5" x 7"	#TP57	(TP57)	0.40 lb.	3.29







	NAIL PLA	TES		
3"	#NS-1	(NS1)	.07 lb.	39¢
6"	#NS-2	(NS2)	.15 lb.	99¢

PLYWOOD CLIPS				
7/16"	#PSC716	(PSCL716E)	.04 lb.	19¢
1/2"	#PSC12	(PSCL12E)	.04 lb.	19¢
5/8"	#PSC58	(PSCL58E)	.04 lb.	19¢

STAIRCASE ANGLES							
1-1/2" X 10-1/4" X 1-1/2"	#TA10ZR	(TA10Z-R)	.74 lb.	5.99			
1-1/2" X 8-1/2" X 1-1/2"	<b>( 8-1/2" X 1-1/2"</b> #TA9ZR		.39 lb.	5.89			
			and Ti	100014			
	EARTH ANG	HORS					
• Use for anchoring sheds, airplanes and swingsets							
1,100 lbs. capacity	#68DB1	(FS68DBI)	.33 lb.	14.99			
3,000 lbs. capacity	#88DB1	(FS88DBI)	1.15 lbs.	37.99			

		NAILS	G	
Galvanized 1-1/2" .148	75 PC.	(TI72014U)	1.1 lb.	6.29
Galvanized	100 PC. (	NLS112131HDJHS)	1.1 lb.	5.79

#138DB1

(FS138DBI)

3 lbs.

79.99

Z-Max

6" x 6"

19.99

5,000 lbs. capacity

## **BUILDING PRODUCTS**

Nominal Dimension or Call Sizes used. See page 37 for Actual Board Dimensions.



### **Cedar Fencing**

• Protect your family and pets while adding value to your home

1 x 6 x 5' Flattop	(165FBC)	3.46 ea.
1 x 6 x 6' Flattop	(15561CF)	5.08 ea.
1 x 6 x 6' Dog-Eared	(1556DE1CF)	5.15 ea.
2 x 4 x 8' Rail	(248SGC)	15.03 ea.
4 x 4 x 8' Treated Post	(448HF2TICGC)	15.11 ea.

### **Treated Lumber**

- Select structural grade
- Lifetime guarantee
- ACQ rated fasteners required

### **IMPORTANT NOTICE**

See page 16 for the guidelines on Treated Wood Fastening Systems

	2 x 4	2 x 6	2 x 8	4 x 4	4 x 6
	(241XHF 2STCKD/ 2420HF 2STCKD)	(268HF2ST CKD/261XH F2STCKD/2 620HF2ST- CKD)	(288HF2TI CGC/281X HF2TICGC/ 2820HF2TI CGC)	(448T25/ 441T25/ 4420T25)	(468HF 2TICGC/ 461XHF 2TICGC)
8'	7.74	10.37	14.05	16.94	24.08
10'	9.68	14.47	17.73	21.22	30.09
12'	11.63	17.40	21.27	25.63	36.33
14'		20.25			
16'	15.50	23.21	28.27		48.38
18'		25.41	27.36		
20'	17.45	28.92	35.30		

### Trex

### **Transcend Decking**

- Designed in multiple, rich, lasting colors and a natural-looking wood grain
- Resists stains and mold better than traditional composites
- Fire Pit, Gravel Path, Tree House or Vintage Lantern
- Backed by limited warranties against material defects and against fade & stain

1" x 5 1/2" x 12'	(54612TTFPXX)	31.0 lbs.	66.99
1" x 5 1/2" x 16'	(54616TTFPXX)	41.9 lbs.	87.99
1" x 5 1/2" x 20'	(54620TTFPXX)	51.8 lbs.	111.99
.56" x 7 1/4" x 12'	(58812TTFXX)	42 lbs.	
.56" x 11 1/4" x 12'	(581212TTFPF)	49 lbs.	121.99



### All Purpose Common Cedar

- All purpose grade stamped construction lumber
- · Agency certified for many uses
- Surfaced 1 side, 2 edges

	,	
1 x 3	8', 12', 16', 20	71¢ I.f.
1 x 4	8', 10', 12', 16', 20'	92¢ l.f.
1 x 6	8', 10', 12', 16', 20'	1.55 l.f.
1 x 8	8', 12', 16', 20'	2.16 l.f.
1 x 10	12', 16', 20'	3.27 l.f.
1 x 12	12', 16', 20'	4.95 l.f.
5/4 x 8 STK	8', 10', 12', 16', 20'	3.89 l.f.
5/4 x 10 STK	8', 10', 12', 16'	4.45 l.f.
5/4 x 12 STK	8', 10', 12', 16', 20'	6.93 l.f.

### Common Cedar

• Green

2 x 4	1.87 l.f.
2 x 6	3.41 l.f.
2 x 8	5.44 l.f.

11.86 b.f.

### 8/4 Bending Hickory

- Kiln dried
- Sold by the board foot
- Sold random length, random width

(84BHICKORY) 4.75 lbs.





# **ILDING PRODUCTS**

Nominal Dimension or Call Sizes used. See page 37 for Actual Board Dimensions.



### **OSB Siding**

- CDX grade, agency certified
- · For use in general building
- · Rough both sides

### 15/32" 4X8 Flameblock OSB Sheathing

66.7 lbs.	(1532OSBLPFB1)	41.49
	(	

#### Clear Oak

Surfaced 4 sides

1 x 2	(12OAKC)	1.96 l.f.
1 x 3	(13OAKC)	3.26 l.f.
1 x 4	(140AKC)	4.18 l.f.
1 x 6	(16OAKC)	6.02 l.f.
1 x 8	(18OAKC)	8.30 l.f.
1 x 10	(110OAKC)	11.09 l.f.
1 x 12	(112OAKC)	14.21 l.f.
1-1/2 x 1-1/2	(22OAKC)	4.83 l.f.
1-1/2 x 3-1/2	(24OAKC)	13.82 l.f.
1-1/2 x 5-1/2	(26OAKC)	17.56 l.f.



### Fir Timbers

• Standard and better, surfaced four sides, 8' to 20' lengths in 2' multiples

4 x 4	(44XXGDF2)	1.70 l.f.
4 x 6	(46XXGDF2)	2.29 l.f.
4 x 8	(48XXGDF2)	<b>2.91</b> l.f.
4 x 10	(410XXGDF2)	<b>4.19</b> l.f.
4 x 12	(412XXGDF2)	<b>5.21</b> l.f.
6 x 6	(66XXGDF2)	<b>4.62</b> l.f.
6 x 8	(68XXGDF2)	<b>5.71</b> l.f.
6 x 12	(612XXGDF2)	<b>10.11</b> I.f.

### 4' x 8' Plywoods **Construction Grade**

- CDX grade, agency certified
- For use in general building
- Rough both sides
- Available in 3/8", 1/2", 5/8", or 3/4"

### Marine

- Both sides sanded AB grade
- Available in 1/4", 3/8", 1/2", or 3/4" other sizes available by special order

### **AC Sanded**

- AC grade for interior or exterior building projects where appearance is important on one side only
- Fully sanded, 1-side
- Available in 1/4", 3/8", 1/2", 5/8" or 3/4"

Lumber prices subject to market condition. Please call for current market prices on plywood, lumber and sheathing.



### **BCI Versa Studs**

5-1/2X18' Versa Stud	(2618LVLS1.70E)	37.8 lbs.	44.37
5-1/2X24' Versa Stud	(2624LVLS1.70E)	50.4 lbs.	58.99
7-1/4X18' Versa Stud	(2818LVLS1.70E)	50.4 lbs.	62.70
7-1/4X24' Versa Stud	(2824LVLS1.70E)	72.4 lbs.	83.60

### OSB Sheathing

Available in 7/16", 1/2", 5/8", and 3/4" T&G

### **Joists and Beams**



#### **BCI 6000**

- Makes residential framing cost-effective and fast
- · Precision engineering ensures stiffer and quieter support



	24'		26'		2	28'		9
9-1/2"	(BC60001024) 53 lbs.	52.06	(BC60001026) 57 lbs.	56.41		61 lbs.	60.94	1
11-7/8"	(BC60001224) 59 lbs	56.16	(BC60001226) 64 lbs	60 46	(BC60001228)	69 lhs	65.81	1

### 1-3/4" Versa-Lam Beam

- · Laminated veneer floor beams and headers
- Sold in full lengths

9-1/2"	4.3 lbs. per l.f.	5.39 l.f.
11-7/8"	5.3 lbs. per l.f.	<b>6.58</b> l.f.
16"	7.4 lbs. per l.f.	10.09 l.f.

### **BUILDING PRODUCTS**

Nominal Dimension or Call Sizes used. See page 37 for Actual Board Dimensions.



**Permanent Wood Foundation (PWF) System** is a treated plywood and lumber foundation that installs in any weather. Builders have discovered advantages to include: savings in scheduling; installation by carpentry crews; reduction in material costs, especially where concrete is at a premium, and easy to insulate and finish as a conventional frame wall. The PWF system is all about quality, strength, ease of installation and comfort.

#### Permanent Wood Foundation Products

	2 x 4	2 x 6	4 x 4	4 x 6	8 x 8
		(2620HF2T60)	(448HF2T60)		(888HF2T60/ 8820HF2T60)
8'	7.12	10.69	15.22	24.50	
10'	9.19	13.31			97.68
12'	10.66	16.05	22.91	37.03	134.33
16'	14.24	21.43	30.29	49.01	179.31
20'		26.75			225.47



LP proudly offers a complete line of products to help you manufacture better outdoor structures with outstanding durability, value, beauty and flexibility!

#### ColorStrand

ColorStrand combines Northwest Factory Finishes' Proprietary processes with innovative equipment and specially-formulated PPG DURACOLOR machine applied finish. The result is a beautiful and extremely durable finish with exceptional consistency and a 30 year limited coating warranty. Northwest Factory Finishes is recognized by LP Corp. as a preferred prefinisher.

ColorStrand Deep Grain Collection employs a specialized two tone coating process that enhances the authentic cedar texture of LP SmartSide with depth and character. There are several unique colors available in stock on both LP SmartSide Lap siding and Great Random Shakes. Shakes are a full shade darker than the corresponding lap so that they provide an additional accent when paired together. This coating process cannot be reproduced by an onsite painter promising to make your home distinct.

Contact your local SBS for availability in your market.



#### LP SmartSide Warranty

- 5-year, 100% labor and replacement feature\*
- 50-year prorated, limited warranty on substrate\*

"see www.lpcorp.com for full warranty details



### Kiln-Dried Pine Boards


- Kiln-dried No. 3 pine, surfaced four sides
- 8' to 16' lengths in 2' multiples
- Prices per linear foot

1 x 3	(13XXCOMP)	5 lbs.	34¢ I.f.
1 x 4	(14XXCOMP)	5 lbs.	53¢ I.f.
1 x 6	<b>1 x 6</b> (16XXCOMP)		73¢ I.f.
1 x 8	(18XXCOMP)	1.5 lbs.	1.02 I.f.
1 x 12	(112x/XXCOMP)	2 lbs.	1.83 Lf

### Pre-Cut Surface Dried Hem-Fir Studs

· Standard and better, surfaced four sides

2 x 4 x 92-5/8" (249258HF) 10 lbs. 4.08 ea. 2 x 6 x 92-5/8" (269258HF) 14 lbs. 5.85 ea.



### T1-11 Exterior Plywood Siding

- Texture 1-11; 5/8" thick and 4' width, 8', 9', 10' lengths
- Durable and economical
- Design flexibility & decorative finish
- · Vertical grooving, 4", 8", 12" on center
- Available in 8', 9' or 10' sheets



# **BUILDING PRODUCTS**

Nominal Dimension or Call Sizes used. See page 37 for Actual Board Dimensions.










or Half Truss

Flat Truss

SBS manufactures two types of support trusses, roof and floor. We offer professional engineering and unlimited design configurations in both products. Our most popular roof truss is the Howe Truss, which is made with a center king post, giving it superior strength and straightness in the top and bottom cords.

# Information required when ordering trusses:

- ✓ Quantity\_\_\_\_\_
- ✓ Type \_\_\_\_\_
- ✓ Pitch \_\_\_\_\_
- ✓ Span \_\_\_\_\_
- ✓ Overhang\_\_\_\_\_\_
  ✓ Remarks\_\_\_\_\_\_



### **Dimensional Lumber**

	<b>2 x</b> (228HF/		2 x (248HF2/2	-	<b>2 x</b> (268HF2/2		2 x (288DF2/2		<b>2 x</b> (2108DF2/2		<b>2 x</b> (2128DF2/2	
8'	5 lbs.	4.81	10 lbs.	4.76	15 lbs.	6.98	19.5 lbs.	10.61	29.5 lbs.	14.17	29.5 lbs.	17.56
10'	6 lbs.	5.97	12.5 lbs.	5.87	18.5 lbs.	9.12	24.5 lbs.	13.22	31 lbs.	17.62	37 lbs.	22.19
12'			15 lbs.	7.24	22 lbs.	10.97	30 lbs.	16.75	37 lbs.	22.26	44.5 lbs.	28.03
14'			17 lbs.	8.57	26 lbs.	12.77	34.5 lbs.	18.84	43 lbs.	26.48	52 lbs.	31.54
16'			19.5 lbs.	10.43	30 lbs.	14.59	39.5 lbs.	22.85	49.5 lbs.	30.78	59 lbs.	38.58
18'			22 lbs.	11.02	33 lbs.	16.77	44.5 lbs.	24.44	55.5 lbs.	32.89	66.5 lbs.	41.68
20'			24.5 lbs.	12.25	37 lbs.	18.38	49 lbs.	28.50	62 lbs.	37.26	74 lbs.	47.19

Grades: Std. and better (2 x 4), #2/BTR (2 x 6, 8, 10, 12) Surface Dry

## BUILDING PROI

Nominal Dimension or Call Sizes used. See page 37 for Actual Board Dimensions.



### Consider the many advantages a metal roof can offer your home.

- ✓ Weather Resistant
  ✓ Maintenance
  ✓ Strength
- ✓ Non-combustible ✓ Appeal
- ✔ Applications

#### **Available Colors**

Rustic Red	Bare Galvanized	Light Stone	Old Town Gray		
Chestnut Brown	Forest Green	Winter White	Slate Gray		
Classic Brown	Tahoe Blue	Surf White	Weathered Copper		
Denali Green	Everglade	Blackberry	_		

### Monogram® Vinyl Siding

Monogram™ provides the look of wood siding, but does not require the upkeep common to wood. Monogram siding is manufactured with TrueTexture™ rough cedar finish molded directly from real cedar boards. Available in a selection of profiles, Monogram offers the industry's widest selection of colors. It is appropriate for use in new construction for single family homes, multi-housing projects and light commercial developments. Monogram is also an ideal product for remodeling.

- STUDfinder™: The patented STUDfinder Installation System combines precisely engineered nail slot locations with graphics. Nail slots are positioned 16" on center to allow for alignment with studs. STUDfinder graphics centered at each slot provide a quick and easy guide to help locate studs.
- RigidForm™: Monogram RigidForm 220 technology has a stiff, double-thick .092" nail hem for a straighter-on-the-wall appearance and wind load performance.

#D4/D5 104 lbs. per carton 427.99 per carton




### **Metal Roofing**

- 29 gauge Strata Rib or NorClad
- 36" panel coverage (width), trapezoidal rib on 9" centers
- Exposed fastened, low profile panel
- Applies over open framing or solid substrate

		Galvalume	Painted
3 ft.	2.86 lbs.	4.13 l.f.	4.78 l.f.
10' Ridge	9 lbs.	46.43	52.99
10' Eave Trim	3 lbs.	19.99	24.99
10' Gable Trim	8 lbs.	34.99	44.99
1-1/2" Screws (250/bg)	2.7 lbs.	<b>20.99</b> BG	<b>28.99</b> BG
10' C Metal	3 lbs.	13.59	18.95
10' Outside Corner	7 lbs.	35.99	37.99
10' Universal End	6 lbs.	26.86	31.83
Top or Bottom Closure (4 per bag)	1 lb.		7.99

#### Crating Required - Please See Order Page



### Malarkey 401 Ice & Water Shield

• 200 sq. ft. coverage

• 65 mil

#401 (MRK401IW)

# 67.0 lbs. 72.88

### **FLEXIBLE SEAL**

- Application Range: -30F to +200F
- A solvent based single component, primerless, paintable coating
- Used for narrow cracks, small holes, and seams on steel, glass, aluminum, concrete, wood, brick, clay and tile substrates
- Paintable after 24 hours
- · Sticks to wet surfaces -
- UV Resistant mildew & fungus resistant



White	(EP00580)	10.6 oz.	7.79
Clear	(EP00560)	10.6 oz.	7.79

## **ILDING PRODUCTS**

Nominal Dimension or Call Sizes used. See page 37 for Actual Board Dimensions.





Silicone will withstand areas of ponding water without softening, bubbling or peeling from the substrate. Acrylic, urethane and asphalt roof coatings decompose and wear away from the stress of harsh sunlight, UV rays, and freeze-thaw cycles.

Silicone's unique chemistry creates a coating that will not degrade under ultraviolet light or from weather conditions. Silicone is an inert material, and does not decompose. As acrylic and urethane coatings age, they become dirty and stained from exposure to blowing debris, dust and dirt. The coatings require recoating to maintain a clean appearance. The smooth surface of GacoRoof silicone roof coating offers excellent resistance to mold, mildew and staining and does not require recoating. GacoRoof's reflective white surface resists ozone and UV rays.



5.39 10.1 oz. #365 (365APOC) #365 (365APOC1) 10 lbs. Gallon 29.99

### APOC Fibrex® **Cold Process Cement & Adhesive**

- Heavy Brush Grade
- Adheres Roofing Granules
- Bonds Rolled Roofing

**5 Gallon** #107 (107APOC5) 50 lbs.

### **GacoRoof** Silicone Roof Coating

Gaco

GE 8

- 100% silicone
- Ideal for most roof surfaces
- Withstands permanent ponding water
- Can be applied between 32F and 120F
- Not mailable

Gallon White GR1628 (GACSRC1) 11.2 lbs. 78.99

5 Gal. White GR1600 (GACSRC5) 56.8 lbs. 322.99 11 oz.

**5 Gal. Gray** GR1628 (GACSRCG5) 56.8 lbs. **324.99** 

### GacoRoof Elastomeric **Roof Coating**

- Two gallons of GacoElastomeric provides the same coverage as a 5-gallon pail of most acrylic elastomerics, plus the added benefits and protection of a Gaco Silicone:
- BETTER COVERAGE. Higher solids than acrylics, more coating stays on the roof. One 2 gallon container of GacoElastomeric covers 100 sq. ft.
- CURES FAST. Can be rained on after just 2 hours and won't wash off the roof.
- WITHSTANDS PONDED WATER. Acrylics begin to soften in as little as 24 hours.
- REMAINS PERMANENTLY FLEXIBLE, Acrylics become hard and brittle, and often crack and
- IDEAL FOR FLAT ROOFS.
- 25-YEAR LIMITED MATERIAL WARRANTY.
- Use it to protect large and small buildings, homes, garages, patio covers, sheds, barns, mobile homes, RVs and more.

(GACSRCG5) 2 Gallon 22.3 lbs. 89.99

### HAZARDOUS MATERIALS **Foundation** 300 & Roof Coating

- Great for use in cold process roofing • Use with polyester or chopped glass
- Excellent base coat for reflective coatings Great for below-grade dampproofing
- #300 (300APOC1) 10 lbs. 14.99

#325 (325APOC5) 50 lbs. 52.99 5 Gallon

### PRO FLEX® Tripolymer Sealant

Pro Flex® Tripolymer Sealant is a single-component, high performance elastomeric sealant for use in a wide variety of roofing, trim, architectural metal, underdeck systems, solar roof systems, manufacturing, and general construction applications.

(PR26100) 0.70 lbs. #26100

### Henry

### HAZARDOUS MATERIALS **Wet/Dry Roof Cement**

### Stop leaks around skylights, vent

- pipes, chimneys, valleys and foundation joints
- Repairs cracks, seams and small holes in roofing materials up to 1/4" wide

#208 (HWDC10) 1 lb. **4.99** 



GRACE Ice & Water Shield

### Ice & Water Shield

- Used as an underlayment on sloped roofs to resist water penetration due to ice dam back up or wind-driven rain
- For new construction and remodeling under shingles or metal roofing
- Can be applied in temperatures down to 40° F
- 225 sq. ft. coverage

36" x 75' roll (AAIS) 70 lbs. 171.99

### GacoRoof

### Roof Tape

Gaco Roof Tape seam sealing tape is pressure sensitive and is intended for sealing seams, fasteners and

penetrations before roof coating is applied

RT50 2"X50' (GACOTAPE) 2.02 lbs. 24.99

### APOE Rain-Proof® Wet/Dry



 Seals leaks around flashing, vent pipes

8.69

and chimneys #109 (109APOX1) 10 lbs. Gallon

19.49 **5 Gallon** #109 (109APOX5) 50 lbs. 74.99



### BUILDING

Nominal Dimension or Call Sizes used. See page 37 for Actual Board Dimensions.



Quad-Lock							
Form Panel	Pair + 2.25"	PX2	(QPX2PR)	3 lbs.	16.54		
	Pair + 3.125"	PX3	(QPX3CRNRPR)	3.5 lbs.	17.24		
Corner Bracket	Angle	CBA	(ISQCBA)	0.4 lb.	5.09		
	Inside	TCBI	(ISQCBIS)	0.2 lb.	1.89		
	Outside	TCBO	(ISQCBOS)	0.4 lb.	3.09		
Wall Ties	6" Blue	FTW-6	(ISQFTW6)	0.3 lb.	1.89		
	8" Yellow	FTY-8	(ISQFTY8)	0.3 lb.	1.89		
	10" Green	FTG10	(ISQFTG10)	0.3 lb.	2.82		
	12" Red	FTR12	(ISQFTR12)	0.3 lb.	2.92		
J-Tracks	2.25 x 10'	20GA	(ISQTRK2)	6 lbs.	24.88		
Top Wire Tie	6"	TWT-6	(ISQTWT6)	0.17 lb.	1.19		
	8"	TWT-8	(ISQTWT8)	0.17 lb.	1.19		
	10"	TWT-10	(ISQTWT10)	0.17 lb.	1.17		
	12"	TWT-12	(ISQTWT12)	0.17 lb.	1.41		
Windlock		TWIND	(ISQWL)	0.05 lb.	138.99		

### With Quad-Lock you get:

- Unrestricted Installation. Work to any 2" increment-build around lintel or column reinforcements, rebar, anything.
- Unrivalled Versatility. Build more with less using 4 main components—10 wall configurations in any desired wall width.
- Unequalled Support: Nationwide and on-site training. Our strong dealer network provides local assistance and inventory.
- **Unmatched Design:** Our product development team works with our customers to bring timely, field-test products to market.

# Touch 'nSeal

### 2 Component Foam System

 Ideal for duct work & vertical applications

· Fast drying, cures in 35-45 seconds

• Fire rated



System 600 #4006060060 102 lbs. (TF6002C) 779.99 System 200 #4006020060 (TNS4004520200) 39 lbs. 399.99

100	Ft. Clear P	oly				
	4 MIL			6	MIL	
8'4"	(ORG4X84C)	16 lbs.	27.99	(684100C)	24 lbs.	41.99
10'	(410100C)	19 lbs.	57.99	(610100C)	30 lbs.	49.99
12'	(412100C)	24 lbs.	39.99	(612100C)	32 lbs.	58.99
14'				(614100C)	40 lbs.	68.99
16'	(416100C)	31 lbs.	52.99	(6M16100FRP)	46 lbs.	130.12
	8 MIL			10 MIL		
20'	(820100C)	76 lbs.	135.99	(1020100C)	96 lbs.	169.99
			Reinfor	ced		
20'	(GR620	100CSRF	)	60 lbs.		235.55
40'	(GR640	100CSRF	)	120 lbs.		469.28



### **All-Purpose Gun Foam**



#4006002420 (TNF4006002420) 1.96 lbs. 14.49



### **Lo-Temp Gun Foam**

- Cures in temperatures as low as 20° F
- Approved Type V residential fireblock sealant






# **Window & Door**



- Minimal Expansion exerts no force on frames or jambs
- Outperforms Fiberglass

#4006002010 (TNF4006002010) 1.71 lbs. 12.99


### nseal 12 oz. **Poly-Clean**






### Gun Foam II HAZARDOUS MATERIALS **Fireblocking Foam** Sealant

- ICC approved as a fireblock penetration sealant
- Type V residential fireblock







• Includes pre-assembled hoses & both fast fan and high velocity nozzles







HAZARDOUS MATERIALS

### DING PRODUCTS

Nominal Dimension or Call Sizes used. See page 37 for Actual Board Dimensions.

THE GREATER THE THE INSULATION POWER.



### **Fiberglass Insulation**

Kraft-faced Handi- Pak					
R-13	3-1/2"X15" x 32'	40.0 sq.ft.	(IFK1332HPK)	10.4 lbs	22.82
R-19	5-1/2"X15" x 39.2"	48.95 sq. ft.	(IFK1915HPK)	13.2 lbs.	35.27

	Un-faced Batts (Air freight only)						
R-11	3-1/2" x 15"	157.58 sq. ft.	(IFK1115UX)	28.52 lbs.	58.53		
	3-1/2" x 24"	256 sq. ft.	(IFK1124U)	46.4 lbs.	99.19		
R-13	3-1/2" x 15"	116.25 sq. ft.	(IFK1315PPK)	27.10 lbs.	66.44		
R-19	6-1/4" x 15"	99.55 sq. ft.	(IFK1915U)	24.59 lbs.	58.07		
	6-1/4" x 23"	136.59 sq. ft.	(IFK1923U)	33.73 lbs	86.82		
R-21	5-1/2" x 15"	67.81 sq. ft.	(IFK2115U)	29.3 lbs.	59.16		
	5-1/2" x 23"	103.98 sq. ft.	(IFK2123U)	45 lbs.	92.26		
R-30	10" x 16"	69.33 sq. ft.	(IFK301648U)	28.29 lbs.	68.54		
	10" x 24"	88 sq. ft.	(IFK302448U)	36 lbs.	85.69		
R-38	12" x 16"	58.67 sq. ft.	(IFK381648U)	27 lbs.	76.89		
	12" x 24"	64 sq. ft.	(IFK382448U)	29.44 lbs.	78.26		

• Un-faced batts stay in place because of their natural resiliency and because they are slightly wider than that space they fill.



Tyvek Housewrap Tape

9' x 150'

(TTAPE2-165) 2" x 55 yd

(9150HWSBS)



253.07

### Thermasheath®-3

• Plastic thermal insulation board composed of closed cell polyisocyanurate foam bonded to reinforced aluminum foil facers on both sides



19.99

24.4 lbs.

0.5 lb.

R-5.9 1" x 4' x 8'	(ISR14RM)	6.2 lbs.	58.14
R-9.4 1-1/2" x 4' x 8'	(112RMAXTS8)	8.3 lbs.	59.78
R-12.9 2" x 4' x 8'	(2RMAXTS8)	11.1 lbs.	77.92



### **STYROFOAM SE** Insulation

- A valuable barrier against air leaks when used under siding
- · Works below around to conserve basement heat
- R-value 5.0 per 1" thickness
- 2' x 8' sheets


1"X2'X8'	(ISD12SM)	4.1 lbs.	11.14
1-1/2"X2'X8'	(ISD1122SM)	2.73 lbs.	15.87
2" 2'X8'	(ISD22SM)	5.45 lbs.	21.26



### 4' x 8' R-Tech **Snap Rigid** Insulation

- Ideal underlayment for exterior siding and below grade water proofing, quick and easy to install
- Reduces air infiltration - won't warp, rot or delaminate
- R value = 4.17 per 1" thickness

(ISI14RTS)	3.2 lbs.	19.31
(ISI1124RTS)	4.8 lbs.	32.66
(ISI24RTS)	6.4 lbs.	32.69
	(ISI1124RTS)	(ISI1124RTS) 4.8 lbs.







### Fanfold Protection Board

- · Provides waterproofing membrane to protect foundation
- Eliminates the problem of backfill or other jobsite operations from damaging the membrane used to waterproof concrete or masonry wall foundations

3/8" x 4' x 50' (ISI38FF) 10 lbs. 96.48

Nominal Dimension or Call Sizes used. See page 37 for Actual Board Dimensions.



• Excellent sound absorption. Use with grid system

	2' x 4' Panel				
Illusions - Radar	3/4" (48 sq. ft. per carton)	#2842	(USG2842)	43 lbs.	60.92 ctn.
Fissured	5/8" (64 sq. ft. per carton)	#562	(USG562)	42 lbs.	<b>59.78</b> ctn.
Fissured Firecode	5/8" (64 sq. ft. per carton)	#586	(USG586)	73 lbs.	92.75 ctn.
Radar	5/8" (64 sq. ft. per carton)	#2410	(USG2410)	46 lbs.	<b>76.75</b> ctn.
Premier Hi-Lite	5/8" (128 sq. ft. per carton)	#7057G	(USG7057G)	35 lbs.	200.07 ctn.
	12" x 1	2" Tile			
<ul> <li>Glue or staple up</li> </ul>					
Custom White	1/2" (32 sq. ft. per carton)	#4290	(USG4290)	22 lbs.	<b>49.12</b> ctn.
Lace	1/2" (32 sq. ft. per carton)	#4260	(USG4260)	22 lbs.	<b>67.10</b> ctn.
Radar Clima Plus	5/8" (48 sq. ft per carton)	#2570	(USG2570)	50 lbs.	176.80 ctn.

0.25 lb.

1.45 lbs.








Illusions-Radar Radar

Fissured Fissured Firecode





**Custom White** 

Lace



12' Wall Angle

4' Cross Tee

• White 2' Cross Tee

### **Heavy-Duty Staple Gun**

(DXL216)

(SM7)

(SDXL424)

(DXL24)

- Chrome finish-all steel construction
- Patented jam-proof mechanism

12' Main Runner #DX/DXL24

- Compression spring action
- · High carbon hardened steel working parts

**Donn Fire Rated Grid System** 

#DX/DXL216

#M7

#DX/DXL424

_		4	
#T-50 Gun	(ART50)	2.3 lbs.	19.99
#T-50 17/32" Staples	(AR50CT24)	0.5 lb.	4.79



2.02 ea.

10.72 ea.



Premier Hi-Light

### **Storm Doors**

### Self-Storing Storm/Screen Door

- · Solid wood core with maintenance-free vinyl finish
- Self-storing window and screen system allow for bottom ventilation
- 36" X 81"



(VSD36) 65 lbs. 168.59

### Retractable Screen Storm/Screen Door

- DuraTech surface over a 1" solid wood core for age and weather resistance
- · Screen Away® retractable screen disappears into hidden cassette at the top of the door

(LM8308236)

· White/Nickel



259.99

### **LARSON** Full-View Storm/Screen Door

- 1-1/4" thick aluminum frame with maintenancefree finish
- · Full-view glass with an interchangeable screen included for ventilation control
- White/Brushed Nickel



(30WCVL15SD) 54 lbs. 239.99

CRATING REQUIRED ON ALL STORM DOORS

67 lbs.

# **G PRODUCTS**

Nominal Dimension or Call Sizes used. See page 37 for Actual Board Dimensions.

### 3' Pre-Hung **Exterior Doors**

- 4-9/16" inswing primed jamb, aluminum sill and US3-4 brass hinges
- Oak threshold
- Primed brick moulding
- Locksets sold separately
- Single Bore







5-Lite Sunburst

Lever design

49.99

operation

2.0 lbs.

		THERMA TRU°			
	Door Pricing Starting at:	Smooth Fiberglass	<b>Textured Fiberglass</b>		
Flush	100 lbs. Average Wt.	273.45	273.45		
Colonial 6-Panel	100 lbs. Average Wt.	273.45	273.45		
Colonial 1-Lite	100 lbs. Average Wt.	352.65	352.65		
4-Panel 2-Lite	100 lbs. Average Wt.	337.75	337.75		
4-Panel Sunburs	t 100 lbs. Average Wt.	333.25	333.25		

INSIDE Right Hand Inswing Inswing (LH/IS) OUTSIDE (RH/IS)

**Swing of Pre-hung Doors** 

Left-hand doors are hinged on the left side as door swings away from you. Right-hand doors are hinged on the right side as the door swings away from you.

Additional sizes and styles available.




- · Georgian design in antique brass finish



Passage	Bell	(SBELLPA3)	1.2 lbs.	19.99
	Orbit	(SORBPS3)	1.2 lbs.	24.99
	Georgian	(SGEOPS5)	1.2 lbs.	24.99
Privacy	Bell	(SBELLPR3)	1.5 lbs.	24.99
	Orbit	(SORBPR605)	1.5 lbs.	24.99
	Georgian	(SGEOPR5)	1.5 lbs.	26.99
Keyed Entry	Bell	(SBELENV35)	1.6 lbs.	49.99

### **Deadbolt Lockset**

- Adjustable deadbolt latch fits 2-3/8" or 2-3/4" backsets
- · Concealed anti-saw bar
- · Door frame reinforcer included



#### SCHLAGE

### **Non-Handed Locksets**

· Can be used right or left handed

#B360NV619

Satin nickel finish					
Passage	#F10NVACC619	(SACCPS15VP)	2.08 lbs.	35.99	
Privacy	#F40NVACC619	(SACCPR15VP)	2.08 lbs.	38.99	
Entrance	#F51NVACC619	(SF51AVACC619)	2.08 lbs.	76.99	

(SB60NV619KA4)

#### **SCHLAGE**

Deadbolt

### **Keyless Locksets**

- Keyless access with customizable codes
- · Certified Commercial Grade 2
- · Lock and leave without a key



Keypad Deadbolt	Bright Brass	(SBE365VCAM716)	4.25 lbs.	139.99
	Satin Nickel	(SBE365VCAM619)	4.25 lbs.	149.99
Keypad Lever Knob	Bright Brass	(SFE595VCAMACC716)	3.25 lbs.	184.99
	Satin Nickel	(SFE595VCAMACC619)	3.25 lbs.	184.99
Touchless Deadbolt	Bright Brass	(SBE375CAM716)	3.0 lbs.	179.99
	Satin Nickel	(SBE375CEN619)	3.0 lbs.	179.99

### **Keyed Alike Set**

- Adjustable deadbolt latch fits 2-3/8" or 2-3/4" backsets
- "Georgian" style knob





## BUILDING PROD

**Crating Required** 

Nominal Dimension or Call Sizes used. See page 37 for Actual Board Dimensions.

### **Bi-Fold Doors**

- All door sets include hinges
- Includes track hardware
- Available in unfinished birch or prefinished strand oak

2'	Strand Oak	43 lbs.	71.65
2'	<b>Unfinished Birch</b>	32 lbs.	67.00
2'6"	Strand Oak	67 lbs.	84.00
2'6"	<b>Unfinished Birch</b>	50 lbs.	77.00
3'	Strand Oak	79 lbs.	91.64
3'	Unfinished Birch	56 lbs.	86.44





#### Molded

### Raised Panel Bi-Fold Doors

- · Attractive 6 and 4 panel designs
- Ready to paint
- · All hardware included (jambs sold separately)

3'	47 lbs.	66.96
4'	61 lbs.	115.37
5'	74 lbs.	121.91
6'	88 lbs.	132.00



- Pre-finished
- · Matching Oak jambs
- · Locksets sold separately

2'		31 lbs.	146.27
2'6"		35 lbs.	155.93
3'		39 lbs.	159.25
	Pre-Hung Pass	age Doors	
2'	#2068	36 lbs.	226.00
2'4"	#2468	38 lbs.	230.00
2'6"	#2668	40 lbs.	233.00
2'8"	#2868	41 lbs.	236.00
3'	#3068	44 lbs.	238.00

**Bi-Fold Doors** 






### Ready-To-Assemble Mahogany Doors (unfinished)

- Includes door frame and pre-mounted hinges
- Detailed instructions included
- Full reversible left or right hand swing
- Pre-bored and mortised for lockset

2'	#2068	(PHL20FF)	24 lbs. <b>135.07</b>
2'4"	#2468	(PHL24FF)	25 lbs. <b>179.59</b>
2'6"	#2668	(PHL26FF)	26 lbs. <b>182.59</b>
2'8"	#2868	(PHL28FF)	28 lbs. <b>186.44</b>
3'	#3068	(PHL30FF)	29 lbs. <b>188.91</b>





CAIMAN

35 lbs. 104.00

2'4" 37.5 lbs. 107.00 #2468 2'6" 39 lbs. 109.00 #2668 2'8" #2868 40 lbs. 111.00 3' #3068 43 lbs. 116.00

### **Pre-Hung Interior Doors**

and Carrara 2-Panel

2'

· Locksets sold separately

• All doors are hollow core, 1-3/8" thick

Cleremont 3-panel, Caiman 2-Panel

#2068

• Includes 4-9/16" jambs and hinges

• Available in Unfinished Birch with primed jambs and prefinished Strand Oak with matching iambs

and premisined strains out with matering jumps					
2'4"	Strand Oak	38 lbs.	137.00		
2'4"	<b>Unfinished Birch</b>	38 lbs.	115.00		
2'6"	Strand Oak	40 lbs.	138.00		
2'6"	<b>Unfinished Birch</b>	40 lbs.	117.00		
2'8"	Strand Oak	41 lbs.	142.00		
2'8"	<b>Unfinished Birch</b>	41 lbs.	120.00		
3'	Strand Oak	43 lbs.	145.00		
3'	<b>Unfinished Birch</b>	43 lbs.	125.00		




COLONIST

CLEREMONT

**Crating Required** 

**Swing of Pre-hung Doors** 

Left-hand doors are hinged on the left side as door swings away from you. Right-hand doors are hinged on the right side as the door swings away from you.



Helpful Hint...Add 2" to width and height for framed rough opening

### **PRODUCTS**

Nominal Dimension or Call Sizes used. See page 37 for Actual Board Dimensions.











**Outside Corner** 



### Moulding

• Clear natural pine, oak, hemlock, or primed Ultralite Supercoat

· Ready to paint or stain





		Pine		Primed	Ultralite Supe	rcoat		Oak			Hemlock	
Screen Mold	3/4"	(WM142S)	.64 I.f.				3/4" x 8'	(WM142S8)	9.46	3/4" x 8'	(MWHSM348)	4.16
OS Corner	3/4"	(WM206S)	1.20 l.f.				3/4" x 8'	(WM142S8)	9.46	1-1/4"x 8'	(MWHOC1148)	13.86
Cove	3/4"	(WM93S)	.78 I.f.				3/4" x 8'	(WM93O8)	13.14	11/16" x 8'	(MWHCOV11168)	6.27
Base	2-1/2"	(WM502S)	2.06 l.f.	3-1/4" x 8'	(623MDF8)	7.97				2-1/4" x 8'	(MWHBS2148)	14.98
Colonial Base				5-1/4" x 8'	(MFP6188)	12.06	3-1/4" x 8'	(WM623O8)	24.78	3-1/4" x 8'	(MWHCB3148)	18.61
Colonial Casing	2-1/4"	(WM356S)	1.43 l.f.	2-1/4" x 7'	(MFP356MDF7)	4.49	2-1/8" x 7'	(WM356O7)	17.80	2-1/16" x 8'	(MWHCC21168)	16.80
Bevel Casing	2-1/4"	(WM324S)	1.43 l.f.	2-1/4" x 7'	(MFP3002MDF7)	6.14	2-1/4" x 7'(	WM3002BVO7)	18.43	2-1/4" x 7'	(MWHBC2147)	12.06
Crown				3-1/4" x 8'	(51MDF8)	10.26	3-1/4" x 10'	(WM51O10)	55.80	3-1/4" x 8'	(MWHCR3148)	28.38



### **Pole Socket Set**

• White

#MBP107 (N243-659) 0.1 lb. 1.49



### **Shelf & Rod Bracket**

• Sturdy 1 piece welded bracket for use with 1-5/16" diameter pole

#108 (N224-428) 1.25 lbs. 4.99

		KD S4S FJ Pri	med Pine	
	1 x 4 16'	(1416WPFJP)	7.68 lbs.	38.39
	1 x 6 16'	(1616WPFJP)	11.68 lbs.	44.35
	1 x 8 16'	(1816WPFJP)	15.36 lbs.	77.42
	8'	(148MDFP)	7.04 lbs.	8.87
	8'	(168MDFP)	12.0 lbs.	13.82
١.				

	Primed MDF						
20	1 x 2 8'	(128MDFP)	3.04 lbs.	4.95			
.39	1 x 3 8'	(138MDFP)	5.04 lbs.	6.90			
.35	1 x 4 8'	(148MDFP)	7.04 lbs.	8.87			
	1 x 6 8'	(168MDFP)	12.0 lbs.	13.82			
.42	1 x 8 8'	(188MDFP)	16.0 lbs.	18.91			
	1 x 10 8'	(1108MDFP)	20.0 lbs.	26.76			
.87	1 x 12 8'	(1128MDFP)	24.0 lbs.	30.84			
.82	2	2-1/4" SBS Oa	k Casing				
	7'	(MWOC- S2147SBS)	2.0 lbs.	23.10			
	14'	(MWOC- S21414SBS)	4.0 lbs.	42.74			
	2-1/4" CHENA/STRAND Col Casing						
	7'	(MWOC-	1.4 lbs.	6.69			

S2147STR) (MWOC-

S21414STR)

1.4 lbs.

2.8 lbs.

6.69

14.63

### 1-5/16" Hemlock Closet Ro

(WM233SF) 0.3 lb per l.f.



### 2" Pine Handrail

(WM13S) 0.41 lb.







### AZEK<sub>></sub>

### **Trim Board**

· Made of cellular pvc that offers unequalled combination of uniformity, durability, workability and beauty Additional trims available

7'

14'

							mis avanao	
		8'				10'		
1 x 4	#AZ10408	(148AFT)	6 lbs.	21.87	#AZ10410	(1410AFT)	7.52 lbs.	27.81
1 x 6	#AZ10608	(168AFT)	9.48 lbs.	33.21	#AZ10610	(1610AFT)	11.85 lbs.	41.94
1 x 8	#AZ10808	(188AFT)	12.52 lbs.	45.05	#AZ10810	(1810AFT)	15.64 lbs.	55.03
5/4 x 4 OSC					#AZSOSC10	(AZSOSC10)	20 lbs.	66.99

## BUILDING PRO

Nominal Dimension or Call Sizes used. See page 37 for Actual Board Dimensions.



### **Trimac**

### 4' x 8' Trimac Paneling **Norwegian Pine**

· Light pine finish

(1848NPP) 16.5 lbs. 25.99

### **Alpine Oak**

· White washed finish

1/8" (1848AOP) 20.8 lbs. 26.99

### **Honey Birch**

· Golden birch finish

(3MMHBP) 12 lbs. 37.99







Honey Birch

### **Astoria Primed Beaded Panel MDF** · Nail or glue up, finish with solid color paint

(1448ASTPB) 33 lbs. 52.85

#### **Coastline Brushed Cedar**

Unfinished cedar veneer

1/4" (PSBS-1) 21.2 lbs. 64.99

Honey Birch - flat (no grooves)

3/8" (3848HBP) 32 lbs. 59.99



### Moulding

**Trimac** 

 Exact match moulding for Trimac paneling

• Use for inside corner, outside corner, batten or casing

### 8' Combo

(8AMOCM/ 8AOCM/ 8HBCM/8HBC)

0.40 lb. 6.94

15.66

62.55



### 3/8" V-Groove Paneling

· Your choice of Honey Birch or Norwegian Pine





Honey Birch

Norwegian Pine

3/8" x 4' x 8' (3848VGHBP/NPP) 32 lbs. 59.99



### **Liquid Nails**

Astoria Primed

**Beaded Panel** 

 Premium adhesive bonds interior plywood, drywall, steel and concrete

· Strong enough to use instead

of nails for home repair

(AA1005560) 1 lb.



3.49

Coastline Brushed

### **Panel Nails**

 Colored nails blend with paneling

• 1" or 1-5/8" lengths



6 oz.

(MC001610)



(8AMOC/8AOC/ 1.45 lbs. 8HBC/8NPC



Natural Oak

### SINES 3/8" Wall Paneling

- 4' x 8' sheet
- Natural Oak

(3848NOPP) 22.4 lbs.





### Stamford Oak

- 1/4" 4 x 8
- Beaded unfinshed or prefinished

unfinished (STAMFORD) 22.4 lbs. 67.99 (STAMFORDFIN) 22.4 lbs. **75.99** prefinshed



### 1 x 6 Tongue & Groove **Reserve Pine Paneling**

· Available in 8', 10', 12', 16'

(168/10/12/16TGRPINE) .9 lb. 88¢ l.f.

### **BUILDING PRODUCTS**

Nominal Dimension or Call Sizes used. See page 37 for Actual Board Dimensions.

**Poly Tarps** 

- · Protect firewood, boats & other items from weather
- Made of heavy duty reinforced polyethylene
- Grommets for tie downs

5' x 7'	#669	(TARP57BGB)	1.2 lbs.	4.09
10' x 12'	#674	(TARP1012BGB)	3.5 lbs.	14.49
16' x 20'	#677	(TARP1620BGB)	8.0 lbs.	34.99
18' x 24'	#681	(TARP1824BGB)	11.2 lbs.	46.99
20' x 30'	#683	(TARP2030BGB)	14.3 lbs.	66.99
26' x 40'	#685	(TARP2540BGB)	27 lbs.	115.99

### Mutual Industries 48" x 100' Safety Fencing

For use around construction sites or wherever a visible barrier is needed

Fluorescent orange

Wire Netting

2" x 3' x 50'

2" x 4' x 50'

1" x 3' x 50'

1" x 4' x 50'

For yard and garden

(MLSF1499348)	9 lbs.	34.99

(GRPN36250)

(GRPN48250)

(DEA1X36X50)

(GRPN48150)

7.0 lbs.

10 lbs.

14 lbs.

19 lbs.

16.99

19.99

37.99

44.99

### Fast 2-K Fence Post Backfill

### • For setting fence posts, mailboxes, signs and more

- Sets a 4 x 4 post in a hole 6" 8" wide by 2-3 ft deep
- Mixes in 30 seconds-Expands to set posts
- Can be used during winter

(254-94-S)	12.4 oz. pkg	1.13 lbs.	14.99
(254-20-S)	26 oz. pkg	2.18 lbs.	18.99



### Steel Fence Post

• Fence post with special anchor plate for stability

5' Heavy-Duty	(TP50LWGC)	4.5 lbs.	6.79
6' Heavy-Duty	(TP60125GC)	7.5 lbs.	6.99
7' Heavy-Duty	(TP70125GC)	8.75 lbs.	8.99

### 50' Welded Wire Fence

- Welded wire for durability, no stretching required
- Just hang on posts

4" x 2" x 36"	(GRW36421450)	24 lbs.	32.99
4" x 2" x 48"	(DEA2X4X14GA-48)	32 lbs.	54.99

### **Fence Post Driver**

- 2-1/8" diameter
- Includes handles
- Steel

(AA6811731)	14 lbs.	29.99

### 3' x 5' Hardware Cloth

• 19 gauge hardware cloth for screening and more

1/2" mesh	(11031213)	4.16 lbs.	6.99
1/4" mach	(11051213)	4 0 lbs	2 00



### Fiberglass Insect Screening

FIREBELA			
24" x 7'	(SG30117)	0.63 lb.	5.39
30" x 7'	(SG30116)	0.63 lb.	6.99
36" x 7'	(SG30105)	1.0 lb.	7.99
48" x 7'	(SG30107)	1.3 lbs.	9.99

### No-See-Um Fiberglass **Screen**

- 20 x 20 tiny mesh count keeps insects out
- Charcoal

36" Wide	(SGFCS8480-M)	0.15 lb.	2.99 l.f.
48" Wide	(SGFCS8489-M)	0.2 lb.	3.79 l.f.

### 5/16" x 3/4" Screen Frame Kits

- Contains everything needed to make a screen frame that will accept aluminum, fiberglass mesh screen, or flexible poly film
- Screen not included
- · White or bronze

36" x 36"	#PL7812/06	(PL7812/PL7806)	0.9 lb.	15.99
48" x 48"	#PL7813/07	(PL7813/PL7807)	1.2 lb.	18.99
60" x 60"	#PI 7814/08	(PI 7814/PI 7808)	1.5 lb.	23.99

### **Screen/Spline Install Tool**

 Combination tool with plastic handle, nylon convex and concave rollers used to install fiberglass screen fabric and vinyl spline into window screen frame

(4 4 5000 505)	"57500	0.4.11	2 00
(AA5022595)	#P7503	0.1 lb.	3.99





## **BUILDING PRODUCTS**

Nominal Dimension or Call Sizes used. See page 37 for Actual Board Dimensions.

### **All-Environment Vinyl Windows**

Alpine provides the ultimate in vinyl window technology. Our heavy-duty vinyl frames combined with 1" insulated, "Low-E" Glass and Argon Gas, make these windows some of the most energy efficient produced. Only Alpine can merge incredible performance, extreme efficiency and superior durability into a premiere vinyl window collection that's as strong as it is beautiful. (Shown with optional grids. Screens sold separately)





For more information on energy-efficient windows, visit the Efficient Windows Collaborative website at www.efficientwindows.org

ьbc	Glass Tecl	nnology
	Since	

Casement					
30" x 36"	(WINV2630CL/R)	34 lbs.	306.65		
30" x 42"	(WINV2636CL/R)	39 lbs.	333.26		
30" x 48"	(WINV2640CL/R)	44 lbs.	387.15		
30" x 60"	(WINV2650CL/R)	55 lbs.	402.10		
36" x 36"	(WINV3030CL/R)	40 lbs.	325.89		
36" x 42"	(WINV3036CL/R)	47 lbs.	348.89		
36" x 48"	(WINV3040CL/R)	53 lbs.	380.65		

Horizontal Sliders					
24" x 24"	(WINV2020XO)	20 lbs.	165.28		
36" x 24"	(WINV3020XO)	27 lbs.	179.84		
36" x 36"	(WINV3030XO)	37 lbs.	227.14		
36" x 48"	(WINV3040XO)	48 lbs.	279.93		
48" x 48"	(WINV4040XO)	59 lbs.	312.71		
60" x 42"	(WINV5036XO)	64 lbs.	331.27		
60" x 48"	(WINV5040XO)	71 lbs.	354.39		
72" x 48"	(WINV6040XO)	84 lbs.	413.36		
84" x 48"	(WINV7040XOX)	105 lbs.	539.88		
84" x 60"	(WINV7050XOX)	130 lbs.	599.08		

Single Hung					
24" x 36"	(WINV2030SH)	24 lbs.	181.99		
24" x 48"	(WINV2040SH)	32 lbs.	233.20		
24" x 60"	(WINV2050SH)	40 lbs.	247.08		
30" x 48"	(WINV2640SH)	40 lbs.	238.28		
30" x 60"	(WINV2650SH)	50 lbs.	270.85		
36" x 60"	(WINV3050SH)	60 lbs.	303.83		

Picture			
24" x 48"	(WINV2040PW)	30 lbs.	168.64
30" x 48"	(WINV2640PW)	37 lbs.	191.90
30" x 60"	(WINV2650PW)	47 lbs.	213.61
36" x 36"	(WINV3030PW)	34 lbs.	181.31
36" x 48"	(WINV3040PW)	45 lbs.	243.80
36" x 60"	(WINV3050PW)	56 lbs.	257.73
48" x 48"	(WINV4040PW)	60 lbs.	290.77
48" x 60"	(WINV4050PW)	74 lbs.	306.00
60" x 60"	(WINV5050PW)	120 lbs.	383.24
72" x 48"	(WINV6040PW)	89 lbs.	395.47
72" x 60"	(WINV6050PW)	147 lbs.	481.25

(Other sizes also available. Please call for pricing.)

Triple pane available by special order

### **NOTES FOR ORDERING WINDOWS:**

- Do not cut opening until window arrives or rough opening is confirmed by Spenard Builders Supply
- · Indicate "right" or "left" handing when ordering casements
- · Sizes listed indicate rough opening size
- Pricing does not include crating and is subject to change



## **ORDER INFORMATION**

### **Spenard Builders Supply**

4412 Lois Drive, Anchorage, AK 99517 **TOLL FREE 1.800.844.9313 • FAX 907.261.9206** 

# SHIP TO Name\_\_\_\_\_\_\_ Daytime phone \_\_\_\_\_\_ Address\_\_\_\_\_\_ City \_\_\_\_\_\_ State \_\_\_\_ Zip \_\_\_\_\_\_

### **POSTAL INSURANCE**

Required coverage against loss or damage (in addition to postage) \$0.01 - \$50.00 \$2.25 50.01 - 100.00 2.85 100.01 - 200.00 3.55 200.01 - 300.00 4.70 300.01 - 400.00 5.90 400.01 - 500.00 7.10 500.01 - 600.00 9.55 600.01 - 5,000.00\$ \$9.50 (PLUS) \$1.40 per \$100.00 or \$9.55+ fraction thereof over \$600 in declared value (maximum liability is \$5,000)

PAYMENT METHOD VISA CON CONTROL OF THE PAYMENT METHOD							
Check, Money Order, C.O.D., CHEXpedite, MasterCard, VISA, American Express, Disco	Check, Money Order, C.O.D., CHEXpedite, MasterCard, VISA, American Express, Discover, or SBS Account						
If payment is to be made by CREDIT CARD or SBS ACCOUNT, complete boxes below CVV2 Code Expiration Da							
	(from back of Card)	MO. YR.					
Signature(Signature of card holder required)							

Product No.	Descript	tion	Page No.	Size/Color	Quantity	Price Each	Total Price	Weight
CHIRDING MI	TUOD					Total		Wt. in lbs.
SHIPPING MI		☐ Other Freig	ht Collect			+ Crating See charts		
	☐ Air Freight ☐ Other Freight Collect ☐ Priority Mail				+ Shipping See charts			
☐ C.O.D. via Priority Mail					+ Handling	10.00		
SIGNATU	IDE				+ Haz	ardous Handling (25 if applicable)		1
SIGNATO	, IL				+ Pos	stal Insurance See chart above		]
Order cannot be filled without signature. I understand all prices are subject to change without notice.  Total Amoun					mount Enclosed			

#### **PLEASE NOTE:**

Include a daytime phone number where you can be reached if there is a question about your order, and make sure you have included all appropriate shipping and crating charges. Your order will not be shipped, or may be delayed, if you do not include these extra charges.

# COVID-19 IMPORTANT NOTICE TO CUSTOMERS

**Our number one priority is the safety and well-being our employees, customers and communities.** Disruptions in manufacturing, distribution and/or shipping related to the Coronavirus Disease (COVID-19) Outbreak may delay the timely delivery of your order. If you have any questions or concerns please contact us at 1.800.844.9313 or catalogsales@sbsalaska.com.

#### C.O.D. ORDERS

Accepted for Priority Mail shipment only—up to 600 in "combined" value material and postage cost.

CRATING CHARGES	
Vanity/Sink	70
Countertops	
4 ft.	70
8 ft.	95
12 ft.	115
Doors	
Up to 2	100
Up to 5	140
Windows	
Up to 2	100
Up to 5	120
Over 5	160
Garage Doors	
8 ft 9 ft.	140
10ft 12ft.	210
13ft 16ft.	230
Drywall OSB Export Crate	
8 ft.	110

#### **HAZARDOUS MATERIALS**

Hazardous Materials Handling charge due to government restrictions on transportation of materials designated as flammable and corrosive.

150



#### **PLEASE NOTE:**

12ft.

Rates effective June 1, 2020. Postal Rates are subject to change. Call 1.800.844.9313 for any questions.

\*NOTE: Parcels that exceed one cubic foot (1,728 cubic inches) are charged based on the actual weight or the dimensional weight, whichever is greater (as calculated in DMM 123.1.3).

#### **Priority Mail Rates\***

Priority	Maii Kate	:5		
	<b>ZONE 1-2</b>	ZONE 3	ZONE 4	ZONE 5
WEIGHT	Zip Code 995/996	Zip Code 997	Zip Code 998	Zip Code 999
1	\$8.25	\$8.70	\$9.90	\$10.90
2	8.70	9.70	10.90	12.55
3	9.20	10.55	11.55	13.95
4 5	10.20	11.30	12.25 12.80	14.40 15.70
6	10.95 11.95	11.55 13.10	15.40	18.95
7	12.30	14.50	17.10	22.55
8	12.80	15.65	18.95	25.75
9	13.60	16.80	20.40	27.90
10	14.95	18.50	22.50	29.95
11	16.25	19.85	24.20	33.20
12	17.25	20.95	25.55	35.10
13	18.30	22.35	27.20	37.35
14	18.95	23.60	28.75	39.50
15	19.60	24.90	30.30	41.70
16	20.50	26.20	31.90	43.85
17	20.85	27.10	33.20	46.00
18	21.45	27.75	33.95	47.30
19	22.35	28.10	34.50	47.95
20 21	23.10	28.45 29.10	35.00 35.85	48.80 49.95
22	24.20	29.70	36.45	50.75
23	24.75	30.30	37.30	51.90
24	25.00	30.80	38.80	54.25
25	26.00	31.40	40.25	55.35
26	26.80	31.85	41.45	56.45
27	27.60	32.25	42.70	57.85
28	28.45	32.65	43.75	58.70
29	29.30	33.05	44.80	59.50
30	30.15	33.40	45.55	60.30
31	30.50	34.15	46.30	60.95
32	31.05	35.05	47.45	61.75
33	31.30	36.00	48.65	63.10
34 35	31.60 31.95	36.85	49.25 49.95	64.45
36	32.25	37.90 38.55	50.65	65.80 67.00
37	32.65	39.55	51.30	68.30
38	32.95	40.45	51.95	69.75
39	33.35	41.30	52.65	71.25
40	33.65	42.10	53.25	71.90
41	33.90	42.85	53.80	73.45
42	34.35	43.55	54.30	75.10
43	34.55	44.25	55.00	76.60
44	34.80	44.75	55.35	78.40
45	35.05	45.05	55.95	79.80
46	35.35	45.50	56.50	81.60
47 48	35.70 35.90	45.85 46.15	57.05 57.45	83.20 84.75
49	36.05	46.45	57.90	86.40
50	36.20	46.90	58.40	87.85
51	36.65	47.20	58.80	88.55
52	37.30	47.50	59.15	89.25
53	37.75	47.70	59.60	90.00
54	38.40	48.05	59.90	90.65
55	38.95	48.35	60.25	91.25
56	39.50	48.50	60.60	91.75
57	40.15	48.75	61.00	92.40
58	40.75	48.95	61.30	92.95
59 60	41.30	49.15	61.90	93.40
60 61	41.90 42.35	49.40 49.50	63.00 63.75	93.90 94.40
62	43.15	49.75	64.85	94.80
63	43.60	51.30	65.80	95.25
64	44.20	51.45	66.65	95.60
65	44.75	51.65	67.75	96.05
66	45.50	51.75	68.90	96.35
67	46.00	51.85	69.75	96.60
68	46.60	51.90	70.60	96.85
69	47.15	52.05	71.75	97.20
70	47.15	52.05	71.75	97.20

### **ORDER INFORMATION**

#### **Spenard Builders Supply**

**POSTAL INSURANCE** 

Required coverage against loss or damage (in addition to postage)

\$2.80

\$3.50

- \$100

\$100 - \$200

\$0

4412 Lois Drive, Anchorage, AK 99517

#### TOLL FREE 1.800.844.9313 • FAX 907.261.9206

Address						\$ \$ \$ \$ \$ \$	200 - \$300 300 - \$400 400 - \$500 500 - \$600 600 - \$700 700 - \$800 800 - \$900	\$4.60 \$5.80 \$6.95 \$9.35 \$10.70 \$12.05 \$13.40
Check, Mon	ey Order, C.O.D., CHE) be made by CREDIT CARD or	Kpedite, MasterCard	poxes below			CVV2 Code (from back of Card)	Expiration MO.	Date YR.
Product No.	Descrip	stion	Page No.	Size/Color	Quantity	Price Each	Total Price	Weight
i iodaet iio.	Descrip		r age ito.	JIZC/COIOI	Qualitity	THE LUCII	TotalTrice	Weight
						Total		
SHIPPING ME	THOD							Wt. in lbs.
☐ Air Frei		☐ Other Freig	ht Collect			+ Crating See charts		
	ght Collect	☐ Priority Ma				+ Shipping See charts		
☐ C.O.D. \	via Priority Mail					+ Handling	10.00	1
					+ Haza	ardous Handling (25 if applicable)	10.00	-
SIGNATU	RE							4
						tal Insurance See chart above		

#### **PLEASE NOTE:**

Include a daytime phone number where you can be reached if there is a question about your order, and make sure you have included all appropriate shipping and crating charges. Your order will not be shipped, or may be delayed, if you do not include these extra charges.

**Total Amount Enclosed** 

 $Order\, cannot\, be\, filled\, without\, signature.\, I\, understand\, all\, prices\, are\, subject\, to\, change\, without\, notice.$ 

# COVID-19 IMPORTANT NOTICE TO CUSTOMERS

Our number one priority is the safety and well-being our employees, customers and communities. Disruptions in manufacturing, distribution and/or shipping related to the Coronavirus Disease (COVID-19) Outbreak may delay the timely delivery of your order. If you have any questions or concerns please contact us at 1.800.844.9313 or catalogsales@sbsalaska.com.

Important Notice Regarding Actual Sizes of Boards, Lumber, Timbers, Wood Structural Panels and Other Building Materials Boards, Lumber, Timbers, Wood Structural Panels and other building materials are commonly referenced using a nominal description that differs from the actual dimensions of the product.

#### **Boards, Lumber and Timbers**

The actual dimensions of Boards, Lumber and Timbers are always less than the associated nominal dimensions or call sizes. See tables below for examples of common Boards, Lumber and Timbers:

	al Dir Call S	nension Size			ual Ti mens	mber sion
1 in	Х	2 in	=	3/4 in	Х	1-1/2 in
1 in	Χ	3 in	=	3/4 in	Х	2-1/2 in
1 in	Х	4 in	=	3/4 in	Х	3-1/2 in
1 in	Χ	6 in	=	3/4 in	Х	5-1/2 in
1 in	Х	8 in	=	3/4 in	Х	7-1/4 in
1 in	Х	10 in	=	3/4 in	Х	9-1/4 in
1 in	Χ	12 in	=	3/4 in	Х	11-1/4 in

	al Dir Call S	nension Size		Actual Timber Dimension			
2 in	Х	2 in	=	1-1/2 in	Χ	1-1/2 in	
2 in	Х	3 in	=	1-1/2 in	Χ	2-1/2 in	
2 in	Х	4 in	=	1-1/2 in	Χ	3-1/2 in	
2 in	Х	6 in	=	1-1/2 in	Χ	5-1/2 in	
2 in	Х	8 in	=	1-1/2 in	Χ	7-1/4 in	
2 in	Х	10 in	=	1-1/2 in	Χ	9-1/4 in	
2 in	Х	12 in	=	1-1/2 in	Χ	11-1/4 in	
4 in	Х	6 in	=	3-1/2 in	Χ	5-1/2 in	
4 in	Х	8 in	=	3-1/2 in	Χ	7-1/4 in	
4 in	Х	10 in	=	3-1/2 in	Χ	9-1/4 in	
4 in	Χ	12 in	=	3-1/2 in	Х	11-1/4 in	

	al Dir Call S	nension Size			al Tii nens	mber ion
6 in	Х	6 in	=	5-1/2 in	Χ	5-1/2 in
6 in	Х	8 in	=	5-1/2 in	Χ	7-1/4 in
6 in	Х	10 in	=	5-1/2 in	Χ	9-1/4 in
6 in	Х	12 in	=	5-1/2 in	Χ	11-1/4 in
8 in	Х	8 in	=	7-1/4 in	Χ	7-1/4 in
8 in	Х	10 in	=	7-1/4 in	Χ	9-1/4 in
8 in	Χ	12 in	=	7-1/4 in	Χ	11-1/4 in

#### **Wood Structural Panels (Plywood and OSB)**

The actual dimensions of Wood Structural Panels are commonly less than the nominal dimension or call sizes. The associated thickness identified on each panel's grade stamp may also be different than the actual thickness. For example, 15/32in, 19/32in and 23/32in Wood Structural Panels may be commonly referred to as 1/2in, 5/8in and 3/4in, respectively. See table below for examples of common Wood Structural Panels:

Grade	Grade Stamp Nominal Dimension					Actua		rage Wood nel Dimens		ctural
3/8 in	Χ	4 ft	Χ	8 ft	=	11/32 in	Χ	3.98 ft	Χ	7.98 ft
7/16 in	Χ	4 ft	Χ	8 ft	=	13/32 in	Χ	3.98 ft	Χ	7.98 ft
15/32 in	Χ	4 ft	Χ	8 ft	=	7/16 in	Х	3.98 ft	Χ	7.98 ft
1/2 in	Χ	4 ft	Χ	8 ft	=	15/32 in	Χ	3.98 ft	Χ	7.98 ft
19/32 in	Χ	4 ft	Χ	8 ft	=	9/16 in	Χ	3.98 ft	Χ	7.98 ft
5/8 in	Χ	4 ft	Χ	8 ft	=	19/32 in	Х	3.98 ft	Χ	7.98 ft
23/32 in	Х	4 ft	Χ	8 ft	=	11/16 in	Х	3.98 ft	Х	7.98 ft
3/4 in	Χ	4 ft	Χ	8 ft	=	23/32 in	Χ	3.98 ft	Χ	7.98 ft

#### **Other Building Materials**

Manufactured building products also commonly use nominal dimensions, call sizes, weights or other identifiers that differ from their actual dimensions. In many instances the actual dimensions of manufactured building products are less than the nominal dimensions, call sizes, weights or other identifiers used to describe them.

The actual dimensions and other characteristics of manufactured building products may be found in manufacturers' literature, catalogs and/or installation instructions, as applicable. Literature identifying the actual dimensions and other characteristics of manufactured building products may be requested from the manufacturer.

For additional information related to construction material dimensions and other characteristics we encourage you to review the following documents and publications:

- United States Department of Commerce Voluntary Product Standards PS 1, PS 2 and PS 20
- American Wood Council's National Design Specifications for Wood Construction Supplement Design Values for WoodConstruction
- APA The Engineered Wood Association PRP-108 Performance Standards and Qualification Policy for Structural-UsePanels

Additionally, we encourage you to consult with an appropriately licensed Design Professional (Registered Architect or Professional Engineer) and Licensed General Contractor familiar with applicable Codes, standards and wood construction design for further advice and direction on selecting materials best suited for your project.

### HARDWARE


#### **T-Hinges**

Zinc finish



#### **Heavy Duty T-Hinges**

Zinc finish



#### **Standard Hinges**

• Brass finish

Round corner

<b>4</b> "	#512RC	(N830-228)	1.16 lbs	5.39
~	#312hC	(11030-220)	1.10 105	5.57

#### **Strap-Hinges**

Zinc finish

4"	#V280	(N127-514)	0.3 lb.	7.99
5"	#V280	(N127-605)	0.5 lb.	9.99

#### **Swivel Hasp**

· Zinc finish padlock latch

	•			
4-1/2"	#V32	(N102-921)	0.4 lb.	8.99
6"	#V32	(N102-962)	0.57 lb.	10.99

#### **Satin Nickel Floor Mount Door Stop**

• Brass stop and rubber bumper

· Protective clear lacquer coating

#V1936	(N198-077)	0.20 lb.	8.99
Chrome	(N215-806)	0.20 lb.	8.99

#### **Satin Nickel Wall Mount Door Stop**

• Large base door stop offers easy, one-screw installation

• Solid brass ring, rubber bumper and plastic wall anchor

#### **Kickdown Door Stop**

• 4" size

• Bra

ass or chrome fi	nish	1	
#V238	(N326-983/N184-275)	0.38 lb.	<b>8</b> 7.99

#### **Door Pull**

• Heavy duty

• 6-3/4", zinc finish		6	
#V6	(N100-313)	0.75 lb.	5.99

#### KV.

#### **Barrel Bolts**

4" Brass



#### 4" Zinc 8" Zinc #V832 (N151-167) 1.5 lb. 16.99

#### **Chain and Bolt Hardware**


5/16" Zinc Quick Link	#3150BC	(AA52624)	.18 lbs	1.99
1/4" Slip Hook	#3242	(N177-253)	.6 lbs	6.99
#1 Bronze Boat Snap	#3189BC	(N223-255)	.10 lbs	4.99
#3 Bronze Boat Snap	#3189BC	(N223-271)	.29 lbs	6.99
#3 Bronze Swivel Boat Snap	#3191BC	(N223-305)	.32 lbs	7.99
3/8" Blue Clevis Slip Hook	#3242	(N177-279)	1.41 lbs	9.99
1/4" Blue Clevis Grab Hook	#3240	(N177-212)	.440 lbs	5.99
3/8" Blue Clevis Grab Hook	#3240	(N177-238)	1.1 lbs	9.99
1/4" Screw Pin Shackle	#3250BC	(N223-669)	13 lbs	5.69
5/16" Screw Pin Shackle	#3250BC	(N223-677)	.20 lbs	6.49
1/2" Screw Pin Shackle	#3250BC	(N223-685)	.70 lbs.	7.99

### Handrail Bracket



#### **Master Keyed Padlocks**


Laminated steel body



#### **Master Combination Padlock**

• Double armored stainless steel

3-digit combination







### **HARDWARE**



#### 8 Ft. Laminate Shelving

- Easy to clean melamine finish
- White

12" Width	(FMS128)	24 lbs.	26.65
16" Width	(FMS168)	32 lbs.	26.65

#### **Particle Board Shelving**

- Pre finished
- Bull-nosed edge

			100
	<b>Wood Grain</b>		
11-1/4" x 8'	(1128OBPB)	24 lbs.	24.30
16" x 8'	(11612WBPB)	32 lbs.	48.67
11-1/4" x 12'	(11212OBPB)	35.5 lbs.	40.32
16" x 12'	(11612OBPB)	48 lbs.	74.13
	White		
12" x 8'	(1128WBPB)	24 lbs.	25.02
16" x 8'	(1168WBPB)	32 lbs.	34.31
12" x 12'	(11212WBPB)	36 lbs.	36.13
16" x 12'	(11612WBPB)	48 lbs.	48.67



#### **Oak Print Shelving**

- Stain resistant, easy to clean
- Quick and easy to install
- Ideal for any room in the home
- #1980



	8" Wie	dth	10" W	idth	12" W	idth
2 Ft.	3.5 lbs.	5.99	5 lbs.	6.99		
3 Ft.	5.5 lbs.	8.99			7.4 lbs.	11.99
4 Ft.		12.99	9 lbs.	13.99	11 lbs.	15.99

#### **Richelieu Contemporary Hook Rack**

- White and Brushed Nickel
- 17-3/4" X 2-21/32
- 22 Lb. Load Capacity

		1	
#NH118211430195	(NH118211430195)	1.15 lb.	28.99

#### **Richelieu Transitional Hook Rack**

• Black and Brushed Nickel • 15-5/8" X 2-25/32

• 22 Lb. Load Capacity

#NH040214195 (NH040214195) 4.85 lb. **31.99** 

#### **Richelieu White Over The Door Hook**

• 33 lb. load capacity • 20" X 7-15/16"

· No Screws required

#17901 (14401) 1.38 lb. **14.99** 

#### **Richelieu Over The Door Hook**

- Clear Acrylic and Chrome Finish 11 7/8" X 8 7/8"
- No Screws Required

#NH61008014011 (NH61008014011) 0.10 lb.



#### **Shelf Standards**

- · Permanent baked-on finishes in designer colors
- #80-80A

	White Finish			Chrome
24"	(KV80WH24/KV80ANO24)	0.53 lb.	2.99	2.99
36"	(KV80WH36/KV80ANO36)	0.77 lb.	4.29	5.69
48"	(KVPK80WH48/KV80ANO48)	1.03 lb.	5.69	5.69
72"	(KV80WH72/KV80ANO72)	1.54 lb.	6.99	6.99

#### **Shelf Brackets**

- Baked-on finishes
- White or chrome finish

	White F	inish		Chrome
10"	0.25 lb.	(KV180WH10/KV180ANO10)	3.49	3.49
12"	0.29 lb.	(KV180WH12/KV180ANO12)	2.99	2.99
16"	0.44 lb.	(KV180ANO16)		3.49



#### **Double Slot Standards**

- Double slots to support heavy loads
- Anochrome finish

2 Ft.	#85ANO	(KV85ANO24)	0.8 lb.	6.99
4 Ft.	#85ANO	(KV85BANO48)	1.6 lb.	12.99
6 Ft.	#85ANO	(KV85BANO72)	2.4 lbs.	18.99

#### **Heavy-Duty Shelf Brackets**

• Designed for long runs of shelving, anochrome finish

10"	#185BANO	(KV185BANO10)		11.99
12"	#185BANO	KV185BANO12	0.95 lb.	11.99
16"	#185BANO	(KV185BANO16)	1.18 lb.	13.99
22"	#185BANO	(KV185BANO22)	1.95 lb.	18.99
24"	#185BANO	(KV185BANO24)		19.99

#### **Maloral** Strong-Arm Shelf Brackets

- Gray finish
- #211

5" x 6"	(N171-060)	0.09 lb.	1.19
6" x 8"	(N171-066)	0.25 lb.	1.39
8" x 10"	(N171-074)	0.25 lb.	1.69
10" x 12"	(N172-619)	0.25 lb.	2.99

32.99



#### **ProLuxe** Cetol® SRD

- · One-coat application
- Excellent UV protection and wood clarity
- Translucent
- · Cedar, Natural or Redwood

1 Gallon (PI36599x0X)



59.99

UYURETHAN

#### MINWAX Fast Drying **Polyurethane**

- Durable, long-lasting
- Ideal for furniture, cabinets, doors & moulding
- Semi-gloss or gloss sheens

Quart #6300X (MW63005/MW63005) 2 lbs. 14.99



Vertextours

HAZARDOUS MATERIALS

### Varathane **Premium**

### **Fast Dry Wood Stain**

- · Great for furniture, trim, floors and more
- Exceptional coverage 275 square feet per quart
- · Achieves target color in one coat
- · Dries in one hour

1/2 Pint #2620XX (RUS26202X) 0.6 lb. 6.49 #2620XX (RUS26200X) 2.4 lbs. 12.69



#### **Triple Thick Polyurethane**

- · Advanced self-leveling formula
- Complete projects 3x faster
- Ultimate durability in one coat
- Soap and water clean-up

#28447X (RUS28447X) 2.4 lbs. 19.29 Quart



#### **Exterior Acrylic Latex Paint**

Our finest quality 100% acrylic exterior finish. New Regency Exterior Paint + Primer In One is specially formulated to provide excellent coverage and application properties and has superior durability and stain resistance.



	Gallon	5 Ga	allon		
Flat	#RGP66XX (PPGRGP66XXG/ RGP66XX) 11	lbs. <b>46.99</b>	(RGP66XX-5G)	55 lbs. <b>212.99</b>	
Satin	#RGP68XX (PPGRGP68XXG/ 11 RGP68XX)	lbs. <b>44.99</b>	(RGP68XX-5G)	55 lbs. <b>224.99</b>	
Semi-Glos	s #RGP69XX <sup>(PPGRGP69XXG/</sup> 11 RGP69XX)	lbs. <b>48.99</b>			

#### Interior/Exterior Acrylic Gloss

Gallon #RGP65XX (RGP65XX) 11 lbs. 46.99



#### **Porch & Floor Paint**

- · Enhances wood and concrete surfaces, especially floors, steps and railings.
- Can be applied to properly prepared horizontal masonry, wood and metal substrates.
- A variety of porch paint colors are available.


8 lbs. Gallon #3-5XX (PPG3515G) 41.99



Flood



• Flood finishes provide the ultimate in both beauty and durability





### Latex Ceiling Paint

- Goes on pink...dries bright white...never miss a spot again
- Splatter-resistant application

Gallon #GC3070 (GC3070) 13 lbs. 26.99





- MATLABLE Water-based primer/sealer/stain killer is ready to recoat in 30 minutes
- Soap & water clean-up

Gallon (KILZ20941) 11.64 lbs. 20.99 109.99 5 Gallon (KILZ20000) 57.5 lbs.





#### PAINTS Odorless Interior Latex Paint

Paint without the paint fumes! It's possible with Devoe Wonder-Pure® paints. These advanced technology paints are free of typical paint odors and dry quickly, minimizing your down time.



KILSTAIN WB

PRIMER

Gallon				5 Ga	llon	400		
Flat	#DRP31XX	(DRP31XX1)	10 lbs.	29.99	(DRP3150-5GAL)	50 lbs.	116.99	•
Eggshell	#DRP32XX	(DRP132XX1)	10 lbs.	34.99	(DRP3250-5GAL)	50 lbs.	152.99	
Semi-Gloss	#DRP33XX	(DRP15133XX1)	10 lbs.	33.99	(DRP3350-5GAL)	50 lbs.	163.99	

Partition.

PRIMER

#### **Gripper Primer Sealer** Wall Latex PVA

 A premium acrylic primer and sealer designed to meet the variety of challenges experienced in the residential, commercial and multi-family markets for a multi-purpose primer.

· Suitable for interior or exterior application with excellent adhesion to a variety of surfaces.



Gallon	#GL3210- 1200	(GL3210- 1200)	10 lbs.	23.99
5 Gal.	#GL3210- 1200	(GL3210- 1200-5GAL)	50 lbs.	102.99

# · Non-marring feet

#### Werner Multi-Use Work Platform

- · Lightweight, easy to carry
- 39-1/2" top, 20-9/16" standing level
- 16-5/8" W X 35-3/4" D

(AP20MP6)	12.5 lbs.	52.99
(AP20MP6)	12.5 lbs.	52.99



#### PAINTS Primer/Sealer

#### **Wall Latex PVA**

- · Good alkali resistance, hide and easy sanding
- · Quick-dry—recoat in 2 hours

#### **All-Purpose Primer-Sealer**

- · Fast drying, low-odor

White or gray							
		Ga	llon		5 G	allon	
Wall	#DR53360	(DRN53360)	11 lbs.	16.99	(DRN53360-5GA	_) 55 lbs.	74.99
All-Purnose	#518 <sub>-</sub> 01	(DRP51801)	10 lbs	31 00	(DP51801-5GAL	50 lbs	163 00







#### Regency Interior Paint + Primer In One™

- · No-VOC acrylic formula
- · Stain, mold and mildew resistant
- · Quick drying and recoat
- · Virtually no odor





GRACO
Electric Airless
<b>Paint Sprayer</b>

- 5/8 hp motor
- 1/4" x 50' hose

#262-800 XR5 (GR262800) 28 lbs. 405.99



- .27 G.P.M.

#### DEWALT

#### **Fiberglass** Ladder Type 1

- Type I, 250 lb. duty rating
- Non-grounding ladder designed for electrical use
- Aluminum steps serrated for slipresistance

6'	#DXL3010-06	(DXL3010-06)	21 lbs.	109.99
8'	#DXL3010-08	(DXL3010-08)	29 lbs.	139.99
10'	#DXL3010-10	(DXL3010-10)	41 lbs.	199.99

#### >LOUISVILLE.

#### **Fiberglass** Step Ladder

- Type I, 250 lb. duty rating
- Non-grounding ladder designed for electrical use
- Aluminum steps serrated for slipresistance



			-	
6'	#FS2006	(FS2006)	17 lbs.	72.09
8'	#FS2008	(FS2008)	22 lbs.	119.99

#### >LOUISVILLE.

#### 300 lb., Type 1A 2-IN-1 Fiberglass Stepladder

- Unique ProTop and innovative locking mechanism allows for positioning against a wall, building, or pole
- Equipped with a V-shape ProTop with non-marring slip resistant rubber tread
- Meets or exceeds the safety standards set by ANSI, CSA, and OSHA

6'	#FXS1506	(FXS1506)	21 lbs.	129.99
8'	#FXS1508	(FXS1508)	28 lbs.	169.99
10'	#FXS1510	(FXS1510)	21 lbs.	269.99



· Made of white, tear resistant, non-woven material with a zipper front and collar

Breathable

8" x 36"

**3M** 

1" x 60 yd.

#2090

Z<del>P</del>RO

**Blue Tape** 

#9903 Large	(PCLRG)	0.25 lb.	5.69
#0666578 XL	(CXLRG)	0.25 lb.	9.99
#9907 XXL	(TC9907)	0.25 lb.	8.99

#### **WOOSTER Paint Brushes** Silver Tip™

· Very soft formulation, feather stroke

#### Signature ATP Angle®

• Excellent results with all coatings including water or oil-based paints, enamels and one-part epoxies

#### Alpha®

- Unique synthetic blend featuring Micro Tip™ filaments for the finest finish with all paints
- Firm, full formulation for smooth paint flow and increased production

							_		
	Silver Tip™ #522X			Ultra Pro		Alpha	#423X		
2"	(W52212)	0.2 lb.	6.99	(LBW41742)	0.10 lb.	12.69			
2-1/2"	(W522125)	0.25 lb.	7.99	(W415325)	0.33 lb.	16.79	(WOO4230-21)	0.20 lb.	15.19
3"	(WO52233)	0.3 lb.	11.69	(W41533)	0.42 lb.	18.29	WOO4231-3)	0.20 lb.	18.79
3" Wall							(WB42353)	0.20 lb.	28.39

#### **ProSolutions** Lambskin Roller Covers

- 100% natural lambswool
- · Use with all paints, including latex and oil

1/2" Cover	#30025	(30025SL)	0.20 lb.	11.99
3/4" Cover	#642-033	(PS30075)	0.20 lb.	11.99



1.99

3.59

AMBSKIN

#### **WOOSTER** Super/Fab **Roller Covers**



- Pro core, three fiber blend
- Beveled ends

4-Piece

#812

Z-PRO

6-Piece

**Brush Set** 

**Painting Set** 

extension pole,

Includes paint brush,

roller frame & cover,

paint tray & 9' x 12' drop cloth

(PP718)

3/8"	#KK923	(WOORR923-9)	0.3 lb.	4.29
1/2"	#RR924	(WOORR924-9)	0.3 lb.	4.89
3/4"	#RR925	(WOORR925-9)	.13 lb.	5.29

(812)

super/tab ftp



**Tack Cloth** 

#55001 (TACKCLOTH4.5) 0.5 lb. 1.99



0.5 lb. 4.79

3-Piece Paint Tray Set

9" Deep Well Plastic

Tray

Liner (LT30485)

(EP45)

**Paint Tray** 

#DPT

 Includes plastic tray, roller cover and handle



.16 lb.

0.33 lb.

#798 (PP9EKPL)

**3 Piece Extension** 

**Pole Set** #797 (3PCWP) 1 lb. 3.29

(3M209024A)



7" Interior/Exterior

**Pad Painter** #00740C (00740C)

**Heavy-Duty Drop Cloth** 

• 9' x 12' - 2 mil

(DCPLAST9X12) 0.75 lb. 3.89



# · For use with flat finish paints #718

#### 3 mil 21" x 35' Carpet Mask

• Self-adhering without adhesive transfer

#CM21X35R24 (CM205) 1.3 lbs. **14.99** More sizes available just ask





2 lbs. 13.99

1 lb.

7.19

#### **Universal Pole Sander**

- Reinforced ridges to prevent bowing
- Swivel head

Two holding clamps

#AS22 (WBAS22) 2.25 lbs. 21.99



#### **Drywall Sanding Screen**

- 2-Sheets
- · Durable abrasive on both sides for longer life
- Size: 4-3/8"x11-1/4"

WAT BOARD	tility Caw		-		
Medium	#9090NA	(3M9090)	.10 lbs.	ingeneral Table of the	3.99
Fine	#9089NA	(3M9089)	.10 lbs.	MC DIC DE	3.99



#### **LZ//333** Utility Saw

· Keyhole style for cutting small openings and making odd shaped cuts

#1S-50	(WB04-002)	0.25 lb.	9.9

#### 12" Mud Pan

• Durable plastic

#PP12	(WB27002)	0.67 lb.	6.72

#### 4 Ft. T-Square

• Blade features reverse calibrations on either side for quick measurement

#WTS-50	(88-012)	2.5 lbs.	15.99
# 44 1 3-30	(00-012)	2.3 103.	13.33

#### **Taping Knife**

• Broad blade for easy application

8"	#JK08	(WBJK08)	0.6 lb.	11.99
10"	#JK10	(WBJK10)	0.75 lb.	13.99
12"	#JK12	(WBJK12)	0.83 lb.	14.49
14"	#JK14	(JK14)	1 lb.	15.99



#### **Corner Tool**

Inside Corner	(WCT123)	0.25 lb.	11.49
Outside Corner	(82-002)	0.5 lb.	12.99

#### Beadex

#### All-Purpose Pre-Mixed Joint Compound


· Longer taping time for large jobs

Gallon - Lite	(USG384015)	9 lbs.	8.49
5 Gallon	(USG388558)	65 lbs.	26.23

#### Silver Set Compound

• Dries quickly in 90 minutes

	20 lb. Bag	(USG385272)
--	------------	-------------



20 lbs

· Good shrinkage for a smooth, uniform wall



3.5 Gallon Box	(USG385264)	30 lbs.	14.99
----------------	-------------	---------	-------

#### **Lite Topping Joint Compound**

- Specifically formulated for filling and finishing
- · Smoothest consistency and finish
- Easy workability
- Minimum shrinkage for fewer coats

3.5 Gallon Box	(USG385262)
	(030303202)



14.49

37 lbs. 16.49

#### **Lite All Purpose** Joint Compound

• Ready to use

3.5 Gallon Box	(USG385258)

**Fastex** 

Spray Texture

mixed formula - no

Achieve any texture

pattern from light dash to knock down

Convenient pre-

dust, no lumps



37 lbs. 16.99

#### Softline Corner

- Softline corners help create appealing, rounded outer corners
- Easy to install
- 8 Ft. (SL8OSBNCORNER) 0.75 lb.

### **Joint Tape**

 Forms smooth seal between plasterboard sheets

250 Ft.	(USG380046)	1.5 lbs.	3.39
500 Ft.	(USG380057)	3 lbs.	5.59



#### **Fiberglass Joint Tape**

2" x 75'	(USG385173)	0.5 lb.	3.29
2" x 300'	(USG385191)	0.8 lb.	8.79





### Use spray hopper, roller or brush 4 Gallon Box (USG385258) 54 lbs. 16.49

#### Webcrete<sup>™</sup> 95 Patch

- Fast-setting, latex-fortified cement
- For interior use
- Flexible and resilient



#95-25 (D63168) 25 lbs. 38.99


#### **Plasterboard Corners**

- · Galvanized metal corners for 90° outside corners
- Excellent bond for joint compound and paint
- 8' lengths

Nail-on	(1148G	CBEA)	1 lb. <b>3.09</b>
Tape-on	#B1XW	(PFB8)	0.76 lb. <b>2.69</b>



wood, plaster and wallboard





#### Silicone II Caulk

- Durable weather-proofing caulk ideal for windows, doors, bath and kitchen
- · Available in clear, white or colors
- 10 1 07

#50X0 (GE5010) 1 lb. 7.49

#### 35-Year Caulk

- For interior/exterior use
- Guaranteed for 35 years!
- In popular colors
- Apply at temperatures above 40°

#22681 (MD22640) 1.25 lbs. 4.09



(DAP18152/DAP18130/DAP18122/ DAP18118/DAP18120/DAP18126/ 1.25 lbs. 3.49 DAP18156)

#### Painter's Caulk

- Use with oil or latex-base paints
- · No cracking or peeling
- White

#14449 (GSGE14449) 1.28 lbs. 3.29



#### DAP® 3.0™ Caulk

- Indoor/outdoor use, with Micro Ban™
- · Won't crack
- · 9 07

<i>,</i> 02.					
Kitchen & Bath					
White	(DAP00790)	1.03 lbs.	9.19		
Clear	(DAP00795)	1.03 lbs.	8.79		
All Purpose					
White	(DAP18360)	1.03 lbs.	9.29		
Clear	(DAP18362)	1.03 lbs.	9.29		



- 40°F-120°F temperature range
- Non-toxic
- Water clean-up
- · Available in clear, white or colors
- 10.5 oz.

(SS10010) 0.69 lb. **6.99** 



#### LiquidNails

#### **Interior Projects Construction Adhesive**

- Strong durable bond
- Bonds most common building materials
- Bond remains flexible
- Adhesive can bridge gaps up to 3/8"

#LN-601 (LN601B) 1.0 lbs. **3.99** 



#### Dynaflex 230® Caulk/Sealant

- 10.1 oz.
- Apply at temperatures above 40°

dark bronze, black or clear

· White, cedar tan, clear, aluminum gray or almond

(DAP18275/DAP18412/ DAP18304/ DAP18286/ 1.25 lbs. **5.19** DAP18306)



#### Side Winder® **Siding & Window Sealant**

- Wet weather & low temperature (below 0°) application
- · White, light gray, cedar, medium gray, almond, or tan

(DAP00801/DAP00807/ DAP00823/ DAP00810/

1.25 lbs. **7.99** 

#### **GELMERS** Carpenter's Wood Glue

- Fast drving
- · Allows for repositioning
- · Sandable, paintable

32 oz.	#E704	(E704)	2.5 lbs.	10.99
Gallon	#E7050	(E705)	10 lbs.	19.99

#### Gorilla Glue

- · Multi-purpose glue
- Waterproof

4 oz.	(4GG)	0.25 lb.	8.99
8 oz.	(8GG)	0.5 lb.	13.99



#### Wood Glue

- Use on all porous surfaces
- Paintable, non toxic, non-flammable

Ouart	#506-5	(FI5065)	2 lbs.	7.49



#### Non-Flammable Contact Cement

- Water resistant, dries in 30-40 minutes
- · Easy water clean-up, low odor

Gallon	#25336	(DAP25336)	9.7 lbs.	62.99



#### PERMA-CHINK


#### **Acrylic Latex Log Sealant**

- Applies quick and easy
- · Choose from sandstone, gray or medium gray

30 oz.	(GRNSFS10/215PCSS30)	3.4 lbs.	29.39
5 Gallon	(PC212/215PCSS5/219PCTAN5)	53 lbs.	239.99
Batch Feed Caulk Gun	(PC51001B)	3.0 lbs.	109.99

#### Caulk Gun

· Metal frame



#### 9' x 12' **Drop Cloth**

- · Protect furniture, floors, walkways, shrubs, etc.
- Canvas construction

26.99 #800 (TC58901) 6 lbs.



# **FURNITURE**



#### **Bunk Bed Frame**

- Twin Over Twin design
- Safety rails and ladders on both sides
- Black

 Mattresses and bedding not included



#2256K (TWBBFRAME) 120 lbs. **299.99** 

	TWIN		EURO TO TWIN X	-	FULL		QUEEN	
Box Springs	(SP500105899T) 38 lbs.	149	(STXLBS) 38 lbs.	149	(SP500105899F) 65 lbs.	149	(SP500105899Q) 85 lbs.	169
Mattress	(SF500338661T) 40 lbs.	209	(SP500305852TXL) 50 lbs.	289	(SF500338661F) 60 lbs.	259	(SF500338661Q) 80 lbs.	284
Frame	(TWFRAME) 20 lbs.	69.99	(TWFRAME) 20 lbs.	69.99	(SPFDBF) 26 lbs.	84.99	(SPQBF) 40 lbs.	115.99
<b>Set</b> (includes mattress & box spring)	(SP500105899T) 78 lbs.	324	(KATXKMTBS) 88 lbs.	389	(FLMTBS) 125 lbs.	349	(QMTBS) 165 lbs.	409



#### Shaw

#### **Parade of Champions**

- 26oz Textured Berber
- 90% Polypropylene 10% Nylon
- 10 year Commercial Warranty

4 lbs. per sq. yd.

2.29 sq. ft. Commercial Grade



#### Coastal/Riverbed

- 25oz Textured Cut Pile
- 100% BCF PET Polvester
- 10 year Quality Warranty

4 lbs. per sq. yd.



#### **Neyland III**

- Level loop Olefin
- 10 year quality assurance
- In 3 popular colors

4 lbs. per sq. yd.



#### 2.19 sq. ft.

#### **Phenomenon**

- 26 oz. graphic commercial loop
- Polypropylene
- 10-year quality assurance
- In 3 popular colors

4 lbs. per sq. yd.



2.49 sq. ft. Commercial Grade

#### Gateway

- 39 oz Textured Fleck Plush
- 100% BCF PET Polyester
- R2x Stainguard FHA Approved
- 10 Year Quality Warranty

5 lbs. per sq. yd.



#### Slam Dunk 24" X 24" Carpet tiles

- 3 Colors-Carbonized, Replica and Duplicate
- 100% solution dyed Nylon
- Ecoworx backing
- Lifetime performance and stain resistance

4 lbs. per tile

2.99 sq. ft.

#### 4 Ft. Carpet Tackstrip


• For wood or concrete subfloor application .59/4' pc.

(TATRMXS-4220/24) 0.25 lb.



#### **Mohawk Air.o Unified Soft Flooring**

- Integrated premium felt pad
- Hypoallergenic fibers don't absorb moisture
- Can be installed in half the time of traditional carpet
- · Loose lay or perimeter glue down
- No stretching or tack strip required



Midnight

**Amalgamate** 

**Tortoise Shell** 

Stir

#### **Brandt Point 12'**

- Indoor/Outdoor
- 100% Olefin
- Durogen Rubber Backing
- 3 Year Limited Warranty

4 lbs. per tile

2.49 sq. ft.

#### **Quick Change**

- 24" X 24" Carpet Tile
- 2-colors Amalgamate & Stir Please call for other color options

4 lbs. per tile

4.99 sq. ft.



6 Foot Strip

Silver	(MD78105)	0.92 lbs.	13.99
Gold	(MD79103)	0.92 lbs.	14.99


#### 1-1/4" Seam Binder

6 Foot Strip

Silver	(MD78097)	0.57 lbs.	13.99
Gold	(MD79095)	0.57 lbs.	15.99

#### 1-1/2" Carpet Bar


6 Foot Strip



#### 7/16" 6 lb. **FHA Rebond Carpet Pad**

Roll size 6' x 45' (270 sq. ft.)

(TABR70) 56.7 lb.





#### **Roppe #700** 4" Cove Wall Base

- 4" X 4' Rubber Cove Base
- Durable TPR rubber compound
- 1/8" thickness helps hide wall irregularities
- · Made in U.S.A.

4" X 4' Rubber Cove Base 1.43 lbs. 5.69 ea.

Liquid Nails Cove Base Adhesive					
1.11 lbs.	4.79				







#### **Benchmark Vinyl Flooring**

- Vinyl wear layer provides good overall performance and ease of maintenance
- Brilliant shine for easy maintenance
- Choose from 12' or special order 6' widths

0.30 lb. per sq. ft. 99¢ sq. ft.

#### One Step Carpet Tile

- 18" X 18" Place & Press Tiles
- Urethane Cushion with pre-applied adhesive
- No special tools needed
- 25 ear limited warranty

#### **SOLD IN FULL CARTONS ONLY**

22.5 SF per carton 12.5 lbs/ carton







TAREDMAP



TAGLACIN



77.99 /carton

#### **Karndean Korlok Plus Rigid Core Luxury Vinyl Plank Flooring**

- 48" X 7" planks
- 6.5mm Thickness
- 20mil wear layer
- 100%Waterproof Flooring/Installs over Hard surfaces
- Lifetime Residential Warranty

#### **SOLD IN FULL CARTONS ONLY**

40 lbs/carton 23.51 SF per carton 109.99 /carton NORTH AMERICAN AGED SPANISH OAK LIMED COASTAL OAK RCP6534

OAK RCP6533





RCP6535



CHARRED WEATHERED

OAK RCP6539



TEXAN WHISKEY







#3832

#3831





www.tasupply.com

### **Interior Floor Adhesive**

- · Non-flammable
- Trowel grade, latex based
- · Low odor, water resistant
- Easy water clean-up

#### **Multi-Purpose Adhesive**

•				
Quart	#00141	(DAP00141)	3.0 lbs.	9.99
Gallon	#00142	(DAP00142)	10 lbs.	27.49
Sheet Floo	ring Adhesive			
Quart	#25176	(DAP25176)	3.0 lbs.	10.79
Gallon	#25178	(25178)	11 lbs.	31.49

#### Adhesive Trowel

- · Easy-grip handle
- Choose from 1/8" or 1/16" size #20065 (MD20065)



#3814

#3824

VINTAGE OREGON OAK RCP6531

#### Armstrong Flex Step 9200 Series Vinyl Flooring

- No-Wax Vinyl
- 7 Year Limited Warranty
- 12' Width or Special Order 6'
- · Loose lay or full spread application









**American Carbine** 

Claybank

**Deep Copper Fruit** 







Matchbox Strike

Old Muscat

**Red Bourbon** 

**Smoky Perlino** 





#### **Adura Max Flooring**

- 8mm thick (1/3") 6" x 48" Tile 20 mil wear layer
- 45.89 lbs/ctn
- Lifetime Warranty (wear-fade-stain-delamination)

Special Order Only

27.39 sq. ft. per carton

4.99 sq. ft.







DRIFTWOOD



TANNIN

HARBOR

Bourbon Street

#### **Laminate Flooring**

- 5" x 47-13/16" Length Plank Design
- · 8mm with 2mm Attached Pad, 23.07 sf/ctn, sold in full cartons only.
- Crystal Finish
- Micro-Bevel
- Waxed Edges

29 Year Limited **Residential Warranty** 

55.99 ctn.



#### Van Gogh Luxury Vinyl Plank

- 7" X 48" Planks
- 35 Sq. Ft. per carton (sold in full cartons only)
- 20 Mil wear layer
- · Lifetime Residential Warranty
- 38 lbs. per carton
- Glue down installation

Special Order Only

35 sq. ft. per carton

4.99 sq. ft.









VINTAGE PINE

MERBAU

#### **Knight Tile Luxury Vinyl Plank**

- 6" X 36" Planks
- 36 Sq. Ft. per carton (sold in full cartons only)
- 12 Mil wear layer
- · Lifetime residential warranty
- 27 LBS. PER CARTON
- Glue down installation

Special Order Only

36 sq. ft. per carton

3.19 sq. ft.









CLASSIC LIMED OAK

AGED OAK LIME WASHED OAK

#### **Anchor Plank & Tile Waterproof Vinyl Flooring**

- 5 mm Plank=24.17 sf/ctn, 5mm Tile=20 sf/ctn
- 20 mil Polyurethane wear layer
- Sold in full cartons only
- Plank styles Tilbury, Calais, Wright, Shetland, Antwerp, Plymouth, Flanders
- · Tile styles Biscay, Margate, Cornwall

47.5 lbs per carton Plank	84.99 ctn.
39 lbs. per carton Tile	69.99 ctn.

#### AMANA

#### **Top Load Washer**

- 3.5 cu. ft. Capacity
- 6 Temp Settings
- White
- Measures: 27"W x 43"H x 26"D

#NTW4516FW

(AMNTW4516FW)



140 lbs. 599.99

#### AMANA

#### 11-Cycle Electric Dryer

• 6.5 cu. ft Capacity

#NED4655EW

- 11 cycles
- White
- Measures: 29"W x 42-1/2"H x 28 1/5"D



120 lbs.

599.99

#### Whirlpool

#### 3.8 cu. ft. Top load Washer

- Water level Selection
- Two-Way Wash Action Agitator
- White
- Measures: 27 1/2"W x 44"H x 27"D

#WTW4855HW

(WPWTW4855HW)



126 lbs.

699.99

#### Whirlpool

#### 7.0 cu. ft. Electric Dryer

- 12 Cycles
- 3 Temperature selections
- White
- Measures: 27"W x 38 3/4"H x 31"D



#WED4850HW (WPWED4850HW)

(AMNED4655EW)

120 lbs.

699.99

#### Whirlpool

#### 4.5 cu. ft. Front Load Washer

- 8 wash cycles
- Stainless wash basket
- Load and Go Dispenser
- Measures: 27"W x 38 5/8"H x 31 9/16"D



(WPWFW5620HW)



Whirlpool

#### 7.4 cu. ft Electric Dryer

- 6 cycles
- 3 Dryness levels
- ADA Compliant
- Measures: 27"W x 39"H x 31"D



#WED5620HW (WPWED5620HW) 139 lbs. 999.99 **Dryer Stack Kit** #W10869845 (WPW10869845) 39.99

### Q Speed Queen

#### 3.2 cu. ft. Top-Load Washer

- 3 Temperature Selections
- Stainless wash basket
- 4 Cycles
- Measures: 25 5/8"W x 42 3/4"H x 28"D

#TR3000WN

(SQTR3000WN)



195 lbs. 949.99

#### Q Speed Queen

#### 7.0 cu. ft. Electric Dryer

- 3 cycles
- 3 temp selections
- reversible door
- Measures: 26 7/8"W x 42 3/4"H x 28"D

#DR3000WE (DR3000WE)

140 lbs.

899.99

### **Danby** Compact Top Load Washer

- 0.9 cu. ft. capacity
- Stainless steel drum
- 900 RPM spin speed
- White
- Measures: 17 3/4"W x 31 1/2"H x 18"D

#DPDWM030WDB6

(DWM030WDB-6)









#### 27" MODEL SHOWN

#### Whirlpool

#### Whirlpool **Combination** Washer/Dryer Electric

- 5 cycles/4-temps
- 3-temps on dryer
- Cord sold separately

#### 24" Electric

Measures:

23 7/8"W x 70 3/4"H x 26 7/8"D

#WET4024HW (WPWET4024HW) 238 lbs.

#### Whirlpool

27" Electric • Measures: 27 1/2"W x 71 3/4"H x 32"D

#WET4027HW (WPWET4027HW) 306 lbs. 1499.99

(D) 6 6 6 6 O

27" Gas • Measures: 27 1/4"W x 71 3/4"H x 32"D

#WGT4027HW (WPWGT4027HW) 306 lbs. 1599.99

LP Kit required by special order

### ■ Hotpoint

#### 3.8 cu. ft Top Load Washer

- · Stainless Basket
- · Heavy Duty Agitator
- Measures: 27"W X 44"H x 27"D

#HTW240ASKWS (GEHTW240ASKWS)

649.99 138 lbs.

#### Hotpoint

#### 6.2 cu. ft Electric Dryer

• 3 Heat Selections

• Measures: 27"W x 44"H x 26 3/4"D







#### #HTX24EASKWS (GEHTX24EASKWS) 100 lbs. 649.99

### **Accessories**

#### HEARTLAND Deluxe **Dryer Vent Closure**

- Floating shuttle rises when dryer is running and drops back down to seal opening when dryer is not in use
- Keeps out cold air, bugs and rodents

#289W (289W) 2.25 lbs. **22.99** 

#### 4" Wall Vent Hood

White	#224W	(224W4)	0.7 lb.	5.69
Brown	#224B	(224B)	0.5 lb.	5 00

#### 4 Prong Dryer Cord

- 30 Amp, 10/4, 250V
- 2500 watt
- U.L. listed
- · 4 foot length

4 Foot (DC104430A) 1.6 lbs. 19.99 6 Foot (DC104B6) 2.3 lbs. 25.99

#### Washer Hook Up Hose

1.68 lb. **31.99** (EA48377)

#### Drver **Power Outlet**

- 30 Amp, 125/250V
- 4-wire grounding
- Surface mount
- Black

#1225 (GSRB1225)



1499.99

0.9 lb. **16.99** 

#### **Adjustable Dryer Clamps**

• 3" - 4"

#CX34 (AA48017)



0.05 lb.

#### 20" Compact Electric Range

- Lift-off cooktop with raised edges
- · Easy to use controls
- White





#### 30" Self Clean Electric Range

- 5.3 cu. ft. Oven
- Full width storage drawer
- White
- Measures: 29 7/8"W X 47"H X 28"D

#JB258DMWW (GEJB258DMWW)



599.99



170 lbs.

#### 30" Free Standing Gas Range

- Four cook top burners
- White
- Battery spark ignition
- Uses 8 "AA" batteries
- Measures: 30"W X 40"H X 28"D

#BFK100OP (PPBFK100OP) 165 lbs. 649.99





#### 30" Free Standing Gas Range

- 4.8 cu. ft capacity
- Sealed cooktop burners
- ADA Compliant
- White
- Measures: 30"W x 46 1/4"H x 28 3/4"D

#JGBS30DEKWW (GEJGBS30DEKWW)



171 lbs. 529.99



#### 30" Electric Range

- 5.3 oven capacity
- Ceramic glass cooktop
- Dual-element bake
- Measures 30"W x 47"H x 28"D
- Stainless

#JB645RKSS (GEJB645RKSS)



799.99 179 lbs.



#### 30" Self Cleaning Gas Range

- Sealed Burners
- Black Matte Steel Grates
- 5.0 cu ft oven
- Measures: 30"W x 46 1/4"H x 28 3/4"D

White #JGB635DEKWW (GEJGB635DEKWW)



210 lbs. 749.99

Whirlpool

#### **Electric Front Control Coil Range**

- 4.8 cu. ft Oven
- · Adjustable Self Cleaning Oven
- ADA Compliant
- Measures: 29 7/8"W x 36"H x 29 1/64"D

White

#WEC310S0FW (WPWEC310S0FW)



164 lbs. 1099.99

### GE APPLIANCES

#### 30" Gas Range Stainless Steel

- 5.0 cu ft oven
- Sealed Burners
- Self Clean Oven
- Measures: 30"W x 36"H x 28 3/4"D

#JGB660SEJSS (GEJGB660SEJSS) 215 lbs.



949.99

BREAN

#### Range Hood

- 300 CFM on High Setting
- 1.2 Sones on Normal Setting
- Led Lighting



(BNBKDEG130WW)

289.99



#### **ACCESSORIES**

#### 3 Prong Range Cord

• 50 Amp, U.L. listed

22.99 4 Foot (W0984) 2.36 lbs.



#BKDEG130WW

#### BREAN

#### 30" Range Hoods

- Accepts up to 75 watt light
- Two speed fan

WI: 4 - D. - 4 - 4/

- White or Stainless Steel
- · Choose from ducted or non-ducted with charcoal filter

Non-Ducted	#40/13001	(BN403001/ BN413001)	15 lbs.	56.99
SS Ducted/ Non-Ducted	#40/13004	(BN403004/ BN413004)	15 lbs.	97.99



6 Foot (PZORR628206) 4 lbs. 31.99



- 50 Amp, U.L. listed
- 3-pole, 4 wire grounding
- · Surface mount, black

#WD1212-BOX (1212SR4W) 0.98 lbs. 16.99

#### Hotpoint

#### 7.1 cu. ft. Chest Freezer

- Removable basket
- "POWER ON" indicator light
- Measures: 37"W x 33 1/4"H x 21 5/8"D

#HCM7SMWW

(HPHCM7SMWW)



85 lbs. 299.99

#### ■ Hotpoint

#### 9.4 cu. ft. Chest Freezer

- 2 Removable Baskets
- Lock with key
- Measures: 41 5/8" W x 33 3/8"H x 27"D



#HCM9DMWW

(GEHCM9DMWW)

110 lbs.

399.99



#### 15 cu. ft. Chest Freezer

- Freezer Door Lock
- Measures:47 3/8"W x 33 3/8"H x 30 1/4"D

#MZC31T15DW

(MTMZC31T15DW)

155 lbs. 569.99



#### 22 cu. ft. Chest Freezer

- Incandescent Lighting
- Lock with key
- Measures: 66 1/4"W x 33 3/8"H x 30 1/4"D

#MZC3122FW

(MTMZC3122FW)

211 lbs.

899.99

#### GE APPLIANCES

#### 14.1 cu. ft. Upright

#### Freezer

- Frost Free
- Audible temperature Alarm
- LED interior lighting
- · Lock with key
- Measures:28"W x 62"H x 32"D 1/8"D

#FUF14DLRWW (GEFUF14DLRWW)

185 lbs. 849.99




#### 21.3 cu. ft. Upright

#### Freezer

- · 4 Glass, 2 Adj Freezer Shelves
- Clear Slide-Out Freezer Bins
- Frost Free
- Measures: 32 7/8"W x 76 1/2"H x 31 3/8" D

999.99



#### Whirlpool

#### 10.7 cu. ft. Refrigerator

- Glass shelves
- · Black or White
- Measures: 24 1/2"W x 61 3/4"H x 28 1/4"D



#WRT111SFDB/W (WPWRT111SFDB/W) 143 lbs.

579.99

### Refrigerators

#### SE APPLIANCES 15.5 cu. ft. **Top Mount** Refrigerator

- Full width and multi-level adjustable wire shelves
- ADA Compliant
- Measures: 28"W x 64 3/4"H x 31 5/8"D



#GTS16DTHWW (GEGTS16DTHWW)





- Gallon door
- storage
- Measures: 28"W x 66 7/8"H x 32 1/2"D



#GTE18GTHWW

(GEGTE18GTHWW)

192 lbs. **729.99** 

#### Whirlpool

#### 20.5 cu. ft. Refrigerator

- Frameless Glass Shelves
- · Clear Door Bins
- Led Interior Lighting
- Measures 32 3/4"W x 66 1/4"H x 32 7/8"D



#WRT311FZDW (WPWRT311FZDW)





#### **Bathtub Wall Surround**

- 48" 60" x 30" x 54"
- · 4-panel system
- · White textured finish

#101588-000-129 (101588-000-129)

14 lbs.



92.99

#### Tempest **Bathtub Wall Surround**

- 48" 60" x 31" x 59"
- 5-panel system
- 6 shelves
- Textured finish

White #101604-000-129

(101604-000-129)

18 lbs. 119.99



#### VIKRELL 3 Piece Bathtub Wall Surround

- · Modular design, durable high gloss finish
- · Dry-Blok seal and channeled water containment system
- Compression molded from solid Vikrell material
- Caulk-free installation

White #71374100-0 (71374100-0) 20.78 lbs.



White plastic

#CS02-W3L (PWETS) 3.15 lbs. 24.99



528.99

### **Finesse**


- 48" 61" x 34" x 59"
- 5-panel system
- · 2 towel bars, 6 shelves
- · High gloss, smooth finish

#101594-000-129 (101594-000-129) 22 lbs. 159.99



#### **Tub Surround Adhesive**

• Great for plastic, fiberglass and polystyrene tub and shower units



#LN-715

(LN715) 1.08 lbs.





#### FRP Glasbord® Panel

· High impact strength, resistant to moisture, stains, chemicals, mold, mildew and bacterial growth CRATING REQUIRED

· Choose from white or colonial white



4' x 8' Panel	#BES3PI	(48WHITEFRP/48CWHFRP)	24 lbs.	69.99
Rivet	#3/4RVT	(WFRPRIVET)	0.01 lb.	15¢
10' Divider	#DB310	(MDB8510/MDB8310)	1 lb.	4.15
10' Inside Corner	#IC3-10	(MIC8510/MIC8310)	1 lb.	4.41
10' Outside Corner	#OC3-10	(MOC8510/MOC8310)	1 lb.	3.78
10' Cap	#CP3-10	(MCP8510/ MCP8310)	1 lb.	4.50

#### **FRP Adhesive**

• 50 sq. ft. average coverage per gallon

1 Gallon	#4056	(TB4056)	13 lbs.	37.99
4 Gallon	#4054	(FRPA4G)	51 lbs.	106.99
FRP Trowel	#17883	(TB17928)	1 lb.	29.99



### Trimac

#### 1/8" x 4' x 8' Ceramica Tileboard

• Easy to clean, ideal waterproof panel

**Designer White** (1848BPDWT) 21 lbs. 38.99



#### E.L. Mustee Econo Free Standing **Shower Enclosure**

- 32" x 32" x 74 3/4"
- · Slip-resistant floor with drain
- · Celcon shower valve and head, shower curtain and rod, safety railing with molded-in soap dish and shampoo holder
- Knock-down construction
- Includes a PVC drain for direct connection to a 2" PVC-DWV pipe

(ELM68) 40 lbs. 239.99





CHKOME RY	I H ACCESSORII	ES		
Paper Holder	#CSC8505-3	(CSC85053L)	0.6 lb.	12.99
18" Towel Bar	#CSC3L521	(CSC3L521)	0.5 lb.	24.99
24" Towel Bar	#CSC3L522	(CSC3L522)	0.5 lb.	17.99
<b>SATIN NICKE</b>	L BATH ACCES	SORIES		
Paper Holder	#L5056-13B-103L	(PHBNV)	0.6 lb.	22.99
<b>Towel Ring</b>	#L5060-13B-103L	(TRBNV)	0.5 lb.	39.99
18" Towel Bar	#L5018-13B- 10-3L	(TBBNV18)	0.5 lb.	42.99
24" Towel Bar	#L5024-13B-103L	(TBBNV24)	0.5 lb.	45.99



· Please specify right or left hand drain when ordering

White #71171110 (71171110-0/SI71171120) 68 lbs. **286.99** 

#### 30" Bathtub Wall Set

White #71374100 (71374100-0)79 lbs. 528.99

#### **Round or Oval** Vanity Sink

- Porcelain-on-steel construction
- Self rimming for easy installation

	19" Round		
White	(021-2435-00)	10 lbs.	34.99
	20" x 17" Oval		
White	(AS0476028020)	12 lbs	7/ 00



#### **BROAN** Bathroom Ceiling Fan

- Economical performance
- Designed for bathrooms up to 45 sq. ft.
- 50 cfm exhaust capacity

#688	(BN688)	4.5 lbs.	25.99

#### **BREAN** Ultra Silent Bathroom Fan

- · Motor engineered for continuous operation
- UL approved with GFCI circuit wiring
- 110 cfm exhaust capacity

11.80 lbs. #AE110 (BNAE110) 173.99

#### Toilet Seat & Lid

· Snaps to most 5 gallon plastic buckets

#9880-03 (RL9881-03) 1.1 lbs. 19.99

#### Standard Toilet Seat

- Regular bowl size
- Durable enamel gloss finish

White #66TT-000 5 lbs. **8.99** (66TT-000) Bone #T-17WM-B (MINT-17WM-B-3L) 7.70 lbs. 14.99

#### A.D.A. Toilet In A Box

- Comfort Height Toilet complies with Americans With Disabilities Act
- Dimensions: 20"x28"x28"
- 1.6 gpf, 2-piece toilet
- Includes: toilet seat & parts, wax toilet bowl gasket with polyethylene flange, floor bolts, caps and instructions



Floor mount-wall

Standard Height-Non A.D.A. toilet (AS751DA001020) 91.4 lbs. 139.99

- Water Saver Toilet

   Water saving design, 1.6 gallon flush available. Please
- Seat sold separately

call for pricing. White Round Bowl (GBR80807) 76.99 45 lbs. **White Tank** (MAN170W) 44 lbs. 65.99

#### **ACCESSORIES**

#### **Wax Ring Toilet Extender Kit**

(AA4008561) 0.81 lb. 8.99

Wax Ring

(WR24) 0.4 lb. 2.59

**Bolt Set** 

(PP835170) 0.1 lb. 5.39

#### **Toilet Connectors**

• Fits 3/8", 7/16" & 1/2" male compression and 1/2" male iron pipe

12" (FLUB4T12U) 0.24 lb. #B4T12U 9.99 20" #B4T20U (FLUB4T20U) 0.26 lb. 11.99

#### BREAN 110 CFM Fan/Light

- 110CFM-1.3 SONES
- UL Listed for use over tub/shower with GFCI circuit
- 4" ducting

#AE110L (BNAE110L) 15.4 lbs. 259.99

#### BRGAN 80 CFM Fan/Light

219.99








#### Brighton Ginger Maple Kitchen Cabinets

Brighton Ginger finish vanities offer quality construction at an affordable price. Maple hardwood features include solid wood dovetail drawers, mortise and tenon doors, powder coated adjustable shelves and 6 way adjustable hinges. Fully assembled and ready to install.





#### **Wall Cabinets**

- All wall cabinets are 12" deep
- First two code numbers are width-"W3012", and second two numbers indicate height-"W3012"

A.	#W2418B	Butt Doors	22 lbs	98.47
	#W3012B	<b>Butt Doors</b>	20 lbs.	127.14
	#W3015B	Butt Doors	23 lbs.	145.80
	#W3018B	Butt Doors	26 lbs.	151.34
	#W3315B	Butt Doors	25 lbs.	162.56
	#W3612B	Butt Doors	22 lbs.	145.05
	#W3615B	Butt Doors	26 lbs.	168.51
	#W3618B	Butt Doors	30 lbs.	175.08
В.	#W930L	2 Shelves, Single Door	16 lbs.	118.14
	#W1230L	2 Shelves, Single Door	20 lbs.	134.21
	#W1530L	2 Shelves, Single Door	23 lbs.	135.50
	#W1830L	2 Shelves, Single Door	26 lbs.	141.96
	#W2130L	2 Shelves, Single Door	30 lbs.	148.68
C.	#W2430B	Butt Doors, 2 Shelves	33 lbs.	163.59
	#W2730B	Butt Doors,2 Shelves	36 lbs.	192.94
	#W3030B	Butt Doors,2 Shelves	40 lbs.	202.40
	#W3330B	Butt Doors, 2 Shelves	43 lbs.	216.13
	#W3630B	Butt Doors, 2 Shelves	46 lbs.	221.32
	#W4230	2 Door, 2 Shelves	53 lbs.	244.22
D.	#DWA2430L	Diagonal Wall, 2 Shelves	39 lbs.	234.49

#### **Base Cabinets**

• All base cabinets are 24" deep and measure 34-1/2" high

		'	,	
E.	#TB9L	Single Full Height Door	28 lbs	159.57
F.	#B12L	Single Drawer/Door	33 lbs	193.72
	#B15L	Single Drawer/Door	40 lbs	205.26
	#B18L	Single Drawer/Door	46 lbs	239.65
	#B21L	Single Drawer/Door	53 lbs	238.85
	#B24L	Single Drawer/Door	60 lbs	243.46
	#B27B	Butt Doors, Single Drawer	66 lbs	282.53
	#B30B	Butt Doors, Single Drawer	73 lbs	281.74
	#B33B	Butt Doors, Single Drawer	80 lbs	318.36
	#B36B	Butt Doors, Single Drawer	86 lbs	323.72
	#B42	Double Drawer/Doors	99 lbs	316.48
G.	#B3D12	3 Drawer base	49 lbs	278.21
	#B3D15	3 Drawer Base	59 lbs	266.45
	#B3D18	3 Drawer Base	70 lbs	287.89
	#B3D24	3 Drawer Base	91 lbs	336.08
Н.	#BBC36L	Base Blind Corner	93 lbs	258.28
	#BBC42L	Base Blind Corner	107 lbs	285.21
I.	#LS36L	Lazy Susan Base	93 lbs	540.31
J.	#SB30B	Sink Base, Butt Doors	60 lbs	243.39
	#SB33B	Sink Base,Butt Doors	66 lbs	251.66
	#SB36B	Sink Base, Butt Doors	71 lbs	258.97
	#SB42	Sink Base, 2 Doors	92 lbs	288.51

All prices are F.O.B. Anchorage. For ordering call 1-800-844-9313 or 1-907-563-3141, Extension 112 or 259. All pricing is subject to change. Knobs and pulls sold separately.

### Brighton Ginger Maple Vanities

Brighton Ginger finish vanities offer quality construction at an affordable price. Maple hardwood features include solid wood dovetail drawers, mortise and tenon doors, powder coated adjustable shelves and 6 way adjustable hinges. (Countertops and Faucet sold separately.)

Vanity Drawer 31.5" tall, 21" deep						
12"	#V3D12	(SMTV3D12MBGTG)	37 lbs.	259.22		
15"	#V3D15	(SMTV3D15MBGTG)	44 lbs.	283.95		
18"	#V3D18	(SMTV3D18MBGTG)	52 lbs.	290.47		
Door/Drawer Vanity 31.5" tall, 21" deep						
36"	#VSC36B	(SMTVSC36BMBGTG)	70 lbs.	354.07		
42"	#VSC42	(SMTVSC42BMGTG)	85 lbs.	389.99		
48"	#VSC48B	(SMTVSC48BMBGTG)	91 lbs.	368.55		
36"	#VS2D36L/R	(SMTVS2D36LMBGTG/ SMTVS2D36RMBGTG)	87 lbs.	379.01		






### Zenith Beveled Edge Tri-View Medicine Cabinet

- 3 sided viewing
- Beveled mirrors with 3 adjustable shelves
- Surface mount installation

		Single Door	•	
24" x 26"	#ZPM24	(ZPM24)	28.0 lbs.	99.99
30" x 26"	#ZPM30	(ZPM30)	41.0 lbs.	169.99
36" x 30"	#ZPM36	(ZPM36)	49.0 lbs.	139.99
48" x 30"	#M48	(M48)	67.0 lbs.	199.99



#### WWW.SBSALASKA.COM/FINANCING



**Convenient Plans That Work With You...** 

Prepaid • Courtesy Cash

Get It Done!

**CALL TODAY FOR DETAILS!** 



#### **Espresso Vanity Cabinets**

- Shorewood
- 1 and 2 Door Options

• 2-Drawer Vanity

Faucet sold separately.)

(Countertops and

Concealed Hinges

• 33" high

		Single Door		
24" X 21"	#546994	(DH546994)	67.3 lbs.	296.42
30" X 21"	#547018	(DH547018)	74.4 lbs.	338.65
		<b>Double Door</b>	•	
36" X 21"	#547034	(DH547034)	84 lbs.	356.92







- 3 pre-drilled holes for faucet

		<b>Single Door</b>		
25" x 22"	#557629	(DH557629)	31.3 lbs.	144.68
31" X 22"	#557637	(DH557637)	40.0 lbs.	212.72
37" X 22"	#557645	(DH557645)	50.0 lbs.	233.88










24" X 30"	#547083	(DH547083)	14.3 lbs.	64.99
30" X 30"	#547091	(DH547091)	17.6 lbs.	82.99
24" X 30"	#547083	(DH547083)	14.3 lbs.	64.99

#### Telemost" **Solid Surface Vanity Tops**



• All faucets and fixtures sold separately

· White-on-white



CRATING REQUIRED

22" Depth						
25"	(WW-2225)	35 lbs.	99.99			
31"	(WW-2231)	43.5 lbs.	97.99			
37"	(WW-2237)	49.5 lbs.	149.99			
49"	(WW-2249)	62.75 lbs.	199.99			







Because a typical kitchen countertop must withstand a range of abuses from vegetable chopping to plant potting yet remain smooth and sanitary with the wipe of a sponge, different work centers may call for unique surfaces. Consider the alternatives, then tailor each countertop to its specific purposes.

There are several ways to purchase countertops, depending on the material and your budget. Some laminates are available prefabricated in standard sizes; however most countertops are built to specifications.

Your countertop will be made at our countertop manufacturing facility by experienced professionals. Pick the style right for you! For kitchen, vanity or bar - in dozens of popular color options.

#### Countertop Colors (Subject to manufacturer's updates)





Colors available for kitchen and bath vanity.

### V

#### "Futura" Style Preformed Laminated Countertops

- Sold in 4', 6', 8' and 12' blanks (unfinished ends)
- Custom finishing available (at additional cost)
- Crating additional

Starting At 18.33 l.f.




#### STERLING

#### **Double Bowl Sink**

- · Stainless steel
- Self-rimming design
- 33" x 22" size, satin finish (faucet not included)



6" Deep	(14633-4-NA)	10.75 lbs.	72.99
7" Deep	(SP114014NA)	13.8 lbs.	129.99
8" Deep	(SP114024NA)	13.3 lbs.	169.99



# American Standard All In One Kitchen Sink Kit

- Features a large, offset double bowl stainless steel sink
- Stainless steel faucet features stream and spray functions
- Strainers
- Limited lifetime warranty



#18CR.332232C.075 (AS18CR332232C075) 28 lbs. **299.99** 



#### PEERLE!

#### **Double Handle Faucet**

- With sprayer
- Swivel spout
- Brilliance stainless finish

#P299575LF-SS (P299575LF-SS)



4.45 lbs.

112.99

#### **PEERLE**

#### **Single Handle Pull-Out Faucet**

Swivel spout

**△** DELTA

• Chrome finish

#P18550LF (P18550LF)

**Chrome Single Handle** 

Multi-Flow<sup>™</sup> Spray Wands

• 1 or 3-hole 8" installation

DIAMOND™ Seal Technology

**Kitchen Faucet** 

**Water Efficient Pull-Out** 

• Soft, rubber Touch-Clean® spray holes

5.8 lbs.



#### PEERLE!

#### **Double Handle Faucet**

- With sprayer, chrome finish
- 5 year warranty

#P225LF (P225LF) 3.25 lbs. **59.9** 

#### PEERLE /

#### **Single Handle Faucet**

· Washerless design, chrome finish

Without Sprayer

#P188200LF (P188200LF) 4.01 lbs.

With Sprayer

#P188400LF (P188400LF) 4

4.55 lbs.

79.99 89.99

#4153-DST

(DF4153DST)

6.61 lbs.

229.99





### Stainless Single Handle Centerset Lavatory Faucet

- 3-hole 4" installation
- ADA Compliant
- WaterSense® labeled faucet uses at least 20% less water
- Brilliance® Finish

#B510LF-SS (DFB510LFSS) 2.98 lbs. 139.99

#### **♦** DELTA

### Chrome Single Handle Lavatory Faucet

- DIAMOND<sup>™</sup> Seal Technology
- ADA Compliant
- WaterSense® labeled faucet uses at least 20% less water
- 1 or 3-hole 4" installation

#### **△** DELTA

### Chrome Single Handle Centerset Lavatory Faucet

- DIAMOND™ Seal Technology
- 3-hole 4" installation
- ADA Compliant
- WaterSense® labeled faucet uses at least 20% less water



#### PEERLE*SS*

#### Single Handle Shower Faucet

- Lever handle
- Pressure balanced valve and showerhead
- Chrome finish

#P188710 (P188710) 4.3 lbs. **89.99** 

#### **Tub & Shower Faucet**

- Includes bath valve, showerhead and tub filler with diverter
- Chrome finish

#P188720 (P188720) 5 lbs. **99.99** 

### **Tub & Shower Faucet**

- Brushed nickel finish
- Includes showerhead and tub filler with diverter

#P188775-BN (P188775-BN) 5.3 lbs. **149.99** 



#### **ACCESSORIES**

#### **Stainless Steel Braided Faucet Connectors**

• Fits 3/8", 7/16" & 1/2" male compression and 1/2" male iron pipe

12"	#B4F12U	(FLUB4F12U)	0.2 lb.	9.99
16"	#B4F16U	(FLUB4F16U)	0.3 lb.	10.99
20"	#B4F20U	(B4F20U)	0.3 lb.	10.99
30"	#B4F30U	(FLUB4F30CU)	0.5 lb.	13.99

#### PEERLE*SS*

#### **Bath Drain Assembly**

- Trip lever bath waste and overflow assembly
- · Chrome finish

#RP1791 (RP1791) 1.0 lbs. **36.99** 



#### England's Stove Works, Inc.

### Summers Heat Wood Stoves

- Extra large 9-1/4" x 16-1/2' door glass
- Accepts 18" logs
- · Rear heat shield standard



#50-SHSSW01	(50-SHSSW01)	395 lbs.	1,089.99
#50-SNC13P	(50-SNC13)	325 lbs.	899.99
#50-SVL17	(50-SVL17)	230 lbs.	779.99
	#50-SNC13P	#50-SNC13P (50-SNC13)	

### 2200 sq ft. Capacity Wood Stove

- Extra large 11-1/4" x 15-1/8" door glass
- Accepts up to 20" logs
- Includes cast legs and pedestal

#50-SNC30

(50-SNC30)



#### **Large Cast Iron Woodstove**

- EPA Approved
- · Heavy duty cast iron construction
- · Perfect for cabins, garages and shops

#2496E (USS2469E) 172 lbs.



#### **Barrel Stove Kit**

- All cast iron for long life durability
- Converts any 30 or 55 gallon drum into an economical and efficient wood burning heater
- Includes door, legs and chimney pipe adapter

#BK100E (USSBK100E)



#### **Stove Board**

 Provides protection for floors and walls from intense heat, hot coals, ashes, and soot that wood stoves can produce.





	soot that wood stoves can produce
<ul> <li>Grey Slate finish</li> </ul>	Grey Slate finish

<b>36" x 52"</b> #UL3652GT-3 (T2UL3652GT-1) 24.3 lbs. <b>11 32" x 42" Sandstone</b> (T2UL3242ST-1) 18.7 lbs. <b>7</b>	1.99
<b>36" x 52"</b> #UL3652GT-3 (T2UL3652GT-1) 24.3 lbs. <b>11</b>	9.99
	9.99
<b>32" x 42" Grey</b> #UL3242TP-2 (T2UL3242GT-1) 18.7 lbs. <b>7</b>	9.99

#### **Accessories**

6" Round Chimney Brush	#BR0183	(BR0183)	1.50 lbs.	18.99
8" Round Chimney Brush	#BR0184	(BR0184)	1.81 lbs.	21.99
48" Chimney Extension Rod	#BR0187	(BR0187)	.45 lb.	12.99

#### Fire Extinguishers

- Fights all common fires: electrical, oil, gas and flammable liquid fires
- The first line of defense in case of fire in your home, boat, car or business

Garage/Home	#REC5	(FEREC5)	4.7 lbs.	21.99
Multi-Purpose	#HOME-RED	(FE1A10GO)	5.3 lbs.	22.99
Heavy-duty Plus	#PRO5	(3A40BC)	9.8 lbs.	59.99



#### First Alert CO Alarm

- · Multi-function, backlit digital display
- Peak CO level feature retrieves the highest concentration of carbon monoxide measured
- Sealed, ten year lithium battery





### Battery Operated Slim Line Smoke Alarm

- Uses one 9 volt (included)
- Power LED and alarm indicator, mute/silence button, end of life signal
- · Wall or ceiling mount, slide in mounting bracket
- 10 year warranty

#P900 (P900) .56 lb. **14.99** 

### Battery Operated Smoke Alarm

- · Silent & Test Feature
- Loud 85 decibel alarm
- · Blinking power indicator
- UL listed. 10-year limited warranty

#SA300CN3	(SA300CN3)	.21 lb.	11.99
#SA303CN3	(FASA303CN3)	.21 lb.	12.99
#\$\\305C\\\3	(\$A305CN3)	21 lh	16 00

#### **Battery Operated**

#### **Smoke Alarm with Escape Light**

- Ionization smoke sensor with silence and test alarm functions
- Loud 85 decibel alarm
- Blinking power indicator
- UL listed. 10-year limited warranty

#SA304CN3 (SA304CN3)



.21 lbs. **14** 

#### **Smoke Detector**

- Detects both flaming and smoldering fires
- Point and click with any remote control to quiet unwanted alarms
- Smart sensor
- Loud 85db alarm. 9 volt battery included. Meets UL217 standard

#SA320CN (SA320CN)



.73 lbs. **25.99** 

# Combo Smoke/Carbon Monoxide Detector

- Photoelectric sensor
- 5-year limited warranty

Battery Operated-Voice Alarm #PC900V (PC900V) .56 lb. 44.99

Direct Wire & 9V Battery #SC9120B (SMOKE/CO) .34 lb. 54.99



#### Toyostove Kerosene Heaters Are Clean, Safe and Thermostat Controlled



A Laser Heater provides all the comfort and convenience of a central heating in one small, efficient unit at a fraction of the cost. It is also ideal for heating summer homes, hunting cabins, and is certified for installation in mobile homes and manufactured housing. The Laser heater combines the most advanced technology with the economy of kerosene heating. It features a simplified digital control panel that displays room temperature, temperature settings, time, and error codes. The unit is especially safe for children and pets as its cabinet is cool to the touch. All units feature a safety

shut-off system. You can easily install a Laser heater in just an hour or two. The helpful owner's manual provides complete, step-bystep instructions. Several installation options are available. All units are U.L. approved for #1 fuel oil.

#### 15,000 BTU Heater

- Heats up to 720 sq. ft.
- · Measures:
- 16-15/16"W x 13-9/16"D x 21-3/4"H
- · Direct vent heater

#LASER 300

(TOYOL300)



42 lbs. 1399

#### 22,000 BTU Heater

- Heats up to 1,100 sq. ft.
- Measures: 19-5/8" W x 23-5/8" H x 16-1/2" D
- Three cycle burning mode
- · Forced fuel venting system

#LASER 530

(TY530)



1699

#### 30,000 BTU Heater

- Heats up to 1,500 sq. ft.
- · Attractive wood fireplace design
- 30" W x 19" D x 24" H

**#LASER 60AT** (TOYOL60AT)



#### 40,000 BTU Heater

- Heats up to 2,000 sq. ft.
- · Measures: 30"W x 27-1/2"H x 16-3/4"D
- Three cycle burning mode
- Forced fuel venting system

#LASER 730 (TOYOL730)



100 lbs. 2299

2 lbs.

#### **1500 Watt Electric Heater**

- 5120 BTU
- 750/1500 Watt
- · Safety tip over switch
- Adjustable thermostat

#PH-2



(KEPH-2)

#### 1500 Watt Ceramic Heater

- 750/1500 Watt
- · Comfort Grip handle
- Built-in thermostat
- Rugged steel construction

#PUH1215T

(KEPUH1215T)



5 lbs

### **Accessories**



#FTKIT

#### **Adapter Kit**

• Includes 1 each: Gate Valve, 3/8" Flare Nut, 3/8" x 3/8" Brass FLX-MIP Union 408, 1" x 3/8" Bushing - 2 each: 1" x 3/4" Bushing, 3/4" x 2" Nipple

(TOYOAKFT)

<b>Extens</b>	ion Kits			
Short	12" x 19"	(TY20479896)	2.0 lbs.	93.99
Medium	22" x 39"	(TY20479897)	2.5 lbs.	144.99
Long	60" x 78"	(20479898)	3.0 lbs.	236.99

#### Homebasix

#### **Room Heater W/Thermostat**

- Digital thermostat, 120V/60HZ
- · Calcium carbonate material
- Adjustable thermostat w/ LED display
- Ideal for use in offices, utility rooms, bedrooms and hallways
- 23-5/8"H x 23-5/8"W x 2/5"D
- ETL & cETLus certified

#PH-08ER (HOMPH-08ER)



11.6 lbs. 94.99

#### **Fuel Tank Filter**

- · Removes water from gasoline and diesel fuel
- Water absorbing polymers trap water and restrict fuel flow which is your signal to replace element

#496 (DL496) 2.53 lbs.



49.99

**Replacement Filter** 

#496-5 (DL496-5) 0 4 lh 18.99



#### **Weil-McLain Boilers**

Spenard Builders Supply is now selling the WGO series of Weil-McLain boilers. Weil-McLain® oil-fired boilers are among the most reliable and energyefficient residential oil boilers on the market.


- Quick open top and swing-away burner door with full chamber access increases visibility for inspection and servicing
- Two Flue outlets rear and tope for complete venting flexibility
- · Dedicated water-only boiloer with cast iron section - no tankless heater or cover plate
- Recessed target wall design protects nit from flue brushes
- · Includes factory-wired circulator, service switch and Weil-McLain exclusive captured elastomer seals for added reliability
- 700 lbs. Crated Weight





### **从 SELKIRK** Metalbestos Stainless Steel Chimney System


Metalbestos Model SS Chimneys are ideal for venting wood, gas, oil and coal-fired appliances. They are suitable for application in residential, commercial and industrial buildings. Model SS Chimney Systems have a variety of components to meet installation requirements.







	<b>Metalbestos Pipe</b>	6" Pipe	(8" Outside	Diameter)	8" Pipe (10"	Outside D	iameter)
A.	Chimney Top	(SEL206800)	3 lbs.	67.99	(SEL208800)	5 lbs.	87.99
В.	18" Pipe	(SEL206018U)	10 lbs.	84.99	(SEL208018U)	13 lbs.	139.99
c.	36" Pipe	(SEL206036U)	20 lbs.	107.19	(SEL208036U)	25 lbs.	229.99
D.	Finish Support	(SEL206410)	6 lbs.	109.99	(SEL208410)	7 lbs.	139.99
E.	Wall Bands	(SEL206520)	1.75 lbs.	25.99	(SEL208520)	2 lbs.	34.99
F.	Tall Cone Flashing Flat Roof	(SEL206815)	3 lbs.	79.99			
G.	Roof Flashing 0/12 - 6/12	(SEL206825)	2.75 lbs.	59.99	(SEL208825)	3.25 lbs.	77.99
н.	Roof Flashing 6/12 - 12/12	(SEL206830)	2 lbs.	74.99	(SEL208830)	3 lbs.	99.99
ı.	Roof Support Package	(SEL206420)	14 lbs.	149.99	(SEL208420)	18 lbs.	179.99
J.	Insulated Tee With Clean Out	(SEL206100)	11 lbs.	169.99	(SEL208100)	15 lbs.	199.99
K.	Storm Collar	(SEL206810)	0.3 lbs.	12.99	(SEL208810)	0.3 lbs.	11.99
L.	Wall Support Kit	(SEL206430)	9 lbs.	64.99	(SEL208430)	10 lbs.	77.99
М.	Smoke Pipe Adapter	(SEL206240)	20 lbs.	49.99			
N.	6" Flat Ceiling Kit	(SEL206620)	25 lbs.	299.99	<b>8"</b> (SEL208620)	32 lbs.	399.99
	We Can Special Order 7" Pipe. Please Call For Pricing!						

#### **Common Chimney Installations**







SBS has a complete selection of galvanized, matte black, and aluminum pipe. Please call for sizes and pricing.

#### 30 Gauge Pipe

Galvanized



3" x 24"	(EM110324)	1 lb.	5.39
4" x 24"	(EM110424)	1.28 lbs.	5.29
5" x 24"	(EM110524)	1.8 lbs.	6.59
6" x 24"	(EM110624)	1.8 lbs.	5.79
7" x 24"	(NW110724)	2.12 lbs.	7.29
8" x 24"	(EM110824)	2.4 lbs.	7.39

#### 28 Gauge Tee

Galvanized



4"	(EM4TEE26)	1 lb.	24.99
6"	(135697)	1.75 lbs.	17.99
8"	(EM8TEE26)	2.67 lbs.	23.99

(EM134400)

(EM134500)

(EM6GCT)

(EM8GCT)

#### Cast Iron Damper

Galvanized

**Roof Vent** 

Stack Flashing



12.99

16.99

		-	100
6"	(BM0051-A)	.93 lbs.	4.79
8"	(BM0053-A)	1.84 lbs.	10.99

## 28 Gauge China Top

0.75 lb.

0.9 lb.

1.42 lbs.

2.67 lbs.

Galvanized

5"

6"

8"



21.99


23.99

23.99

26.99

Flashing Galvanized	•	4
1-1/2" x 3"	(4/1GCRF)	1.3 lbs.
3" x 4"	(EM681706)	1.67 lbs.

#### 90° Elbow Pipe



4	(EIVI120400)	U.5 ID.	5.29
5"	(EM662410126)	0.67 lb.	6.59
6"	(EM120600)	1 lb.	6.39
7"	(NW144014)	1.25 lbs.	8.99
8"	(EM120800)	1.5 lbs.	10.99

Galvanized



5 lbs. 49.99

1/4"- 4"	#14052	(EPDM14052)	.59 lb.	19.99
3"- 6"	#14053	(RMS32DT)	0.7 lb.	36.99
6"- 9"		(RMS6FG6)	1.1 lbs.	65.99
7"- 13"		(RMS8FG8)	2 lbs.	97.99

#### Wall Stack Galvanized

**Round Transition** 

3-1/4" x 10" x 6" (EM6310UBC) 1.5 lbs. 16.99

**Straight Boot** 

3-1/4" x 10" x 36" (EM3103WSTK)1.52 lbs. 21.99

#### **Attic Vent**



#### **Directional Caps**




6"	(WDC6)	4 lbs.	41.99
8"	(WDC8)	4 lbs.	45.99
10"	(WDC10)	6 lbs.	57.99

#### **Aluminum Roll Flashing**



		-	
7"	(EM750ARV)	0.12 lb.	1.10 l.f.
10"	(1050ARV)	0.16 lb.	1.54 l.f.
14"	(EM1450ARV)	0.26 lb.	1.92 I.f.
20"	(EM2050ARV)	0.38 lb.	2.84 l.f.

14" x 24" (NWMFR1424GALV)



3" X 24"	(301200)	0.48 lb.	6.09
4" X 24"	(EM424AP)	0.6 lb.	6.89
5' X 36"	(EM301452)	0.4 lb.	12.99
6" X 36"	(EM636AP)	0.50 lb.	16.49

#### Aluminum Elbow Adjustable



3" (EM3AELBOW90) 7.79 0.25 lb. 4" (302102) 0.25 lb. 6.39 5" (302202)0.5 lb. 8.89 6" (EM6AELBOW90) 0.5 lb. 11.99



#### 24 Gauge Matte Black Pipe

• 24" sections

6" Diameter	(BM0111)	2.5 lbs.	12.99
8" Diameter	(BM824600)	3.72 lbs.	21.99

#### **Matte Black Elbow**

Adjustable

6" Diameter	(BM624602)	1.64 lbs.	13.99
8" Diameter	(BM0016)	1 84 lbs	17 99

#### Fresh Air Wall Vent

4" Diameter #80 (SS100VENT) 2 lbs. 79.99



#### 🎎 Foam Sealant

- · Airtight weather-resistant bond that seals out drafts
- · For interior and exterior use
- · Fire retardant and water resistant



#### **Minimal Expanding Foam**

(TOUCHNFOAM12A) 1 lb. **6.99** 

#### **Triple Expanding Foam**

(DAP4001031212) 1 lb. **5.49** 12 oz. 20 oz. (DAP4001020012) 1.75 lbs. **8.99** 

#### Window and Door Foam Sealant

**12 oz.** (TNF4001044000) 1 lb. 8.29 16 oz. (NOWARPWIN16) 1.5 lbs. 9.99

#### **3M** Fire Block foam Sealant

(3MFBFOAM) 1.1 lbs. 16.49 12 oz.

#### **Latex Foam Sealant**




- Easy-to-use latex foam
- Won't over expand
- Cleans up with water

12 oz. (CON4001201208) 1.07 lb. 5.99



#### foam Tape

• A self adhesive weatherproofing foam tape for eliminating air and moisture leaks



#### **Camper Seal** Foam Tape

- 3/16" x 1-1/4" x 30' roll
- Designed for specifically for truck campers

#02352 (MD02352) 7.59

#### Window Insulation

- · Easy shrink and seal, installs on inside frame of window
- Eliminates drafts and frost build-up

62" x 42"	#2120-EP	(3M2120)	0.41 lb.	9.69
62" x 210"	#2141-EP	(3M2141)	5.04 lb.	19.99
7'x 9'3"	#2144W-6	(3M2144)	3.30 lb.	17.99

#### Window And Door Weatherstrip

- · Self adhesive plastic weatherstrip
- · Easy, fast bonding insulation
- 7/8" x 17 ft. roll

White #03525 (MD03525) 0.25 lb. **6.49** Brown #03541 (MD03541) 0.25 lb. 6.39

#### Caulk Backer

- Durable non-absorbant polyethylene precaulking material
- Use before caulking
- 20 foot

3/8"	#71464	(MD71464)	0.06 lb.	3.99
1/2"	#71480	(MD71480)	0.07 lb.	4.59
5/8"	#71506	(MD71506)	0.11 lb.	4.79

(MD02592)

(MD02550)

(MD63602)

(MD63628)

(MD63644)

(MD63669)

#### md

#### **Sub Zero Premium** Weatherstrip

17 ft roll

"K" Profile

"P" Profile

"D" Profile

10' All Profile

**Brown** #63644

White

White

Brown

White

• Remains flexible to -40°F

**Brown** #02618 (MD02618)

Brown #02576 (MD02576)

#02592

#02550

#63602

#63628

#63669



0.22 lb.

0.22 lb.

0.5 lb.

0.5 lb.

0.25 lb.

0.25 lb.

0.03 lb.

6.99

6.99

5.99

7.59

7.59

7.59

9.99

9.99

#### **Poly Foam Pipe** Wrap

- Flexible pre-slit pipe jacket
- · Helps to prevent cold pipe sweating

#### 6' Section

1/2"	#50148	(MD50148)	0.09 lb.	1.69
3/4"	#50150	(MD50150)	0.1 lb.	1.99
1"	#50154	(MD50154)	0.12 lb.	2.39

#### **rail** Pipe Heating Cable

- Built-in thermostat
- CSA approved pipe wrap keeps water flowing down to -30°F
- · Ready to install

#04325

#04341

#04366

12'



1.6 lbs.

59.99

#### **Garage Door** Insulation Kit

- · Lightweight, helps reduce heat loss
- · R-6 thermal resistance value
- · 4 foot width

#43157 (MD43157) 2.82 lb. 72.99

(MD04366)

#### **al** Aluminum Stop

#### Door Weatherstrip

· Aluminum with foam and vinyl seal

· Fits up to 36" width

#87783 (MD87783) 2.05 lbs. 31.99

#### Door Bottom Sweep

- Durable PVC seals out cold and water
- Fits up to 36" width



Sealeze 36" Door Sweep

 Helps stop under door drafts



(SED480CLA-#D480CLA09BL3 2 lbs. 15.99 09BL3)



#### Sealeze Garage Door Brush Seal

- Seals out dust and pollen
- Keeps cold air out, warm air in

7' Brush Seal	(J140CLA08BL7)	19.99
8' Brush Seal	(J140CLA08BL8)	22.99
9' Brush Seal	(J140CLA08BL9)	24.99
10' Brush Seal	(GDS238WHT10)	24.99

# There's a PEX Fitting System For Every Plumbing Job...Production, Prefabrication or No-Flame Repair PEX Crosslinked Polyethylene Tubing

PEX tubing's versatility makes it perfect for many residential, commercial and industrial applications. It not only meets ASTM standards, but goes well beyond these requirements. PEX will handle all normal temperatures and pressures for residential potable water systems and radiant floor heating applications. PEX tubing stays flexible at all temperatures. It is easy to install year round. PEX tubing is practically inert. Nothing sticks to it. This means PEX resists mineral buildup, rust,



corrosion, and electrolysis. PEX piping can be connected to galvanized, copper, polybutylene and CPVC systems with standard Sharkbite fittings. Here are just a few of the advantages offered by PEX tubing:

#### **Trouble-Free PEX Tubing**

- Flexible
- Corrosion resistant
- No electrolysis
- Freeze damage resistant

#### **Crimp and Thread Connections**


- No exotic parts to fail
- No solvents, bonding agents or "glues" used
- No flame, no solder, flux or gas used
- · More positive connections, quicker, easier

J Hook C	lamp (10 Pack)			
1/2"	#APXJH1225PK	(APXJH12-10PK)	0.06 lb.	2.59
3/4"	#APXJH3425PK	(CBAPXJH3410PK)	0.09 lb.	2.79
Quickser	t 90 Elbow Barb -	Lead Free		
1/2"	QQE33GX	(APXE12)	0.05 lb.	2.79
3/4"	QQE44GX	(APXE3434)	0.13 lb.	3.49
Hydronic	cs Crimp Ring (10 F	Pack)		
1/2"	QCR3X	(APXCR1210PK)	0.1 lb.	4.99
3/4"	QCR4X	(APXCR3410PK)	0.1 lb.	6.49
Hydronic	cs Coupling Barb -	Lead Free		
1/2"	QQC33GX	(APXC1212)	0.03 lb.	2.39
3/4"	QQC44GX	(APXC3434)	0.05 lb.	2.79
Quickser	t Tee Barb - Lead I	ree		
1/2"	QQT333GX	(APXT12)	0.06 lb.	4.29
3/4"	QQT444GX	(APXT34)	0.13 lb.	4.99

Pex Plug				
1/2"	QP3X	(APXP12)	0.02 lb.	2.19
Stubout Elbe	ow – 1/2" Bar	b x 1/2"		
8"	QSTUBL8XX	(APXSTUB8)	0.5 lb.	10.99
<b>Hot/Cold Tul</b>	bing – Red or	Blue		
1/2" x 100'	Q3PC100X	(12100RPEX/12100BPEX)	5.4 lbs.	37.99
3/4" x 100'	Q4PC100X	(CBAPPR10034/ CBAPPB10034EA)	10.2 lbs.	59.99
Barbed Ball	Valves			
3/4"	QQV744X	(APXV3434)	0.3 lb.	14.99
<b>Barrier Tubi</b>	ng-for in-floo	or heating systems		
1/2" X 300' Oxy Barrier	U860O300	(APPOB30012)	7.37 lb.	149.99
3/4" X 300' Oxy Barrier	U8700300	(APPOB30034)	10 lb.	219.99

#### **Dimensions and Standard Equipment**

Pressure Vessel, Reversible cast iron swing door, cast iron reversing chamber, deluxe insulated jacket, supply dip tube, pressure relief valve, pressure/temperature gauge, Beckett AFII burner, Taco 007 1-1/4" circulator with gaskets, flanges and fasteners, R7184A Cad cell relay with Pre and Post Purge, L8148A combination high limit, vent terminal, boiler vent connector, oil nozzle line heater, intake vacuum breaker, intake terminal, vent pipe sealant.



#### Oil-Fired Hot Water Home Heating

Uncompromising comfort is what you and your family can expect when your heating contractor installs a Burnham Hydronics LE™ (Low Energy) Series boiler. Offered in two models, direct vent and chimney vented (natural draft), the oil-fired LE and LEDV Series boilers are available in multiple sizes for practically any home. Both venting options are available in three capacities with annual fuel efficiency rating up to 86.7%.

#### **Features:**

- High efficiency with annual fuel efficiencies of up to 86%
- · No chimney needed!
- A complete home heating system
- Flexible installation options
- Long lasting performance
- Efficient AND economical



**Burnham LE1/LEDV1** 

325 lbs.

**Call For Pricing** 



#### **Gas Connectors**

- · A.G.A. design certified connectors permit easy installation of gas ranges, ovens, clothes dryers and space heaters
- · Corrugated single wall

3/4" x 36" x 1/2"				
(CSSC91R-36P)	1.35 lbs.	25.99		
5/8" X 48	" x 3/4"			
(CSSC91R-48P)	1.5 lbs.	29.99		
1/2" X 24" X 3/8"				
(CSSL47R-24P)	.58 lbs.	32.99		
3/4" x 36" x 1/2"				
(CSSD105R-36P)	1.10 lbs.	25.99		
3/4" x 48" x 1/2"				
(CSSD105R-48P)	1.30 lbs.	29.99		

#### **Propane Connectors**

1/2" x Close					
#1/2XCB	(12XCB)	0.06 lb.	1.69		
1/2" x 2" Nipple Black					

#### **Teflon Tape**

1/2" x 520 ft.	(12520TT)	0.03 lb.	99¢	A
4 Oz. Gas Line Teflon Paste	(TPP4OZ)	0.48 lb.	7.59	Į
1/2" X 260" Gas Line Teflon Tape	(1260YTT)	0.6 lb.	4.59	

#### Richmond

#### **Water Heaters**

- · Resistor design heating elements prolong anode rod and tank life
- Extra-durable high-temp dip tube
- Easy access thermostat adjustment
- 6 year limited warranty on tank and parts

Call for more sizes

50 Gallon Electric


#6E50-D (6E50-D) 20.375" x 61.625" 121 lbs. **524.99** 

40 Gallon Propane

#6G40-32PF3 (6G40-32PF3) 18.5" x 61.5"

50 Gallon Natural Gas

#6G50-38F (6G50-38F3) 150 lbs. 629.99 20.5" x 58.375"



#### тоуотомі

#### **Instant Hot Water Heater**

- Heats the water you need, when you need it up to 240 gallons per hour
- Stainless steel heat exchanger
- Direct vent or chimney vent\*
- Small, compact size

**Pressure Relief Valve** 

\*Water Heater Direct Vent Kit required (sold separately)

#22DW тгену ом-148 (TYOM122DW) 12-5/8"х27-3/4"х22-1/2" 86 lbs. #128HH

Formerly OM-180 \*Water Heater

(TYOM128HH) 12-5/8"x27-3/4"x22-1/2" 120 lbs.

#20476440 (TY20476440) 7 lbs. 357.99 Vent Kit



Tub Includes tub with legs, faucet, integral drain with plug and 2 plastic supply lines



#101040 (EM14CP) 15 lbs. 119.99

### 1/2 HP Thermoplastic Sump Pump

- With float switch
- · Heavy duty, Oil-filled motor
- 1 1/2" NPT discharge

(AA48580) 15 lbs. 169.99 #SPF50



- Pumps to 1/8" deep
- 115-volt, 60-Hz, continuous-duty motor oil filled and sealed for cooler operation

#2305 (2305)8 lbs. 79.99

2149



#### Sediment Water Filter

• Installs on 1/2" or 3/4" main cold water line



	(233.71)	017 5 1.51	
<b>Drinking V</b>	later Cartrid	lge	
#D10	(D10A)	0.94 lb.	11.99





#### **Copper Pipe Type M Copper Pipe**



1/2" x 10'	(1210TMC)	2 lbs.	9.99
3/4" x 10'	(3410TMC)	3.2 lbs.	16.99

#### Type L Copper Tubing • 3/8" outside diameter




10'	(MUERC3810)	1.7 lbs.	21.99
20'	(MURC3820)	2.6 lbs.	21.99
60'	(CPRTL3860LF)	11.6 lbs.	100.20

#### **Copper Fittings**

Elbow	1/2"	(107C)	0.1 lb.	.79
Elbow	3/4"	(34C90DE)	0.1 lb.	1.69
Tee	1/2"	(12CC111)	0.1 lb.	1.39
Tee	3/4"	(34CT111)	0.1 lb.	3.79
Coupling	1/2"	(12CC100)	0.1 lb.	.69
Coupling	3/4"	(34CCAP100)	0.1 lb.	1.69
Сар	1/2"	(ELK30626)	0.1 lb.	.89
Сар	3/4"	(34CC117)	0.1 lb.	1.49

#### **Gate Valves**

For controlling water





Sweat 1/2"	(100-453NL)	0.6 lb.	8.99
Sweat 3/4"	(100-454NL)	1 lb.	11.99
IPS 1/2"	(100-403NL)	0.6 lb.	9.99
IPS 3/4"	(100-404NL)	1 25 lbs	11.99

#### **ABS Pipe** 10 Ft. ABS Pipe



41.99

15 lbs.

• Schedule 40			100
1-1/2"	(RW283529)	4 lbs.	12.99
2"	(KAB10I)	6 lbs.	14.49
3"	(KAB10K)	11 lbs.	27.99

(KAB10M)

### **ABS Elbow**

1-1/2"	(GEN82815)	0.3 lb.	1.79
2"	(GEN82820)	0.3 lb.	2.59
3"	(GEN82830)	0.3 lb.	5.69
4"	(GEN82840)	1.6 lbs.	9.99

#### **ABS Tee**

	(		
3"	(GEN81130)	1.4 lbs.	8.69
2"	(GEN81120)	0.4 lb.	3.79
1-1/2"	(GEN81115)	0.2 lb.	2.39

#### **ABS No-Hub Couplings**


1-1/2"	(P1056-150)	0.3 lb.	6.49
2"	(PNH-2)	0.5 lb.	5.99
3"	(P1056-33)	0.5 lb.	8.99
4"	(PNH-44)	1 lb.	6.99

#### ABS Glue



16 OZ. Low V.O.C. ABS Cement

 Medium-bodied black cement for use on all schedules and classes of ABS pipe and fittings up to 6" diameter with interference fit



non-pressure applications

#30892 (OA30892) 1.16 lbs. 13.99

Join Copper, CPVP and Pex Pipe in any combination, with no soldering, glue, unions or clamps.

Tees		6	1
1/2" x 1/2" x 1/2"	(U362A)	0.2 lb.	12.99
3/4" x 3/4" x 1/2"	(U412A)	0.1 lb.	14.99
3/4" x 3/4" x 3/4"	(U370A)	0.3 lb.	14.99
3/4" x 1/2" x 3/4"	(U444A)	0.2 lb.	15.49

90° Elbows	;		011
1/2" x 1/2"	(U248A)	0.2 lb.	8.99
3/4" x 3/4"	(U256A)	0.3 lb.	12.99
3/4" x 1/2"	(U274A)	0.3 lb.	10.99
1" x 1"	(U260LFA)	0.3 lb.	19.99

#### **Straight Coupling**



	. ,		
3/4" x 3/4"	(U016A)	0.2 lb.	9.99
3/4" x 1/2"	(U058A)	0.2 lb.	9.99
1" x 1"	(U020LFA)	0.2 lb.	15.99

#### **Dismount Clips** 2.19 1/2" (U710A) 0.1 lb. (U712A) 2.19 3/4" 0.1 lb. 1" (U714A) 2.39 0.1 lb.

#### **Straight Connectors**


1/2" x 1/2" MNPT	(U120A)	0.2 lb.	7.99
1/2" x 1/2" FNPT	(U072A)	0.2 lb.	7.99
3/4" x 3/4" MNPT	(U134A)	0.1 lb.	8.99
3/4" x 3/4" FNPT	(U088A)	0.3 lb.	8.69

67

#### SBS has everything you need for new and old sink replacement.


#### These helpful diagrams identify the parts involved in sink replacement.

- Measure the sink now in place. Note how many holes it has for faucets and hose sprayers as well as the distance these holes are apart. Example: If your kitchen faucet is a two-handle unit, the holes for the hot and cold are normally 8 inches apart.
- Remove the trap assembly from the old sink by turning the top slip nut at the trap and tailpiece connection. If a garbage disposer is involved, turn off the power at the main electrical service entrance. Disconnect the power wires to the disposer and then unscrew the bolts that hold the disposer to the sink drain.
- Turn off the water either at the supply stop valves at the bottom of the sink or at the main water service entrance.
- 4. Disconnect the water supply at the faucets. Remove bracket hardware from underneath the countertop if needed. Lift the sink out of the countertop hole.
- 5. Clean the countertop and set the new sink into position in plumber's putty. You may be able to connect the faucet assembly and the drain basket and tailpiece before you set the sink into the countertop.
- 6. If the sink is held by brackets, install them at this point.
- Connect the faucet to the water supply pipes. Install the disposer to the sink drain opening with a bolted flange. Reconnect the wires and attach the unit to the trap. If there is no disposer, attach the tailpiece of the sink drain to the trap assembly.
- 8. Use plumber's putty to bed sink drains it is recommended that you use stainless steel putty if the sink is stainless steel, to avoid spotting and damaging the surface.




Wall drainage for single-bowl sinks

1. Basket Sink Strainer Assemby	#PP8PC	(PP8PC)	13.99
2. Tailpiece Assembly	#PP906W	(PP906W)	4.79
3. Center Outlet Tee and Tailpiece	#PP930W	(PP930W)	12.99
4. P-Trap Drain Bend	#PP940W	(PP940W)	5.69
5. End Outlet Connection Waste	#PP925W	(PP925W)	11.99
6. S-Trap Drain Bend	#PP66-3W	(PP663W)	9.99



Center outlet connection for double-bowl sinks



End outlet connection for double-bowl sinks

#### **Switch Plates**

· White or ivory

#2134W/V (2134W/CW2134V-BOX) 0.1 lb.



· White or ivory

#2132W/V (2132W-BOX/1GIDRP) 0.1 lb.

#### LEVITON **Single Pole Switch**

· White or ivory

#1301-7W/V (CW13017W/CW13017V-BOX) 0.11 lb. 89¢

#### **Duplex Receptacle**

White or ivory

(270W/DGO270V) 0.16 lb.

#### **Tamper Resistant Duplex Receptacle**

• 15 Amp · White or Ivory

#270W/V (TR270W/TR270V) 0.14 lb.



#### **Tamper resistant receptacle** with USB ports

· White or ivory

#TR7740W/VK (COTR7740W-K/COTR7740V-K) 0.26 lb. 25.99

#### **Nail-On Box**

#B118AR Plastic (B118A) 0.2 lb. Metal #8355 (RA8355) 0.75 lb. 2.99



#8164 (RC164) 3.49 0.66 lb.

#### Plastic Cut-In Box

#B114R (B114R) 0.68 lb. 99¢

#### **Adjustable Box**

Adjustable depth

**Single Gang** 0.4 lb. 2.79 (B121ADJ) **Double Gang** (TBB234ADJ) 0.53 lb. 4.99

#### **Nail-In Box**

PVC			
Single Gang	(BH122A)	0.34 lb.	79¢
Double Gang	(BH235A)	0.5 lb.	2.59
Round	(AM9351-NK)	0.5 lb.	3.99

#### **Airtight Electrical Box**

• One piece with sealing flange and foam gaskets

•	5 5		
Single Gang	(RA2011FBAR)	0.26 lb.	4.99
<b>Double Gang</b>	(RA2002FBAR)	0.33 lb.	7.59
<b>Ceiling Round</b>	(RA2027FBAR)	0.64 lb.	7.59



#### **Tamper Resistant GFCI Receptacle**

- Test and reset button
- · White or ivory

15 Amp #TRWVGF15W/V (COTWRSGF15W/COTRSGF15V) 0.33 lb. 19.99 20 Amp #TRSGF20W/V (COTWRSGF20W/COTRSGF20V) 0.33 lb. 24.99

#### 250 Ft. House Wire

• 12/2 NM-B type wire with ground

• 20 Amp rated



#12/2 (122NM250) 24 lbs



#### Meter/Main Combinations

- Combination meter socket for overhead or underground service entrance with provisions for field installed main circuit breaker
- Dependable (2) 1" circuit breakers



200 AMP Combo – Includes one 200 amp breaker						
Meter Main	#MBT48B200BTS	(MBT48B200BTS)	35 lbs.	169.99		
Main Breaker	#R\W2200	(BW/2200)	2 65 lh	100 00		

#### Load Center

8,

- Holds 8 single circuit breakers
- UL listed breaker box




125 Amp	#BR816L125FDP	(BR816L125FP)	9.4 lbs.	29.99
200 Amp	#S3040B1200	(S3040B1200)	28.4 lbs.	116.99



#### **Circuit Breakers**

Single Pole 20	Amp		
ITE	(Q120)	0.25 lb.	5.69
Square D	(QO120C)	0.5 lb.	8.99
#BR120	(AA31481)	0.3 lb.	4.99

Double Pole 30 or 50 Amp				
ITE	(Q250)	0.5 lb.	10.99	
Square D	(QO230C/QO250C)	0.7 lb.	22.99	



#### 20 Amp ARC Fault Breaker

 Required by the latest electrical code in bedroom applications

#BRCAF120	(BRCAF120)	0.53 lb.	54.99		
			-		
Single Pole Breakers					
30 Amp ITE	#TQ130	(Q130)	0.4 lb.		
20 Amp Combination	n* #TB120C	(Q120)	0.3 lb.		



<b>Double Pole Breakers</b>				
30 Amp Combination*	#BR230	(AA31489)	0.5 lb.	10.99
50 Amp Combination*	#BR250	(AA31492)	0.5 lb.	10.99

<sup>\*</sup> Combination breakers fit Crouse Hinds/ITE, Murray, GE, Westinghouse, Siemens. Challenger and Thomas Betts.



4.79

5.69

#### **Clear Glass Porch Light**

• 6" high, extends to 5-1/4"

Black	(1LBLKJLYJR)	1.98 lb.	5.99
Satin Nickel	(4402H-BN)	2.5 lb.	7.99
Polished Brass	(4402H-23L)	3.6 lb.	4.99
Replacement Globe	(WL8161700)	1 lb.	7.59



#### 12" Square Ceiling Light

· Ceramic white glass

• 5-3/4" high

(F98WH02-12643L)

2.1 lbs. 13.99



#### **Dimmable Ceiling Light Fixture**

- Embossed floral and leaf glass shade
- · Textured white finish
- 13-1/8" diameter x 7" height
- · Uses 2 clear, medium base bulbs, 60 watt maximum (not included)

#6333215

(F155WW021068EC3L)

6.47 lbs. 27.99



#### **Fluorescent Light Fixtures**

#### 4 Ft. Shop Light

• Includes cord, plug and hanging kit

· Fluorescent tubes sold separately

#208 PUR

(208PUR) 4.95 lbs. 17.99

#### **American Fluorescent Wrap Around Fixture**

• Modern design ceiling fixture

• Fluorescent tubes sold separately

2'	#137FCU	(137FCU)	3.05 lbs.	22.99
4'	#127N4C	(3348)	5.1 lbs.	24.99

#### **Acuity Lighting**

#### 48" Fluorescent Ceiling Wrap

• 32 Watt, residential use

Acrylic prism diffuser

• Uses T-8 LED bulbs (T48840LEDG2)

#WN232RWE (COWN232RWE) 9.6 lbs. 69.99

### **Ceiling Fan-Light Fixtures**

#### 30" Petite™ Fan

- 1 light opal mushroom glass fixture
- Reversible white/whitewashed blades

#CF78108 (CF-78108) 59.99 25.3 lbs.



#### 52" Ceiling Fan

• 3 Light

Polished Brass

#CF78043 22 lbs. (CF-78043) 79.99





LED			
Porch Light Bronze	#FES0650LPC	(COFES0650LPC)	1.4 lbs. <b>39.99</b>

Porch Light #FES0650LPCW (COFFS0650LPCW) White

1.4 lbs. 39.99

#### **Boston Harbor Lighting**

13" 2 Light **Ceiling Fixture Brushed Nickel** 

2 Light



#BRT-ATE1012-(BRT-ATE1012-4.77 lbs. 29.99 SC3L



5.2 lbs. 37.99 #A2242-2 (A2242-2)

6" Round Ceiling **Light Fixture Brushed Nickel** 



#F3BB01-(F3BB01-3375-.99 lbs. 17.99

2 Light **Ceiling Fixture** Venetian Bronze



‡A2242-2-VB (A2242-2-VB) 2.93 lbs. 32.99

6" Ceiling **Light Fixture** Oil Rubbed Bronze



#F301- (F301-3375-3375-ORB .99 lbs. 16.99 ORB)

9" 2 Light **Ceiling Fixture** Venetian Bronze



#F14BB02-8005-(F14BB02-ORB

8005-ORB) 2.04 lbs. **25.99** 

9" 2 Light Ceiling Fixture **Brushed Nickel** 



#F14BB02-8005-

(F14BB02-8005-BN) 2.04 lbs. 29.99

1 Light Vanity Fixture **Brushed Nickel** 



#RF-V-041-(RF-V-041-BN-3L BN-3L) 2.13 lbs. 22.99

3 Light **Vanity Fixture Brushed Nickel** 



7.2 lbs. **54.99** #V044BN(RF-V-044-BN)

4 Light **Vanity Fixture Brushed Nickel** 



#V042BN (RF-V-042-BN) 9.64 lbs. 77.99

5 Light Chandelier **Brushed Nickel** 



#A22426VB (A2242-6) 14.40 lbs. 109.99

#### **Spin Light LED Ceiling Fixture**

- 7" diameter
- 11.5 Watts
- · Screws into existing electrical socket
- · Wall or ceiling mount

#54606242 (54606242)



27.99

1.0 lbs.

#### Heatti Zenith **Motion Activated Floodlight**

- · Sealed 110° motion sensor
- · Bronze or white
- · Bulbs sold separately

· Adjustable time and sensitivity

#HZ/SL5408-BZ (HZ-5408-BZ) 1 lb. **15.99** #HZ/SL5408-WH (SL5408M) 1 lb. 15.99





#### **Double** Floodlight Fixture

- Sealed 240° motion sensor
- Adjustable time and sensitivity
- Bronze or white
- · Flood bulbs sold separately

#HZ5318-BZ (HZ-5318-BZ) 2.33 lbs. **42.99** #HZ5318-WH (HZ-5318-WH) 2.33 lbs. **42.99** 



#L878	(COL878)	3.26 lbs.	23.99
#BPQ250T3	(AA3022332)	.01 lb.	4.99
Replacement bulb	(AA3022332)	.01 10.	4.77


#### **Halogen Light Bulbs** -3 Pack

- · Bright, white light for halogen flood lamps, floor lamps and worklights
- 4-11/16" overall length



**Soft White Bulbs** 28 Watt #52190 (SYL52190) 0.39 lb. **7.59** 

43 Watt #50005 (SYL50005)



**Ceiling Fan Bulb** 



0.39 lb. **7.59 40 Watt** #10036 (SYL10036) 0.16 lb. **2.99** 

#### 500 Watt

#BPQ500/ (BPQ500MP) 0.178 lb. 9.99 MP-130

#### Nebo 6305 Rechargeable **LED Worklight**



.35 lbs. 27.99

#### 60 Watt Halogen Floodlight

#16129 (SYL16129) 0.35 lb. 10.99 PAR30 8.99 PAR38 #16738 (SYL16738) 0.91 lb.

#### Soft White 3-Way Bulb

Single pack

SYLVANIA

-4 Pack

**Halogen Light Bulbs** 

50/100/ #41280 (SYL18060) 0.14 lb. 3.79 150 Watt

POWER™ ZONE 66 LED Rechargeable

### **Worklight**

- · Lumen High Output LED
- Integrated battery
- Includes AC & DC chargers
- · 2 built-in magnets

#PZR2166 (COLED120) 1.35 lbs. 37.99

#### Up to 220 lumens #NEBO 6305 (WB6305)

### **Fluorescent Light Bulbs** SYLVANIA

#### 4 Ft. Fluorescent Bulb

- Universal deluxe
- Average life, 15,000 hours

32 Watt T-8	#21781	(SYL21781)	0.45 lb.	4.99
40 Watt T-12	#24334	(SYL24472)	0.83 lb.	3.79
32 Watt T-8 2PK	#22239	(SYL22239)	0.92 lb.	8.69

#### SYLVANIA

#### 4 Ft. Daylight Full Spectrum **Fluorescent Bulb**

- Engineered to produce natural light
- · Helps to reduce eyestrain and fatigue
- 2 Pack

40 Watt

#24755

(SYL24755)

0.333 lb. 14.99

### **Shop Work Lights**

#### **Linkable Plug-in LED Shop Light**

- UL/cUL Damp location approved
- · Energy Star certified
- Pull chain on/off switch (54103162) #54103162

5.2 lb. 72.99

### 2 Lamp Fluorescent Shop Light

- Fully assembled
- Diamond plate reflector
- Includes 12" chain
- · Pull chain on/off switch #146V5F (146V5F)




#### **FEIT 4' LED Fluorescent Bulb**

- Converts existing fluorescent fixture to LED technology
- No replacing or rewiring of lamp holders required.

#T48/840/LEDG2 (T48840LEDG2) 0.8 lb. 14.99

#### **Heavy-Duty Extension Cord**



UL listed



#### 2 Ft. Indoor/Outdoor 3-Outlet **Power Block**

· Lifetime guarantee

(PB12323O)


• 12/3 gauge



3/4" x 60 Ft. Electrical Tape

• General purpose vinyl tape

• U.L. approved




0.9 lb.

(ACE33180)

#### LEVITON. **Porcelain Lamp Holder**


For ceiling applications



#### Porcelain Lamp Holder

• With pull chain

• 4" diameter



#### **Porcelain Lampholder** with Grounded Outlet

• With 15 amp 125 volt AC outlet

• Mounts on 4" outlet boxes

• Includes ball chain, 3' of cord, connector and end bell (667SP) 0.6 lb.

#### 10 Ft. EMT Conduit

• Electrical metallic tubing for indoor use



#### Lamp Halder

• Porcelain sock			
Double Lampholder	#5625-5	(DLA5625-5)	1.18 lb.
Base	#5606-0	(HE5606-0)	0.53 lb.



- · All-weather vinyl extension cords provide outstanding performance in extreme climate conditions at temperatures from -58°F to +221°F
- Lighted end
- UL listed



#### Wire Nuts

• Box of 100

15.99

1.39

5.69

 Red color (WN10086)



11.99

#### **LED String Light**

- Five (5) high intensity LED light heads (1000 lumens each)
- 55 Watts
- 4000K CRI

#O-420-5 (PZ3553708)

5.02 lb. 94.99

### Insulated Staples

• Box of 100 • 1-1/4" x 9/16" Blue PVC insulation (KI70112) 0.7 lb.

#### 4.59

#### Wire Covers

Connector Cover	#NM-910	(NM910)	0.09 lb.	3.79
5' Wire Channel	#NM-1	(NM1)	0.65 lb.	8.99

#### Wire and Fittings

#4 Copper Ground Wire	(4BCSWLF)	0.2 lb.	1.19 l.f.
<b>Ground Rod Clamp</b>	(EG5CP58)	0.2 lb.	2.99
2" Hub	(CHDS200H2P)	0.5 lb.	11.99
2" Weatherhead	(HC58020)	1.6 lbs.	14.99
8' Ground Rod	(ER615880UPC)	6.7 lbs.	13.99
2" X 10' Galvanized Rigid Conduit	(103101)	15.7 lbs.	69.99

\*Available by special order

#### **COOPER** Wiring Devices 3-Outlet Adaptor

• 15 amp/125 volt

(4402RN) .33 lb.



6.49

#### **Outdoor Box**

• 3 hole with mounting lugs


Box	#5320-5	(53205OB)	0.66 lb.	5.99
<b>Weather Proof Cover</b>	#S2966	(S2966)	0.21 lb.	7.99


9.99 4.79

### SEASONAL



#### Husqvarna Gas Chain Saw





	16"				
Chain Saw	#240-16	(240-16)	21 lbs.	239.99	
Replacement Chain	#S56	(16CSRC)	0.4 lb.	20.99	
Bar/Chain Extender	#27857	(OR27857)	2.1 lb.	39.99	
	18"				
Chain Saw	#450-18	(445-18)	23.17 lbs.	469.99	
Replacement Chain	#G72	(OCM72)	0.93 lb.	29.99	
16" Electric Chainsaw					

#WG303.1



### **Gas Can Spout**

- High flow fuel replacement spout and vent kit
- For use on portable fuel containers manufactured prior to January
- Kit contains spout and cap, 8" spout extension for hard to reach tanks, 1/2" replacement push in vent, second base cap to fit additional cans and a flame arrester
- 7/8" opening, fast fueling for off road equipment, tractors, boats and more

#30051	(CO30051)	0.20 lbs.	16.99

#### OREGON **Chainsaw File**

**Chain Saw** 

#### Your choice 7/32" or 5/32"

#23575/77 (OR23575/77) 0.3 lb. 7.99

# CUTTING-CHAIN FILES

#### **Utility Two-Cycle Oil**

• For high performance requirements of severe duty air-cooled two-stroke cycle engines

• 8 oz.

#702275

#### (702275)0.5 lb. 2.39

#### **Bar & Chain Oil**

· Reduces friction between bar & chain

Quart

#702278 (702275) 2.39

2.5 lbs.

#### 5-Gallon **Poly Fuel Can**

99.99

(WG3031) 18.3 lbs.

· Made of HDPE with barrier materials to eliminate hydrocarbon emissions

 Child-resistant spout includes variable flow, automatic venting and locking, automatic locking, and airtight seal

#05096 (GC5GAL) 2.6 lbs. 21.99



#### **Blitz Fuel Can Replacement Parts**

Nozzle Kit #05459 (SC05459) 0.2 lb. 8.69

#### Shaker Siphon

- · Works with most liquids
- Anti-static



(HK10801)

.5 lbs. 10.99

### 5-Gallon **Poly Diesel Fuel Can**

 Self-venting spout

#05898 (DGC5GAL) 3 lbs.



#### **Fluid Transfer Hand Pump**

· For all types of petroleum products







# STARTING A PROJECT? HAVE A QUESTION? NEED A QUOTE? ASK!

We're here to help -Visit SBSALASKA.COM & ASK SBS!



4412 LOIS DRIVE | ANCHORAGE, AK 99517



# COVERING ALASKA WITH QUALITY, AFFORDABLE HOUSING

- Our homes are designed for do-it-yourselfers, first-time home buyers and growing families.
- Our homes are priced initially in their most affordable form. Upgrades are available based on your choices and local building practices.
- ✓ Technical service is available through our team of experts at SBS.
- ✓ Job site delivery.

COVID-19 IMPORTANT NOTICE TO CUSTOMERS

**Our number one priority is the safety and well-being our employees, customers and communities.** Disruptions in manufacturing, distribution and/or shipping related to the Coronavirus Disease (COVID-19) Outbreak may delay the timely delivery of your order. If you have any questions or concerns please contact us at 1.800.844.9313 or catalogsales@sbsalaska.com.